

# SKIN DISORDERS PANEL<sup>1</sup> DG-5.0.0 (679 GENES)

| Gene   | Twist X2 covered 10x | Twist X2 covered 20x | srWGS covered 10x | srWGS covered 15x | srWGS covered 20x | Associated Phenotype description and OMIM disease ID                                                                                                                                                                           |
|--------|----------------------|----------------------|-------------------|-------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AAAS   | 100%                 | 100%                 | 100%              | 99.9%             | 99.3%             | Achalasia-addisonianism-alacrimia syndrome, 231550                                                                                                                                                                             |
| AAGAB  | 90.7%                | 90.7%                | 100%              | 100%              | 99.8%             | Keratoderma, palmoplantar, punctate type IA, 148600                                                                                                                                                                            |
| AARS1  | 100%                 | 100%                 | 100%              | 100%              | 99.5%             | Developmental and epileptic encephalopathy 29, 616339;Charcot-Marie-Tooth disease, axonal, type 2N, 613287;?Leukoencephalopathy, hereditary diffuse, with spheroids 2, 619661;Trichothiodystrophy 8, nonphotosensitive, 619691 |
| ABCA12 | 100%                 | 100%                 | 100%              | 100%              | 99.6%             | Ichthyosis, congenital, autosomal recessive 4B (harlequin), 242500;Ichthyosis, congenital, autosomal recessive 4A, 601277                                                                                                      |
| ABCB6  | 100%                 | 100%                 | 100%              | 100%              | 99.3%             | Dyschromatosis universalis hereditaria 3, 615402;[Blood group, Langereis system], 111600;Pseudohyperkalemia, familial, 2, due to red cell leak, 609153;Microphthalmia/coloboma 7, 614497                                       |

|       |       |       |      |       |       |                                                                                                                                                                                                    |
|-------|-------|-------|------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ABCC6 | 94.4% | 94.4% | 100% | 100%  | 99.4% | Pseudoxanthoma elasticum, 264800;Arterial calcification, generalized, of infancy, 2, 614473;Pseudoxanthoma elasticum, forme fruste, 177850                                                         |
| ABCC9 | 96%   | 96%   | 100% | 100%  | 99.7% | Cardiomyopathy, dilated, 10, 608569;Hypertrichotic osteochondrodysplasia (Cantu syndrome), 239850;?Atrial fibrillation, familial, 12, 614050;Intellectual disability and myopathy syndrome, 619719 |
| ABHD5 | 100%  | 100%  | 100% | 100%  | 99.7% | Chanarin-Dorfman syndrome, 275630                                                                                                                                                                  |
| ACD   | 100%  | 100%  | 100% | 99.9% | 99.2% | ?Dyskeratosis congenita, autosomal recessive 7, 616553;?Dyskeratosis congenita, autosomal dominant 6, 616553                                                                                       |
| ACTA2 | 100%  | 100%  | 100% | 100%  | 99.8% | Smooth muscle dysfunction syndrome, 613834;Aortic aneurysm, familial thoracic 6, 611788;Moyamoya disease 5, 614042                                                                                 |

|          |       |       |      |      |       |                                                                                                                                                                                                                                                                                                              |
|----------|-------|-------|------|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ACTB     | 100%  | 100%  | 100% | 100% | 99.8% | Baraitser-Winter syndrome 1, 243310;Becker nevus, syndromic or isolated, somatic mosaic, 604919;Thrombocytopenia 8, with dysmorphic features and developmental delay, 620475;Dystonia-deafness syndrome 1, 607371;Congenital smooth muscle hamartoma with or without hemihypertrophy, somatic mosaic, 620470 |
| ACVRL1   | 91.2% | 91.2% | 100% | 100% | 99.2% | Telangiectasia, hereditary hemorrhagic, type 2, 600376                                                                                                                                                                                                                                                       |
| ADA2     | 96.2% | 93.5% | 100% | 100% | 99.6% | Sneddon syndrome, 182410;Vasculitis, autoinflammation, immunodeficiency, and hematologic defects syndrome, 615688                                                                                                                                                                                            |
| ADAM10   | 89.8% | 89.8% | 100% | 100% | 99.8% | {Alzheimer disease 18, susceptibility to}, 615590;Reticulate acropigmentation of Kitamura, 615537                                                                                                                                                                                                            |
| ADAM17   | 96.1% | 96.1% | 100% | 100% | 99.7% | ?Inflammatory skin and bowel disease, neonatal, 1, 614328                                                                                                                                                                                                                                                    |
| ADAMTS10 | 100%  | 100%  | 100% | 100% | 99.4% | Weill-Marchesani syndrome 1, recessive, 277600                                                                                                                                                                                                                                                               |
| ADAMTS17 | 100%  | 100%  | 100% | 100% | 98.7% | Weill-Marchesani 4 syndrome, recessive, 613195                                                                                                                                                                                                                                                               |
| ADAMTS2  | 97.9% | 97.9% | 100% | 100% | 99.5% | Ehlers-Danlos syndrome, dermatosparaxis type, 225410                                                                                                                                                                                                                                                         |

|          |       |       |       |       |       |                                                                                                                                                                      |
|----------|-------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ADAMTS3  | 100%  | 100%  | 100%  | 100%  | 99.9% | Hennekam lymphangiectasia-lymphedema syndrome 3, 618154                                                                                                              |
| ADAMTSL2 | 100%  | 100%  | 100%  | 100%  | 99.3% | Geleophysic dysplasia 1, 231050                                                                                                                                      |
| ADAR     | 100%  | 100%  | 100%  | 100%  | 99.7% | Dyschromatosis symmetrica hereditaria, 127400;Aicardi-Goutieres syndrome 6, 615010                                                                                   |
| AGA      | 91.6% | 91.6% | 100%  | 100%  | 99.7% | Aspartylglucosaminuria, 208400                                                                                                                                       |
| AGPAT2   | 100%  | 100%  | 100%  | 100%  | 99.1% | Lipodystrophy, congenital generalized, type 1, 608594                                                                                                                |
| AIRE     | 100%  | 100%  | 100%  | 100%  | 99.4% | Autoimmune polyendocrinopathy syndrome, type I, with or without reversible metaphyseal dysplasia, 240300                                                             |
| AKT1     | 100%  | 100%  | 100%  | 99.8% | 98.8% | Proteus syndrome, somatic mosaic, 176920;Breast cancer, somatic, 114480;Cowden syndrome 6, 615109;Colorectal cancer, somatic, 114500;Ovarian cancer, somatic, 167000 |
| AKT3     | 94.6% | 94.6% | 100%  | 100%  | 99.7% | Megalencephaly-polymicrogyria-polydactyly-hydrocephalus syndrome 2, 615937                                                                                           |
| ALAD     | 100%  | 100%  | 100%  | 100%  | 99.7% | Porphyria, acute hepatic, 612740;{Lead poisoning, susceptibility to}, 612740                                                                                         |
| ALAS2    | 100%  | 100%  | 98.4% | 87.7% | 67.8% | Anemia, sideroblastic, 1, 300751;Protoporphyrria, erythropoietic, X-linked, 300752                                                                                   |

|          |       |       |       |       |       |                                                                                                                                                                                                  |
|----------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ALDH18A1 | 100%  | 100%  | 100%  | 100%  | 99.5% | Spastic paraplegia 9A, autosomal dominant, 601162;Cutis laxa, autosomal recessive, type IIIA, 219150;Spastic paraplegia 9B, autosomal recessive, 616586;Cutis laxa, autosomal dominant 3, 616603 |
| ALDH3A2  | 93.5% | 93.5% | 100%  | 100%  | 99.8% | Sjogren-Larsson syndrome, 270200                                                                                                                                                                 |
| ALDOB    | 100%  | 100%  | 100%  | 100%  | 99.3% | Fructose intolerance, hereditary, 229600                                                                                                                                                         |
| ALOX12B  | 100%  | 100%  | 100%  | 100%  | 99.5% | Ichthyosis, congenital, autosomal recessive 2, 242100                                                                                                                                            |
| ALOXE3   | 100%  | 100%  | 100%  | 100%  | 99.4% | Ichthyosis, congenital, autosomal recessive 3, 606545                                                                                                                                            |
| ALPL     | 100%  | 100%  | 100%  | 100%  | 99.2% | Odontohypophosphatasia, 146300;Hypophosphatasia, infantile, 241500;Hypophosphatasia, childhood, 241510;Hypophosphatasia, adult, 146300                                                           |
| ALX4     | 100%  | 100%  | 100%  | 100%  | 99.7% | Parietal foramina 2, 609597;{Craniosynostosis 5, susceptibility to}, 615529;Frontonasal dysplasia 2, 613451                                                                                      |
| AMELX    | 100%  | 100%  | 98.5% | 90.9% | 68.7% | Amelogenesis imperfecta, type 1E, 301200                                                                                                                                                         |
| ANGPT2   | 100%  | 100%  | 100%  | 100%  | 99.8% | Lymphatic malformation 10, 619369                                                                                                                                                                |
| ANKRD11  | 100%  | 100%  | 100%  | 100%  | 99.3% | KBG syndrome, 148050                                                                                                                                                                             |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                                                                                                                          |
|--------|-------|-------|------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANOS1  | 100%  | 100%  | 99%  | 90.6% | 68.6% | Hypogonadotropic hypogonadism 1 with or without anosmia (Kallmann syndrome 1), 308700                                                                                                                                                                                                                                                                    |
| ANTXR1 | 100%  | 100%  | 100% | 100%  | 99.4% | GAPO syndrome, 230740;{?Hemangioma , capillary infantile, susceptibility to}, 602089                                                                                                                                                                                                                                                                     |
| ANTXR2 | 94.3% | 94.3% | 100% | 100%  | 99.6% | Hyaline fibromatosis syndrome, 228600                                                                                                                                                                                                                                                                                                                    |
| AP1B1  | 93.8% | 92.3% | 100% | 100%  | 99.6% | Keratitis-ichthyosis-deafness syndrome, autosomal recessive, 242150                                                                                                                                                                                                                                                                                      |
| AP1S3  | 90.6% | 90.6% | 100% | 99.9% | 99.6% | {Psoriasis 15, pustular, susceptibility to}, 616106                                                                                                                                                                                                                                                                                                      |
| AP3B1  | 100%  | 100%  | 100% | 100%  | 99.9% | Hermansky-Pudlak syndrome 2, 608233                                                                                                                                                                                                                                                                                                                      |
| APC    | 100%  | 100%  | 100% | 100%  | 99.7% | Colorectal cancer, somatic, 114500;Brain tumor-polyposis syndrome 2, 175100;Desmoid disease, hereditary, 135290;Adenoma, periampullary, somatic, 175100;Hepatoblastoma, somatic, 114550;Gastric cancer, somatic, 613659;Gastric adenocarcinoma and proximal polyposis of the stomach, 619182;Gardner syndrome, 175100;Adenomatous polyposis coli, 175100 |
| APCDD1 | 100%  | 100%  | 100% | 100%  | 99.6% | Hypotrichosis 1, 605389                                                                                                                                                                                                                                                                                                                                  |
| AQP5   | 100%  | 100%  | 100% | 100%  | 99.6% | Palmoplantar keratoderma, Bothnian type, 600231                                                                                                                                                                                                                                                                                                          |

|          |       |       |      |       |       |                                                                                                                     |
|----------|-------|-------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------|
| ARHGAP31 | 100%  | 100%  | 100% | 100%  | 99.7% | Adams-Oliver syndrome 1, 100300                                                                                     |
| ARID1A   | 100%  | 100%  | 100% | 100%  | 99.1% | Coffin-Siris syndrome 2, 614607                                                                                     |
| ARID1B   | 98.7% | 98.5% | 100% | 99.7% | 96.8% | Coffin-Siris syndrome 1, 135900                                                                                     |
| ASIP     | 100%  | 100%  | 100% | 100%  | 99.4% | [Skin/hair/eye pigmentation 9, brown/nonbrown eyes], 611742;[Skin/hair/eye pigmentation 9, dark/light hair], 611742 |
| ASL      | 100%  | 100%  | 100% | 100%  | 99%   | Argininosuccinic aciduria, 207900                                                                                   |
| ASPRV1   | 100%  | 100%  | 100% | 100%  | 100%  | Ichthyosis, lamellar, autosomal dominant, 146750                                                                    |
| ASXL1    | 100%  | 100%  | 100% | 99.9% | 99.4% | Myelodysplastic syndrome, somatic, 614286;Bohring-Opitz syndrome, 605039                                            |
| ASXL3    | 100%  | 100%  | 100% | 100%  | 99.7% | Bainbridge-Ropers syndrome, 615485                                                                                  |
| ATIC     | 100%  | 100%  | 100% | 100%  | 99.9% | AICA-ribosiduria due to ATIC deficiency, 608688                                                                     |
| ATP2A2   | 100%  | 100%  | 100% | 100%  | 99.7% | Acrokeratosis verruciformis, 101900;Darier disease, 124200;{Rhabdomyolysis, susceptibility to, 2}, 621236           |
| ATP2C1   | 96.4% | 96.2% | 100% | 100%  | 99.8% | Hailey-Hailey disease, 169600                                                                                       |
| ATP6V0A2 | 100%  | 100%  | 100% | 100%  | 99.8% | Wrinkly skin syndrome, 278250;Cutis laxa, autosomal recessive, type IIA, 219200                                     |

|         |       |       |       |       |       |                                                                                                                                                                                      |
|---------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ATP7A   | 94.9% | 94.9% | 99.2% | 91.2% | 72.3% | Occipital horn syndrome, 304150;Neuronopathy, distal hereditary motor, X-linked, 300489;Menkes disease, 309400                                                                       |
| ATR     | 100%  | 100%  | 99.8% | 99.4% | 98.9% | Seckel syndrome 1, 210600;?Cutaneous telangiectasia and cancer syndrome, familial, 614564                                                                                            |
| AXIN2   | 100%  | 100%  | 100%  | 100%  | 99.4% | Colorectal cancer, somatic, 114500;Oligodontia-col orectal cancer syndrome, 608615                                                                                                   |
| B3GALT6 | 100%  | 98.4% | 100%  | 99.9% | 97.7% | Ehlers-Danlos syndrome, spondylodysplastic type, 2, 615349;Spondyloepime taphyseal dysplasia with joint laxity, type 1, with or without fractures, 271640;Al-Gazali syndrome, 609465 |
| B4GALT7 | 86.8% | 86.8% | 100%  | 100%  | 99.6% | Ehlers-Danlos syndrome, spondylodysplastic type, 1, 130070                                                                                                                           |
| BANF1   | 100%  | 100%  | 100%  | 100%  | 99.2% | Nestor-Guillermo progeria syndrome, 614008                                                                                                                                           |
| BAP1    | 100%  | 100%  | 100%  | 100%  | 99.3% | Kury-Isidor syndrome, 619762;Tumor predisposition syndrome 1, 614327;{Uveal melanoma, susceptibility to, 2}, 606661                                                                  |
| BCOR    | 100%  | 100%  | 98.8% | 87.6% | 68%   | Microphthalmia, syndromic 2, 300166                                                                                                                                                  |

|         |       |       |      |       |       |                                                                                                                                                                                                                                                              |
|---------|-------|-------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BCS1L   | 100%  | 100%  | 100% | 100%  | 99.3% | GRACILE syndrome, 603358; Mitochondrial complex III deficiency, nuclear type 1, 124000; Bjornstad syndrome, 262000                                                                                                                                           |
| BLM     | 95.2% | 94.7% | 100% | 100%  | 99.8% | Bloom syndrome, 210900                                                                                                                                                                                                                                       |
| BLOC1S3 | 100%  | 100%  | 100% | 100%  | 99.1% | Hermansky-Pudlak syndrome 8, 614077                                                                                                                                                                                                                          |
| BLOC1S6 | 100%  | 100%  | 100% | 100%  | 99.8% | Hermansky-Pudlak syndrome 9, 614171                                                                                                                                                                                                                          |
| BMS1    | 100%  | 100%  | 100% | 100%  | 99.7% | ?Aplasia cutis congenita, nonsyndromic, 107600                                                                                                                                                                                                               |
| BRAF    | 100%  | 100%  | 100% | 99.7% | 98.3% | Melanoma, malignant, somatic, 155600; LEOPARD syndrome 3, 613707; Cardiofaciocutaneous syndrome, 115150; Adenocarcinoma of lung, somatic, 211980; Noonan syndrome 7, 613706; Colorectal cancer, somatic, 114500; Non-small cell lung cancer, somatic, 211980 |
| BRIP1   | 96%   | 96%   | 100% | 100%  | 99.7% | Fanconi anemia, complementation group J, 609054; {Breast cancer, early-onset, susceptibility to}, 114480                                                                                                                                                     |

|         |       |       |      |       |       |                                                                                                                                                                                                                                          |
|---------|-------|-------|------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BSCL2   | 100%  | 100%  | 100% | 100%  | 99.6% | Lipodystrophy, congenital generalized, type 2, 269700;Neuronopathy, distal hereditary motor, autosomal dominant 13, 619112;Silver spastic paraplegia syndrome, 270685;Encephalopathy, progressive, with or without lipodystrophy, 615924 |
| BTD     | 94.2% | 94.2% | 100% | 100%  | 99.8% | Biotinidase deficiency, 253260                                                                                                                                                                                                           |
| C1QA    | 77.4% | 74.6% | 100% | 99.9% | 99.1% | C1q deficiency 1, 613652                                                                                                                                                                                                                 |
| C1QB    | 77.2% | 77.2% | 100% | 100%  | 99.7% | C1q deficiency 2, 620321                                                                                                                                                                                                                 |
| C1QC    | 100%  | 98.8% | 100% | 99.9% | 98.9% | C1q deficiency 3, 620322                                                                                                                                                                                                                 |
| C2CD3   | 96%   | 96%   | 100% | 100%  | 99.7% | Orofaciodigital syndrome XIV, 615948                                                                                                                                                                                                     |
| CA2     | 100%  | 100%  | 100% | 100%  | 99.9% | Osteopetrosis, autosomal recessive 3, with renal tubular acidosis, 259730                                                                                                                                                                |
| CAPN12  | 100%  | 100%  | 100% | 99.9% | 98.7% |                                                                                                                                                                                                                                          |
| CARD11  | 100%  | 100%  | 100% | 99.9% | 99.3% | B-cell expansion with NFkB and T-cell anergy, 616452;Immunodeficiency 11B with atopic dermatitis, 617638;Immunodeficiency 11A, 615206                                                                                                    |
| CARD14  | 100%  | 100%  | 100% | 100%  | 99.3% | Psoriasis 2, 602723;Pityriasis rubra pilaris, 173200                                                                                                                                                                                     |
| CARD9   | 100%  | 100%  | 100% | 100%  | 99.5% | Immunodeficiency 103, susceptibility to fungal infection, 212050                                                                                                                                                                         |
| CARMIL2 | 100%  | 100%  | 100% | 100%  | 99.3% | Immunodeficiency 58, 618131                                                                                                                                                                                                              |

|        |       |       |      |       |       |                                                                                                                                                  |
|--------|-------|-------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| CARS1  | 100%  | 100%  | 100% | 100%  | 99.7% | Microcephaly, developmental delay, and brittle hair syndrome, 618891                                                                             |
| CASP14 | 100%  | 100%  | 100% | 100%  | 99.2% | Ichthyosis, congenital, autosomal recessive 12, 617320                                                                                           |
| CAST   | 100%  | 100%  | 100% | 99.9% | 99.7% | Peeling skin with leukonychia, acral punctate keratoses, cheilitis, and knuckle pads, 616295                                                     |
| CAV1   | 64.8% | 64.8% | 100% | 100%  | 99.2% | Lipodystrophy, congenital generalized, type 3, 612526;Pulmonary hypertension, primary, 3, 615343;Lipodystrophy, familial partial, type 7, 606721 |
| CAVIN1 | 100%  | 100%  | 100% | 99.9% | 98.2% | Lipodystrophy, congenital generalized, type 4, 613327                                                                                            |
| CAVIN2 | 100%  | 100%  | 100% | 100%  | 99.8% |                                                                                                                                                  |
| CBL    | 100%  | 100%  | 100% | 100%  | 99.5% | Noonan syndrome-like disorder with or without juvenile myelomonocytic leukemia, 613563;?Juvenile myelomonocytic leukemia, 607785                 |
| CBS    | 88%   | 85.8% | 100% | 99.9% | 99.2% | Thrombosis, hyperhomocysteinemic, 236200;Homocystinuria , B6-responsive and nonresponsive types, 236200                                          |
| CCBE1  | 100%  | 100%  | 100% | 100%  | 99.7% | Hennekam lymphangiectasia-lymphedema syndrome 1, 235510                                                                                          |

|        |      |      |      |       |       |                                                                                                                                                                                                                                                                   |
|--------|------|------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CD151  | 100% | 100% | 100% | 99.9% | 99.3% | [Blood group, Raph], 179620;Epidermolysis bullosa simplex 7, with nephropathy and deafness, 609057                                                                                                                                                                |
| CDAN1  | 100% | 100% | 100% | 100%  | 99.4% | Dyserythropoietic anemia, congenital, type Ia, 224120                                                                                                                                                                                                             |
| CDH3   | 100% | 100% | 100% | 100%  | 99.6% | Hypotrichosis, congenital, with juvenile macular dystrophy, 601553;Ectodermal dysplasia, ectrodactyly, and macular dystrophy, 225280                                                                                                                              |
| CDSN   | 100% | 100% | 100% | 100%  | 99.1% | Hypotrichosis 2, 146520;Peeling skin syndrome 1, 270300                                                                                                                                                                                                           |
| CELSR1 | 100% | 100% | 100% | 99.9% | 98.9% | Lymphatic malformation 9, 619319                                                                                                                                                                                                                                  |
| CERS3  | 100% | 100% | 100% | 100%  | 99.9% | Ichthyosis, congenital, autosomal recessive 9, 615023                                                                                                                                                                                                             |
| CFTR   | 100% | 100% | 100% | 100%  | 99.8% | Cystic fibrosis, 219700;Sweat chloride elevation without CF;Congenital bilateral absence of vas deferens, 277180;{Pancreatitis, hereditary}, 167800;{Bronchiectasis with or without elevated sweat chloride 1, modifier of}, 211400;{Hypertrypsine mia, neonatal} |
| CHKB   | 100% | 100% | 100% | 100%  | 99.6% | Muscular dystrophy, congenital, megaconial type, 602541                                                                                                                                                                                                           |
| CHST14 | 100% | 100% | 100% | 100%  | 98.9% | Ehlers-Danlos syndrome, musculocontractural type 1, 601776                                                                                                                                                                                                        |
| CHST8  | 100% | 100% | 100% | 100%  | 99.4% |                                                                                                                                                                                                                                                                   |

|         |      |       |      |       |       |                                                                                                          |
|---------|------|-------|------|-------|-------|----------------------------------------------------------------------------------------------------------|
| CHSY1   | 100% | 99.9% | 100% | 99.9% | 99.5% | Temtamy preaxial brachydactyly syndrome, 605282                                                          |
| CHUK    | 100% | 100%  | 100% | 99.9% | 99.8% | ?Popliteal pterygium syndrome, Bartsocas-Papas type 2, 619339;?Cocoon syndrome, 613630                   |
| CIB1    | 100% | 100%  | 100% | 100%  | 99.3% | {Epidermodysplasia verruciformis, susceptibility to, 3}, 618267                                          |
| CKAP2L  | 100% | 100%  | 100% | 100%  | 100%  | Filippi syndrome, 272440                                                                                 |
| CLDN1   | 100% | 100%  | 100% | 99.9% | 99.4% | Ichthyosis, leukocyte vacuoles, alopecia, and sclerosing cholangitis, 607626                             |
| CLDN10  | 100% | 100%  | 100% | 100%  | 99.6% | HELIX syndrome, 617671                                                                                   |
| CNNM4   | 100% | 100%  | 100% | 100%  | 99.2% | Jalili syndrome, 217080                                                                                  |
| COG6    | 100% | 100%  | 100% | 100%  | 100%  | Shaheen syndrome, 615328;Congenital disorder of glycosylation, type III, 614576                          |
| COL14A1 | 100% | 100%  | 100% | 100%  | 99.8% |                                                                                                          |
| COL17A1 | 100% | 100%  | 100% | 99.9% | 99.4% | Epithelial recurrent erosion dystrophy, 122400;Epidermolysis bullosa, junctional 4, intermediate, 619787 |

|        |      |      |      |       |       |                                                                                                                                                                                                                                                                                                                                                       |
|--------|------|------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COL1A2 | 100% | 100% | 100% | 100%  | 99.7% | Osteogenesis imperfecta, type III, 259420;{Osteoporosis, postmenopausal}, 166710;Ehlers-Danlos syndrome, arthrochalasia type, 2, 617821;Combined osteogenesis imperfecta and Ehlers-Danlos syndrome 2, 619120;Ehlers-Danlos syndrome, cardiac valvular type, 225320;Osteogenesis imperfecta, type IV, 166220;Osteogenesis imperfecta, type II, 166210 |
| COL3A1 | 100% | 100% | 100% | 99.9% | 99.7% | Ehlers-Danlos syndrome, vascular type, 130050;Polymicrogyria with or without vascular-type EDS, 618343                                                                                                                                                                                                                                                |
| COL5A1 | 100% | 100% | 100% | 100%  | 99.3% | Ehlers-Danlos syndrome, classic type, 1, 130000;Fibromuscular dysplasia, multifocal, 619329                                                                                                                                                                                                                                                           |
| COL5A2 | 100% | 100% | 100% | 100%  | 99.8% | Ehlers-Danlos syndrome, classic type, 2, 130010                                                                                                                                                                                                                                                                                                       |

|        |       |       |       |       |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COL7A1 | 100%  | 100%  | 100%  | 100%  | 99.4% | Nail disorder, nonsyndromic congenital, 8, 607523;Epidermolysis bullosa dystrophica, Bart type, 132000;Epidermolysis bullosa dystrophica inversa, 226600;Epidermolysis bullosa dystrophica, autosomal recessive, 226600;Epidermolysis bullosa, pretibial, 131850;Epidermolysis bullosa dystrophica, autosomal dominant, 131750;Transient bullous of the newborn, 131705;Epidermolysis bullosa pruriginosa, 604129;Epidermolysis bullosa dystrophica, localisata variant, 226600 |
| COX4I2 | 100%  | 99.6% | 100%  | 100%  | 99.2% | Exocrine pancreatic insufficiency, dyserythropoietic anemia, and calvarial hyperostosis, 612714                                                                                                                                                                                                                                                                                                                                                                                 |
| COX7B  | 100%  | 100%  | 98.4% | 88.1% | 69%   | Linear skin defects with multiple congenital anomalies 2, 300887                                                                                                                                                                                                                                                                                                                                                                                                                |
| CPOX   | 93.4% | 93.4% | 100%  | 100%  | 99.5% | Coproporphyrria, 121300;Harderoporphyria, 618892                                                                                                                                                                                                                                                                                                                                                                                                                                |
| CRIP1  | 100%  | 100%  | 100%  | 100%  | 99.7% | Rothmund-Thomson syndrome, type 3, 615789                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| CST6   | 100%  | 100%  | 100%  | 100%  | 98.9% | ?Ectodermal dysplasia 15, hypohidrotic/hair type, 618535                                                                                                                                                                                                                                                                                                                                                                                                                        |
| CSTA   | 100%  | 100%  | 100%  | 100%  | 99.9% | Peeling skin syndrome 4, 607936                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| CTC1   | 100%  | 100%  | 100%  | 100%  | 99.3% | Cerebroretinal microangiopathy with calcifications and cysts, 612199                                                                                                                                                                                                                                                                                                                                                                                                            |

|         |       |       |      |       |       |                                                                                                                                                                                            |
|---------|-------|-------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CTSA    | 100%  | 100%  | 100% | 100%  | 99.6% | Galactosialidosis, 256540                                                                                                                                                                  |
| CTSB    | 88.8% | 85%   | 100% | 100%  | 99.3% | Keratolytic winter erythema, 148370                                                                                                                                                        |
| CTSC    | 94.8% | 94.8% | 100% | 100%  | 99.8% | Periodontitis 1, juvenile, 170650;Haim-Munk syndrome, 245010;Papillon-Lefevre syndrome, 245000                                                                                             |
| CTSZ    | 85%   | 76.6% | 100% | 99.9% | 99.5% |                                                                                                                                                                                            |
| CXCR4   | 99%   | 99%   | 100% | 100%  | 99.9% | WHIM syndrome 1, 193670;Myelokathexis, isolated, 193670                                                                                                                                    |
| CYLD    | 100%  | 100%  | 100% | 100%  | 99.9% | Brooke-Spiegler syndrome, 605041;Cylindromatosis, familial, 132700;Trichoepithelioma, multiple familial, 1, 601606;?Frontotemporal dementia and/or amyotrophic lateral sclerosis 8, 619132 |
| CYP26C1 | 100%  | 100%  | 100% | 100%  | 99.2% | Focal facial dermal dysplasia 4, 614974                                                                                                                                                    |
| CYP4F22 | 100%  | 100%  | 100% | 100%  | 99.4% | Ichthyosis, congenital, autosomal recessive 5, 604777                                                                                                                                      |
| DCAF17  | 96.5% | 96.5% | 100% | 100%  | 99.7% | Woodhouse-Sakati syndrome, 241080                                                                                                                                                          |
| DCLRE1C | 97.1% | 97.1% | 100% | 100%  | 99.7% | Severe combined immunodeficiency, Athabaskan type, 602450;Omenn syndrome, 603554                                                                                                           |
| DDB2    | 100%  | 100%  | 100% | 99.9% | 99.1% | Xeroderma pigmentosum, group E, DDB-negative subtype, 278740                                                                                                                               |
| DHCR7   | 96.2% | 96.2% | 100% | 100%  | 99.4% | Smith-Lemli-Opitz syndrome, 270400                                                                                                                                                         |

|       |       |       |       |       |       |                                                                                                                                                                |
|-------|-------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DKC1  | 100%  | 100%  | 98.8% | 87.4% | 68.7% | ?Cataracts, hearing impairment, nephrotic syndrome, and enterocolitis 1, 301108;Dyskeratosis congenita, X-linked, 305000                                       |
| DLX3  | 100%  | 100%  | 100%  | 100%  | 99.4% | Trichodontoosseous syndrome, 190320;Amelogenesis imperfecta, type IV, 104510                                                                                   |
| DLX5  | 100%  | 100%  | 100%  | 100%  | 98.6% | Split-hand/foot malformation 1, 183600;?Split-hand/foot malformation 1 with sensorineural hearing loss, 220600                                                 |
| DOCK6 | 100%  | 100%  | 100%  | 100%  | 99.3% | Adams-Oliver syndrome 2, 614219                                                                                                                                |
| DOCK8 | 98.6% | 98.6% | 100%  | 100%  | 99.8% | Hyper-IgE syndrome 2, autosomal recessive, with recurrent infections, 243700                                                                                   |
| DOLK  | 100%  | 100%  | 100%  | 100%  | 99.7% | Congenital disorder of glycosylation, type Im, 610768                                                                                                          |
| DSC2  | 100%  | 100%  | 100%  | 100%  | 99.1% | Arrhythmogenic right ventricular dysplasia 11 with mild palmoplantar keratoderma and woolly hair, 610476;Arrhythmogenic right ventricular dysplasia 11, 610476 |
| DSC3  | 100%  | 100%  | 100%  | 100%  | 99.8% | Hypotrichosis and recurrent skin vesicles, 613102                                                                                                              |
| DSE   | 100%  | 100%  | 100%  | 100%  | 99.6% | Ehlers-Danlos syndrome, musculocontractural type 2, 615539                                                                                                     |

|      |       |       |       |       |       |                                                                                                                                                                                                                                                                                                        |
|------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DSG1 | 100%  | 100%  | 100%  | 100%  | 99.9% | Keratosis palmoplantaris striata I, AD, 148700;Erythroderma, congenital, with palmoplantar keratoderma, hypotrichosis, and hyper IgE, 615508                                                                                                                                                           |
| DSG3 | 100%  | 100%  | 100%  | 99.9% | 99.7% | Blistering, acantholytic, of oral and laryngeal mucosa, 619226                                                                                                                                                                                                                                         |
| DSG4 | 100%  | 100%  | 100%  | 100%  | 99.8% | Hypotrichosis 6, 607903                                                                                                                                                                                                                                                                                |
| DSP  | 99.4% | 99.3% | 100%  | 100%  | 99.5% | Arrhythmogenic right ventricular dysplasia 8, 607450;Epidermolysis bullosa, lethal acantholytic, 609638;Keratosis palmoplantaris striata II, 612908;Dilated cardiomyopathy with woolly hair, keratoderma, and tooth agenesis, 615821;Cardiomyopathy, dilated, with woolly hair and keratoderma, 605676 |
| DSPP | 100%  | 100%  | 99.1% | 98.2% | 96.7% | Dentinogenesis imperfecta, Shields type III, 125500;Dentinogenesis imperfecta, Shields type II, 125490;Dentin dysplasia, type II, 125420;Deafness, autosomal dominant 39, with dentinogenesis, 605594                                                                                                  |

|        |       |       |       |       |       |                                                                                                                                                                                                                   |
|--------|-------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DST    | 100%  | 100%  | 100%  | 100%  | 99.8% | Neuropathy, hereditary sensory and autonomic, type VI, 614653;Epidermolysis bullosa simplex 3, localized or generalized intermediate, with bp230 deficiency, 615425                                               |
| DTNBP1 | 96.4% | 96.4% | 100%  | 100%  | 99.7% | Hermansky-Pudlak syndrome 7, 614076                                                                                                                                                                               |
| DUSP1  | 100%  | 100%  | 100%  | 100%  | 99.7% |                                                                                                                                                                                                                   |
| DUSP6  | 100%  | 100%  | 100%  | 100%  | 99.9% | Hypogonadotropic hypogonadism 19 with or without anosmia, 615269                                                                                                                                                  |
| EBP    | 100%  | 100%  | 98.6% | 85.4% | 65.2% | MEND syndrome, 300960;Chondrodysplasia punctata, X-linked dominant, 302960                                                                                                                                        |
| ECM1   | 100%  | 100%  | 100%  | 99.7% | 98.5% | Urbach-Wiethe disease, 247100                                                                                                                                                                                     |
| EDA    | 100%  | 100%  | 97.9% | 85.8% | 63.4% | Tooth agenesis, selective, X-linked 1, 313500;Ectodermal dysplasia 1, hypohidrotic, X-linked, 305100                                                                                                              |
| EDAR   | 100%  | 100%  | 100%  | 100%  | 99.3% | [Hair morphology 1, hair thickness], 612630;Ectodermal dysplasia 10A, hypohidrotic/hair/nail type, autosomal dominant, 129490;Ectodermal dysplasia 10B, hypohidrotic/hair/tooth type, autosomal recessive, 224900 |

|         |       |       |       |       |       |                                                                                                                                                                        |
|---------|-------|-------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EDARADD | 100%  | 100%  | 100%  | 100%  | 99.9% | Ectodermal dysplasia 11B, hypohidrotic/hair/tooth type, autosomal recessive, 614941;Ectodermal dysplasia 11A, hypohidrotic/hair/tooth type, autosomal dominant, 614940 |
| EDN3    | 100%  | 100%  | 100%  | 100%  | 99.6% | Waardenburg syndrome, type 4B, 613265;{Hirschsprung disease, susceptibility to, 4}, 613712                                                                             |
| EDNRA   | 100%  | 100%  | 100%  | 100%  | 99.8% | {Migraine, resistance to}, 157300;Mandibulofacial dysostosis with alopecia, 616367                                                                                     |
| EDNRB   | 100%  | 100%  | 100%  | 100%  | 99.9% | {Hirschsprung disease, susceptibility to, 2}, 600155;?ABCD syndrome, 600501;Waardenburg syndrome, type 4A, 277580                                                      |
| EFEMP2  | 99.9% | 97.3% | 100%  | 99.9% | 99.2% | Cutis laxa, autosomal recessive, type IB, 614437                                                                                                                       |
| EFNB1   | 100%  | 100%  | 98.8% | 86.8% | 68.4% | Craniofrontonasal dysplasia, 304110                                                                                                                                    |
| EIF2AK3 | 100%  | 100%  | 100%  | 100%  | 99.6% | Wolcott-Rallison syndrome, 226980                                                                                                                                      |
| ELN     | 100%  | 99.9% | 100%  | 99.9% | 99.4% | Cutis laxa, autosomal dominant, 123700;Supravalvar aortic stenosis, 185500                                                                                             |
| ELOVL1  | 100%  | 100%  | 100%  | 100%  | 99.5% | Ichthyotic keratoderma, spasticity, hypomyelination, and dysmorphic facies, 618527                                                                                     |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                     |
|--------|-------|-------|------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ELOVL4 | 100%  | 100%  | 100% | 100%  | 99.6% | Spinocerebellar ataxia 34, 133190;Stargardt disease 3, 600110;Ichthyosis, spastic quadriplegia, and impaired intellectual development, 614457                                                                                                       |
| EMP2   | 100%  | 100%  | 100% | 100%  | 99.8% | Nephrotic syndrome, type 10, 615861                                                                                                                                                                                                                 |
| ENAM   | 100%  | 100%  | 100% | 100%  | 99.7% | Amelogenesis imperfecta, type IC, 204650;Amelogenesis imperfecta, type IB, 104500                                                                                                                                                                   |
| ENG    | 98.3% | 96.9% | 100% | 100%  | 98.5% | Telangiectasia, hereditary hemorrhagic, type 1, 187300                                                                                                                                                                                              |
| ENPP1  | 100%  | 100%  | 100% | 100%  | 99.6% | {Obesity, susceptibility to}, 601665;Hypophosphatemic rickets, autosomal recessive, 2, 613312;{Diabetes mellitus, non-insulin-dependent, susceptibility to}, 125853;Arterial calcification, generalized, of infancy, 1, 208000;Cole disease, 615522 |
| EPG5   | 100%  | 100%  | 100% | 100%  | 99.7% | Vici syndrome, 242840                                                                                                                                                                                                                               |
| EPHB4  | 98.6% | 96%   | 100% | 99.9% | 99%   | Capillary malformation-arteriovenous malformation 2, 618196;Lymphatic malformation 7, 617300                                                                                                                                                        |
| EPS8L3 | 100%  | 100%  | 100% | 100%  | 99.3% | ?Hypotrichosis 5, 612841                                                                                                                                                                                                                            |
| ERCC2  | 96.4% | 96.1% | 100% | 99.9% | 99.1% | Xeroderma pigmentosum, group D, 278730;Trichothiodystrophy 1, photosensitive, 601675;?Cerebrooculofacioskeletal syndrome 2, 610756                                                                                                                  |

|       |       |       |      |       |       |                                                                                                                                                                                                                                                                                                       |
|-------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ERCC3 | 100%  | 100%  | 100% | 100%  | 99.5% | Trichothiodystrophy 2, photosensitive, 616390;Xeroderma pigmentosum, group B, 610651                                                                                                                                                                                                                  |
| ERCC4 | 100%  | 100%  | 100% | 100%  | 99.9% | Xeroderma pigmentosum, type F/Cockayne syndrome, 278760;XFE progeroid syndrome, 610965;Xeroderma pigmentosum, group F, 278760;Fanconi anemia, complementation group Q, 615272                                                                                                                         |
| ERCC5 | 100%  | 100%  | 100% | 100%  | 99.9% | Xeroderma pigmentosum, group G, 278780;Cerebrooculofacioskeletal syndrome 3, 616570;Xeroderma pigmentosum, group G/Cockayne syndrome, 278780                                                                                                                                                          |
| ERCC6 | 100%  | 100%  | 100% | 100%  | 99.5% | UV-sensitive syndrome 1, 600630;Cerebrooculofacioskeletal syndrome 1, 214150;?De Sanctis-Cacchione syndrome, 278800;Cockayne syndrome, type B, 133540;{Macular degeneration, age-related, susceptibility to, 5}, 613761;Premature ovarian failure 11, 616946;{Lung cancer, susceptibility to}, 211980 |
| ERCC8 | 95.3% | 95.2% | 100% | 99.7% | 98.3% | UV-sensitive syndrome 2, 614621;Cockayne syndrome, type A, 216400                                                                                                                                                                                                                                     |
| ERG   | 100%  | 100%  | 100% | 100%  | 99.4% | Lymphatic malformation 14, 620602                                                                                                                                                                                                                                                                     |

|         |       |      |      |      |       |                                                                                                                                     |
|---------|-------|------|------|------|-------|-------------------------------------------------------------------------------------------------------------------------------------|
| EVC     | 100%  | 100% | 100% | 100% | 99.4% | Ellis-van Creveld syndrome, 225500;?Weyers acrofacial dysostosis, 193530                                                            |
| EVC2    | 100%  | 100% | 100% | 100% | 99.5% | Ellis-van Creveld syndrome, 225500;Weyers acrofacial dysostosis, 193530                                                             |
| EXPH5   | 100%  | 100% | 100% | 100% | 99.8% | Epidermolysis bullosa simplex 4, localized or generalized intermediate, autosomal recessive, 615028                                 |
| F13A1   | 100%  | 100% | 100% | 100% | 99.8% | Factor XIIIa deficiency, 613225;{Myocardial infarction, protection against}, 608446;{Venous thrombosis, protection against}, 188050 |
| FAM111B | 100%  | 100% | 100% | 100% | 99.8% | Poikiloderma, hereditary fibrosing, with tendon contractures, myopathy, and pulmonary fibrosis, 615704                              |
| FAM20A  | 100%  | 100% | 100% | 100% | 99.5% | Amelogenesis imperfecta, type IG (enamel-renal syndrome), 204690                                                                    |
| FAM20C  | 99.9% | 98%  | 100% | 100% | 99.3% | Raine syndrome, 259775                                                                                                              |
| FAM83G  | 100%  | 100% | 100% | 100% | 99.3% |                                                                                                                                     |
| FAM83H  | 100%  | 100% | 100% | 100% | 99.1% | Amelogenesis imperfecta, type IIIA, 130900                                                                                          |
| FANCA   | 100%  | 100% | 100% | 100% | 99.3% | Fanconi anemia, complementation group A, 227650                                                                                     |

|        |       |       |       |       |       |                                                                                                                                                                                                     |
|--------|-------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FANCB  | 96.2% | 96.2% | 98.9% | 90.2% | 70.7% | Fanconi anemia, complementation group B, 300514                                                                                                                                                     |
| FANCC  | 100%  | 100%  | 100%  | 100%  | 99.5% | Fanconi anemia, complementation group C, 227645                                                                                                                                                     |
| FANCD2 | 100%  | 100%  | 99.9% | 99.9% | 99.3% | Fanconi anemia, complementation group D2, 227646                                                                                                                                                    |
| FANCE  | 100%  | 100%  | 100%  | 100%  | 99.3% | Fanconi anemia, complementation group E, 600901                                                                                                                                                     |
| FANCF  | 100%  | 100%  | 100%  | 100%  | 99.8% | Fanconi anemia, complementation group F, 603467                                                                                                                                                     |
| FANCG  | 100%  | 99.8% | 100%  | 99.9% | 99.2% | Fanconi anemia, complementation group G, 614082                                                                                                                                                     |
| FANCI  | 100%  | 100%  | 100%  | 100%  | 99.5% | Fanconi anemia, complementation group I, 609053                                                                                                                                                     |
| FANCL  | 91.8% | 91.1% | 100%  | 99.5% | 98.2% | Fanconi anemia, complementation group L, 614083                                                                                                                                                     |
| FANCM  | 100%  | 100%  | 100%  | 100%  | 99.8% | Premature ovarian failure 15, 618096;Spermatogenic failure 28, 618086                                                                                                                               |
| FAT4   | 100%  | 100%  | 100%  | 100%  | 99.6% | Van Maldergem syndrome 2, 615546;Hennekam lymphangiectasia-lymphedema syndrome 2, 616006                                                                                                            |
| FBLN5  | 92.8% | 92.8% | 100%  | 99.9% | 99.3% | Cutis laxa, autosomal recessive, type 1A, 219100;Charcot-Marie-Tooth disease, demyelinating, type 1H, 619764;Macular degeneration, age-related, 3, 608895;?Cutis laxa, autosomal dominant 2, 614434 |

|        |      |       |      |       |       |                                                                                                                                                                                                                                                                             |
|--------|------|-------|------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FDFT1  | 100% | 99.6% | 100% | 100%  | 99.5% | Squalene synthase deficiency, 618156                                                                                                                                                                                                                                        |
| FDPS   | 100% | 100%  | 100% | 99.9% | 99.3% | Porokeratosis 9, multiple types, 616631                                                                                                                                                                                                                                     |
| FECH   | 100% | 100%  | 100% | 100%  | 99.7% | Protoporphyrria, erythropoietic, 1, 177000                                                                                                                                                                                                                                  |
| FERMT1 | 100% | 100%  | 100% | 99.9% | 99.5% | Kindler syndrome, 173650                                                                                                                                                                                                                                                    |
| FGF10  | 100% | 100%  | 100% | 100%  | 99.9% | LADD syndrome 3, 620193;Aplasia of lacrimal and salivary glands, 180920                                                                                                                                                                                                     |
| FGF23  | 100% | 100%  | 100% | 100%  | 99.2% | Tumoral calcinosis, hyperphosphatemic, familial, 2, 617993;Hypophosphatemic rickets, autosomal dominant, 193100                                                                                                                                                             |
| FGF3   | 100% | 100%  | 100% | 99.9% | 97.7% | Deafness, congenital with inner ear agenesis, microtia, and microdontia, 610706                                                                                                                                                                                             |
| FGF5   | 100% | 100%  | 100% | 100%  | 99.9% | Trichomegaly, 190330                                                                                                                                                                                                                                                        |
| FGF8   | 100% | 100%  | 100% | 100%  | 99.3% | Hypogonadotropic hypogonadism 6 with or without anosmia, 612702                                                                                                                                                                                                             |
| FGFR1  | 100% | 99.5% | 100% | 100%  | 99.5% | Pfeiffer syndrome, 101600;Hypogonadotropic hypogonadism 2 with or without anosmia, 147950;Jackson-Weiss syndrome, 123150;Hartsfield syndrome, 615465;Trigonocephaly 1, 190440;Osteoglophonic dysplasia, 166250;Encephalocraniocutaneous lipomatosis, somatic mosaic, 613001 |

FGFR2

100%

100%

100%

100%

99.7%

Bent bone dysplasia syndrome, 614592;LADD syndrome 1, 149730;Antley-Bixler syndrome without genital anomalies or disordered steroidogenesis, 207410;Scaphocephaly and Axenfeld-Rieger anomaly;Jackson-Weiss syndrome, 123150;Gastric cancer, somatic, 613659;Craniofacial-skeletal-dermatologic dysplasia, 101600;Apert syndrome, 101200;Pfeiffer syndrome, 101600;Craniosynostosis, nonspecific;?Scaphocephaly, maxillary retrusion, and impaired intellectual development, 609579;Beare-Stevenson cutis gyrata syndrome, 123790;Crouzon syndrome, 123500;Saethre-Chotzen syndrome, 101400

|        |       |       |      |      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------|-------|-------|------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FGFR3  | 100%  | 100%  | 100% | 100% | 99.4% | Muenke syndrome, 602849;SADDAN, 616482;Hypochondroplasia, 146000;Thanatophoric dysplasia, type II, 187601;Nevus, epidermal, somatic, 162900;CATSHL syndrome, 610474;Thanatophoric dysplasia, type I, 187600;Spermatocytic seminoma, somatic, 273300;Bladder cancer, somatic, 109800;LADD syndrome 2, 620192;Achondroplasia, 100800;Cervical cancer, somatic, 603956;Colorectal cancer, somatic, 114500;Crouzon syndrome with acanthosis nigricans, 612247 |
| FH     | 100%  | 100%  | 100% | 100% | 99.8% | Leiomyomatosis and renal cell cancer, 150800;Fumarase deficiency, 606812                                                                                                                                                                                                                                                                                                                                                                                  |
| FKBP10 | 100%  | 100%  | 100% | 100% | 99.3% | Osteogenesis imperfecta, type XI, 610968;Bruck syndrome 1, 259450                                                                                                                                                                                                                                                                                                                                                                                         |
| FKBP14 | 100%  | 100%  | 100% | 100% | 100%  | Ehlers-Danlos syndrome, kyphoscoliotic type, 2, 614557                                                                                                                                                                                                                                                                                                                                                                                                    |
| FLCN   | 96.9% | 96.9% | 100% | 100% | 99.7% | Birt-Hogg-Dube syndrome, 135150;Colorectal cancer, somatic, 114500;Pneumothorax, primary spontaneous, 173600;Renal carcinoma, chromophobe, somatic, 144700                                                                                                                                                                                                                                                                                                |

|       |       |       |       |       |       |                                                                                                                                                                                                                         |
|-------|-------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FLG   | 100%  | 100%  | 100%  | 100%  | 99.2% | Ichthyosis vulgaris, 146700;{Dermatitis, atopic, susceptibility to, 2}, 605803                                                                                                                                          |
| FLG2  | 100%  | 99.9% | 100%  | 99.8% | 99%   | Peeling skin syndrome 6, 618084                                                                                                                                                                                         |
| FLT4  | 99.7% | 98%   | 100%  | 99.9% | 99.6% | Hemangioma, capillary infantile, somatic, 602089;Lymphatic malformation 1, 153100;Congenital heart defects, multiple types, 7, 618780                                                                                   |
| FNIP1 | 100%  | 100%  | 100%  | 100%  | 99.7% | Immunodeficiency 93 and hypertrophic cardiomyopathy, 619705                                                                                                                                                             |
| FOXC2 | 100%  | 100%  | 100%  | 99.8% | 97.7% | Lymphedema-distichiasis syndrome, 153400;Lymphedema-distichiasis syndrome with renal disease and diabetes mellitus, 153400                                                                                              |
| FOXE1 | 100%  | 100%  | 100%  | 99.8% | 97.3% | Bamforth-Lazarus syndrome, 241850;{Thyroid cancer, nonmedullary, 4}, 616534                                                                                                                                             |
| FOXN1 | 100%  | 100%  | 100%  | 99.9% | 99.2% | T-cell lymphopenia, infantile, with or without nail dystrophy, autosomal dominant, 618806;T-cell immunodeficiency, congenital alopecia, and nail dystrophy, 601705;?T-cell immunodeficiency with thymic aplasia, 242700 |
| FOXP3 | 100%  | 100%  | 98.6% | 87%   | 65.2% | Immunodysregulation, polyendocrinopathy, and enteropathy, X-linked, 304790                                                                                                                                              |

|        |       |       |      |       |       |                                                                                                                                                                  |
|--------|-------|-------|------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FREM1  | 100%  | 100%  | 100% | 100%  | 99.7% | Manitoba oculotrichoanal syndrome, 248450;Bifid nose with or without anorectal and renal anomalies, 608980;Trigonocephaly 2, 614485                              |
| FUCA1  | 100%  | 100%  | 100% | 100%  | 99.8% | Fucosidosis, 230000                                                                                                                                              |
| FZD6   | 100%  | 100%  | 100% | 100%  | 99.8% | Nail disorder, nonsyndromic congenital, 1, 161050                                                                                                                |
| GALNS  | 100%  | 100%  | 100% | 99.9% | 99.4% | Mucopolysaccharidosis IVA, 253000                                                                                                                                |
| GALNT3 | 100%  | 100%  | 100% | 100%  | 99.9% | Tumoral calcinosis, hyperphosphatemic, familial, 1, 211900                                                                                                       |
| GAN    | 100%  | 100%  | 100% | 100%  | 99.9% | Giant axonal neuropathy-1, 256850                                                                                                                                |
| GATA2  | 85.7% | 85.7% | 100% | 100%  | 99.2% | {Leukemia, acute myeloid, susceptibility to}, 601626;Emberger syndrome, 614038;Immunodeficiency 21, 614172;{Myelodysplastic syndrome, susceptibility to}, 614286 |
| GDF2   | 100%  | 100%  | 100% | 100%  | 99.3% | Telangiectasia, hereditary hemorrhagic, type 5, 615506                                                                                                           |

|      |      |      |      |       |       |                                                                                                                                                                                                                                                                                                                                      |
|------|------|------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GDF5 | 100% | 100% | 100% | 100%  | 99.3% | Acromesomelic dysplasia 2A, 200700;Acromesomelic dysplasia 2B, 228900;Multiple synostoses syndrome 2, 610017;Symphalangism, proximal, 1B, 615298;Brachydactyly, type A2, 112600;?Acromesomelic dysplasia 2C, Hunter-Thompson type, 201250;Brachydactyly, type C, 113100;{Osteoarthritis-5}, 612400;Brachydactyly, type A1, C, 615072 |
| GGCX | 100% | 100% | 100% | 100%  | 99.7% | Vitamin K-dependent clotting factors, combined deficiency of, 1, 277450;Pseudoxanthoma elasticum-like disorder with multiple coagulation factor deficiency, 610842                                                                                                                                                                   |
| GJA1 | 100% | 100% | 100% | 99.9% | 99.1% | Erythrokeratoderma variabilis et progressiva 3, 617525;Craniometaphyseal dysplasia, autosomal recessive, 218400;Oculodentodigital dysplasia, 164200;Palmoplantar keratoderma with congenital alopecia, 104100;Syndactyly, type III, 186100;Oculodentodigital dysplasia, autosomal recessive, 257850                                  |

|      |       |       |       |       |       |                                                                                                                                                                                                                                                                                          |
|------|-------|-------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GJB2 | 100%  | 100%  | 100%  | 100%  | 99.5% | Keratoderma, palmoplantar, with deafness, 148350;Deafness, autosomal recessive 1A, 220290;Deafness, autosomal dominant 3A, 601544;Hystrix-like ichthyosis with deafness, 602540;Bart-Pumphrey syndrome, 149200;Keratitis-ichthyosis-deafness syndrome, 148210;Vohwinkel syndrome, 124500 |
| GJB3 | 100%  | 100%  | 100%  | 100%  | 99.5% | Deafness, digenic, GJB2/GJB3, 220290;Erythrokeratoderma variabilis et progressiva 1, 133200;Deafness, autosomal dominant 2B, with or without peripheral neuropathy, 612644                                                                                                               |
| GJB4 | 100%  | 100%  | 100%  | 99.8% | 99%   | Erythrokeratoderma variabilis et progressiva 2, 617524                                                                                                                                                                                                                                   |
| GJB6 | 100%  | 100%  | 100%  | 100%  | 99.7% | Ectodermal dysplasia 2, Clouston type, 129500;Deafness, autosomal dominant 3B, 612643;Deafness, autosomal recessive 1B, 612645;Deafness, digenic GJB2/GJB6, 220290                                                                                                                       |
| GJC2 | 100%  | 99.2% | 100%  | 99.3% | 97.1% | Lymphatic malformation 3, 613480;?Spastic paraplegia 44, autosomal recessive, 613206;Leukodystrophy, hypomyelinating, 2, 608804                                                                                                                                                          |
| GLA  | 91.4% | 91.4% | 98.6% | 90.2% | 70.6% | Fabry disease, cardiac variant, 301500;Fabry disease, 301500                                                                                                                                                                                                                             |

|       |       |       |      |       |       |                                                                                                                                                                                                                                                                                                                                                                         |
|-------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLB1  | 100%  | 100%  | 100% | 100%  | 99.8% | GM1-gangliosidosis, type I, 230500;GM1-gangliosidosis, type III, 230650;Mucopolysaccharidosis type IVB (Morquio), 253010;GM1-gangliosidosis, type II, 230600                                                                                                                                                                                                            |
| GLMN  | 96.2% | 96.2% | 100% | 100%  | 99.8% | Glomuvenous malformations, 138000                                                                                                                                                                                                                                                                                                                                       |
| GMPPA | 100%  | 100%  | 100% | 100%  | 98.9% | Alacrima, achalasia, and impaired intellectual development syndrome, 615510                                                                                                                                                                                                                                                                                             |
| GNA11 | 100%  | 100%  | 100% | 100%  | 98.7% | Hypocalciuric hypercalcemia, type II, 145981;Hypocalcemia, autosomal dominant 2, 615361                                                                                                                                                                                                                                                                                 |
| GNA14 | 100%  | 100%  | 100% | 100%  | 99.9% |                                                                                                                                                                                                                                                                                                                                                                         |
| GNAQ  | 92.8% | 92.8% | 100% | 100%  | 99.4% | Capillary malformations, congenital, 1, somatic, mosaic, 163000;Sturge-Weber syndrome, somatic, mosaic, 185300                                                                                                                                                                                                                                                          |
| GNAS  | 100%  | 99.9% | 100% | 99.9% | 99%   | Pituitary adenoma 3, multiple types, somatic, 617686;Pseudohypoparathyroidism 1c, 612462;Pseudohypoparathyroidism 1a, 103580;Osseous heteroplasia, progressive, 166350;McCune-Albright syndrome, somatic mosaic, 174800;Pseudohypoparathyroidism 1b, 603233;Pseudopseudohypoparathyroidism, 612463;ACTH-independent macronodular adrenal hyperplasia 1, somatic, 219080 |

|        |       |       |       |       |       |                                                                                                                                                                                        |
|--------|-------|-------|-------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GORAB  | 100%  | 100%  | 100%  | 100%  | 99.1% | Geroderma osteodysplasticum, 231070                                                                                                                                                    |
| GPNMB  | 95.1% | 95.1% | 100%  | 100%  | 99.3% | Amyloidosis, primary localized cutaneous, 3, 617920                                                                                                                                    |
| GPR143 | 93.1% | 93.1% | 99.4% | 89.3% | 69.5% | Ocular albinism, type I, Nettleship-Falls type, 300500;Nystagmus 6, congenital, X-linked, 300814                                                                                       |
| GRHL2  | 100%  | 100%  | 100%  | 99.9% | 99.7% | Deafness, autosomal dominant 28, 608641;Ectodermal dysplasia/short stature syndrome, 616029;Corneal dystrophy, posterior polymorphous, 4, 618031                                       |
| GRHL3  | 100%  | 100%  | 100%  | 100%  | 99.6% | van der Woude syndrome 2, 606713                                                                                                                                                       |
| GSN    | 92.8% | 90.5% | 100%  | 99.9% | 99.2% | Amyloidosis, Finnish type, 105120                                                                                                                                                      |
| GTF2E2 | 78.7% | 78.7% | 100%  | 100%  | 99.4% | Trichothiodystrophy 6, nonphotosensitive, 616943                                                                                                                                       |
| GTF2H5 | 44.2% | 44.2% | 100%  | 100%  | 99.7% | Trichothiodystrophy 3, photosensitive, 616395                                                                                                                                          |
| HCCS   | 100%  | 100%  | 99.3% | 90.8% | 71.5% | Linear skin defects with multiple congenital anomalies 1, 309801                                                                                                                       |
| HDAC8  | 94.6% | 94.6% | 98.9% | 89.4% | 69.7% | Cornelia de Lange syndrome 5, 300882                                                                                                                                                   |
| HERC2  | 100%  | 100%  | 100%  | 100%  | 99.4% | Intellectual developmental disorder, autosomal recessive 38, 615516;[Skin/hair/eye pigmentation 1, blond/brown hair], 227220;[Skin/hair/eye pigmentation 1, blue/nonblue eyes], 227220 |

|        |      |      |       |       |       |                                                                                                                                                                                            |
|--------|------|------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HLCS   | 100% | 100% | 100%  | 99.9% | 99.3% | Holocarboxylase synthetase deficiency, 253270                                                                                                                                              |
| HMBS   | 100% | 100% | 100%  | 100%  | 99.8% | Leukoencephalopathy, porphyria-related, 620711;Encephalopathy, porphyria-related, 620704;Porphyria, acute intermittent, nonerythroid variant, 176000;Porphyria, acute intermittent, 176000 |
| HMCN1  | 100% | 100% | 100%  | 100%  | 99.8% | {Macular degeneration, age-related, 1}, 603075                                                                                                                                             |
| HMGB3  | 100% | 100% | 99.6% | 92.2% | 73.8% | ?Microphthalmia, syndromic 13, 300915                                                                                                                                                      |
| HOXC13 | 100% | 100% | 100%  | 100%  | 98.5% | Ectodermal dysplasia 9, hair/nail type, 614931                                                                                                                                             |
| HPGD   | 100% | 100% | 100%  | 100%  | 99.8% | ?Digital clubbing, isolated congenital, 119900;Hypertrophic osteoarthropathy, primary, autosomal recessive 1, 259100;Cranioosteoarthropathy, 259100                                        |
| HPS1   | 100% | 100% | 100%  | 99.9% | 99.3% | Hermansky-Pudlak syndrome 1, 203300                                                                                                                                                        |
| HPS3   | 100% | 100% | 100%  | 100%  | 99.8% | Hermansky-Pudlak syndrome 3, 614072                                                                                                                                                        |
| HPS4   | 100% | 100% | 100%  | 100%  | 99.6% | Hermansky-Pudlak syndrome 4, 614073                                                                                                                                                        |
| HPS5   | 100% | 100% | 100%  | 100%  | 99.8% | Hermansky-Pudlak syndrome 5, 614074                                                                                                                                                        |
| HPS6   | 100% | 100% | 100%  | 99.9% | 99%   | Hermansky-Pudlak syndrome 6, 614075                                                                                                                                                        |
| HR     | 100% | 100% | 100%  | 100%  | 99.5% | Atrichia with papular lesions, 209500;Alopecia universalis, 203655                                                                                                                         |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                                                                                                          |
|--------|-------|-------|------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HRAS   | 100%  | 100%  | 100% | 100%  | 99.6% | Bladder cancer, somatic, 109800;Thyroid carcinoma, follicular, somatic, 188470;Congenital myopathy with excess of muscle spindles, 218040;Nevus sebaceous or woolly hair nevus, somatic, 162900;Schimmelpennin g-Feuerstein-Mims syndrome, somatic mosaic, 163200;Spitz nevus or nevus spilus, somatic, 137550;Costello syndrome, 218040 |
| HTRA1  | 100%  | 100%  | 100% | 100%  | 99.2% | Cerebral arteriopathy, autosomal dominant, with subcortical infarcts and leukoencephalopathy 2, 616779;Cerebral arteriopathy, autosomal recessive, with subcortical infarcts and leukoencephalopathy 2, 600142                                                                                                                           |
| HYAL1  | 100%  | 100%  | 100% | 99.9% | 98.3% | Mucopolysaccharidosis type IX, 601492                                                                                                                                                                                                                                                                                                    |
| IDUA   | 96%   | 96%   | 100% | 99.9% | 98.9% | Mucopolysaccharidosis Is, 607016;Mucopolysacch aridosis Ih/s, 607015;Mucopolysacch aridosis Ih, 607014                                                                                                                                                                                                                                   |
| IFT122 | 100%  | 100%  | 100% | 100%  | 99.7% | Cranioectodermal dysplasia 1, 218330                                                                                                                                                                                                                                                                                                     |
| IFT43  | 93.5% | 93.5% | 100% | 100%  | 99.6% | ?Cranioectodermal dysplasia 3, 614099;?Retinitis pigmentosa 81, 617871;Short-rib thoracic dysplasia 18 with polydactyly, 617866                                                                                                                                                                                                          |

|        |       |       |       |       |       |                                                                                                                                                                                                                                                        |
|--------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IKBKB  | 100%  | 100%  | 100%  | 100%  | 99.7% | Immunodeficiency 15B, 615592;Immunodeficiency 15A, 618204                                                                                                                                                                                              |
| IKBKG  | 94.5% | 93.7% | 98.6% | 90.1% | 72.3% | Incontinentia pigmenti, 308300;Ectodermal dysplasia and immunodeficiency 1, 300291;Immunodeficiency 33, 300636;Autoinflammatory disease, systemic, X-linked, 301081                                                                                    |
| IL17RA | 100%  | 100%  | 100%  | 100%  | 99.5% | Immunodeficiency 51, 613953                                                                                                                                                                                                                            |
| IL17RD | 100%  | 100%  | 100%  | 100%  | 99.4% | Hypogonadotropic hypogonadism 18 with or without anosmia, 615267                                                                                                                                                                                       |
| IL1RN  | 100%  | 100%  | 100%  | 100%  | 99.8% | Chronic recurrent multifocal osteomyelitis 2, with periostitis and pustulosis, 612852;{Gastric cancer risk after H. pylori infection}, 613659;{Microvascular complications of diabetes 4}, 612628;Interleukin 1 receptor antagonist deficiency, 612852 |
| IL31RA | 100%  | 100%  | 100%  | 99.9% | 99.6% | ?Amyloidosis, primary localized cutaneous, 2, 613955                                                                                                                                                                                                   |
| IL36RN | 100%  | 100%  | 100%  | 100%  | 99.8% | Psoriasis 14, pustular, 614204                                                                                                                                                                                                                         |
| INSR   | 100%  | 100%  | 100%  | 99.9% | 99.3% | Rabson-Mendenhall syndrome, 262190;Diabetes mellitus, insulin-resistant, with acanthosis nigricans, 610549;Donohue syndrome, 246200;Hyperinsulinemic hypoglycemia, familial, 5, 609968                                                                 |

|       |       |       |      |       |       |                                                                                                                               |
|-------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------|
| IRF4  | 100%  | 100%  | 100% | 100%  | 99.3% | [Skin/hair/eye pigmentation, variation in, 8], 611724;Immunodeficiency 131, 621097                                            |
| IRF6  | 100%  | 100%  | 100% | 100%  | 99.4% | {Orofacial cleft 6}, 608864;Popliteal pterygium syndrome 1, 119500;van der Woude syndrome 1, 119300                           |
| ISG15 | 100%  | 100%  | 100% | 100%  | 99.7% | Immunodeficiency 38, 616126                                                                                                   |
| ITGA3 | 100%  | 100%  | 100% | 100%  | 99.3% | Epidermolysis bullosa, junctional 7, with interstitial lung disease and nephrotic syndrome, 614748                            |
| ITGA6 | 100%  | 100%  | 100% | 100%  | 99.8% | Epidermolysis bullosa, junctional 6, with pyloric atresia, 619817                                                             |
| ITGB4 | 100%  | 99.5% | 100% | 99.9% | 99.3% | Epidermolysis bullosa, junctional 5B, with pyloric atresia, 226730;Epidermolysis bullosa, junctional 5A, intermediate, 619816 |
| ITGB6 | 96.2% | 96.2% | 100% | 100%  | 99.9% | Amelogenesis imperfecta, type IH, 616221                                                                                      |
| JUP   | 100%  | 100%  | 100% | 99.9% | 99.1% | Naxos disease, 601214;?Arrhythmogenic right ventricular dysplasia 12, 611528                                                  |
| KANK2 | 100%  | 100%  | 100% | 100%  | 99.5% | Nephrotic syndrome, type 16, 617783;Palmoplantar keratoderma and woolly hair, 616099                                          |
| KAT6B | 100%  | 100%  | 100% | 100%  | 99.7% | SBBYSS syndrome, 603736;Genitopatellar syndrome, 606170                                                                       |
| KCNH1 | 98.6% | 98.6% | 100% | 100%  | 99.7% | Zimmermann-Laband syndrome 1, 135500;Temple-Baraitser syndrome, 611816                                                        |

|       |       |       |       |       |       |                                                                                                                                                                                                                             |
|-------|-------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KCNK9 | 100%  | 100%  | 100%  | 100%  | 99.3% | Birk-Barel syndrome, 612292                                                                                                                                                                                                 |
| KCTD1 | 100%  | 100%  | 100%  | 99.9% | 98%   | Scalp-ear-nipple syndrome, 181270                                                                                                                                                                                           |
| KDF1  | 100%  | 100%  | 100%  | 100%  | 99.5% | ?Ectodermal dysplasia 12, hypohidrotic/hair/tooth/nail type, 617337                                                                                                                                                         |
| KDSR  | 91.6% | 91.6% | 99.9% | 99.1% | 96.5% | Erythrokeratoderma variabilis et progressiva 4, 617526                                                                                                                                                                      |
| KIF11 | 100%  | 100%  | 100%  | 100%  | 99.5% | Microcephaly with or without chorioretinopathy, lymphedema, or impaired intellectual development, 152950                                                                                                                    |
| KIT   | 100%  | 100%  | 100%  | 99.9% | 99.7% | Gastrointestinal stromal tumor, familial, 606764;Mastocytosis, cutaneous, 154800;Piebaldism, 172800;Germ cell tumors, somatic, 273300;Mastocytosis, systemic, somatic, 154800;Leukemia, acute myeloid, somatic, 601626      |
| KITLG | 100%  | 100%  | 100%  | 100%  | 99.9% | Hyperpigmentation with or without hypopigmentation, 145250;Waardenburg syndrome, type 2F, 619947;Deafness, autosomal dominant 69, unilateral or asymmetric, 616697;[Skin/hair/eye pigmentation 7, blond/brown hair], 611664 |
| KLF4  | 100%  | 100%  | 100%  | 100%  | 99.5% |                                                                                                                                                                                                                             |

|        |       |       |      |       |       |                                                                                                                                                                               |
|--------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KLHL24 | 92.3% | 91.3% | 100% | 100%  | 99.9% | Cardiomyopathy, familial hypertrophic, 29, with polyglucosan bodies, 620236;Epidermolysis bullosa simplex 6, generalized intermediate, with or without cardiomyopathy, 617294 |
| KLK11  | 100%  | 100%  | 100% | 99.8% | 99.2% | Ichthyosis with erythrokeratoderma, 620507                                                                                                                                    |
| KLK4   | 100%  | 100%  | 100% | 99.9% | 98.5% | Amelogenesis imperfecta, type IIA1, 204700                                                                                                                                    |
| KLLN   | 100%  | 100%  | 100% | 100%  | 99.6% | Cowden syndrome 4, 615107                                                                                                                                                     |
| KMT2D  | 100%  | 100%  | 100% | 100%  | 99.1% | Branchial arch abnormalities, choanal atresia, athelia, hearing loss, and hypothyroidism syndrome, 620186;Kabuki syndrome 1, 147920                                           |

|      |      |      |      |       |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------|------|------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KRAS | 100% | 100% | 100% | 100%  | 99.7% | Gastric cancer, somatic, 613659;Oculoectoderm al syndrome, somatic, 600268;Breast cancer, somatic, 114480;Noonan syndrome 3, 609942;RAS-associated autoimmune leukoproliferative disorder, 614470;Arteriovenous malformation of the brain, somatic, 108010;Lung cancer, somatic, 211980;Pancreatic carcinoma, somatic, 260350;Leukemia, acute myeloid, somatic, 601626;Schimmelpennin g-Feuerstein-Mims syndrome, somatic mosaic, 163200;Cardiofaciocuta neous syndrome 2, 615278;Bladder cancer, somatic, 109800 |
| KRT1 | 100% | 100% | 100% | 99.9% | 99.4% | Ichthyosis, annular epidermolytic 2, 620148;Palmoplantar keratoderma, nonepidermolytic, 600962;Epidermolytic hyperkeratosis 1, 113800;Palmoplantar keratoderma, epidermolytic, 2, 620411;Keratosis palmoplantaris striata III, 607654;Ichthyosis histrix, Curth-Macklin type, 146590                                                                                                                                                                                                                              |

|       |      |      |      |       |       |                                                                                                                                                                                                                                                                                                                                                                                       |
|-------|------|------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KRT10 | 100% | 100% | 100% | 100%  | 99.4% | Ichthyosis, annular epidermolytic 1, 607602;Epidermolytic hyperkeratosis 2B, autosomal recessive, 620707;Epidermolytic hyperkeratosis 2A, autosomal dominant, 620150;?Ichthyosis histrix, Lambert type, 146600;Ichthyosis with confetti, 609165                                                                                                                                       |
| KRT13 | 100% | 100% | 100% | 100%  | 99.3% | White sponge nevus 2, 615785                                                                                                                                                                                                                                                                                                                                                          |
| KRT14 | 100% | 100% | 100% | 99.9% | 98.6% | Epidermolysis bullosa simplex 1D, generalized, intermediate or severe, autosomal recessive, 601001;Epidermolysis bullosa simplex 1C, localized, 131800;Dermatopathia pigmentosa reticularis, 125595;Epidermolysis bullosa simplex 1A, generalized severe, 131760;Naegeli-France schetti-Jadassohn syndrome, 161000;Epidermolysis bullosa simplex 1B, generalized intermediate, 131900 |
| KRT16 | 100% | 100% | 100% | 100%  | 99.6% | Palmoplantar keratoderma, nonepidermolytic, focal, 613000;Pachyonychia congenita 1, 167200                                                                                                                                                                                                                                                                                            |
| KRT17 | 100% | 100% | 100% | 100%  | 99.3% | Steatocystoma multiplex, 184500;Pachyonychia congenita 2, 167210                                                                                                                                                                                                                                                                                                                      |
| KRT2  | 100% | 100% | 100% | 100%  | 99.2% | Ichthyosis bullosa of Siemens, 146800                                                                                                                                                                                                                                                                                                                                                 |
| KRT31 | 100% | 100% | 100% | 100%  | 99.8% |                                                                                                                                                                                                                                                                                                                                                                                       |
| KRT4  | 100% | 100% | 100% | 100%  | 99.4% | White sponge nevus 1, 193900                                                                                                                                                                                                                                                                                                                                                          |

|       |       |       |       |       |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------|-------|-------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KRT5  | 100%  | 100%  | 100%  | 100%  | 99.6% | Epidermolysis bullosa simplex 2A, generalized severe, 619555;Dowling-Degos disease 1, 179850;Epidermolysis bullosa simplex 2F, with mottled pigmentation, 131960;Epidermolysis bullosa simplex 2D, generalized, intermediate or severe, autosomal recessive, 619599;Epidermolysis bullosa simplex 2B, generalized intermediate, 619588;Epidermolysis bullosa simplex 2C, localized, 619594;Epidermolysis bullosa simplex 2E, with migratory circinate erythema, 609352 |
| KRT6A | 100%  | 100%  | 100%  | 99.9% | 98.6% | Pachyonychia congenita 3, 615726                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| KRT6B | 100%  | 100%  | 100%  | 100%  | 99.7% | Pachyonychia congenita 4, 615728                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| KRT6C | 99.8% | 99.6% | 99.3% | 97.8% | 92.5% | Palmoplantar keratoderma, nonepidermolytic, focal or diffuse, 615735                                                                                                                                                                                                                                                                                                                                                                                                   |
| KRT71 | 100%  | 100%  | 100%  | 100%  | 99.5% | ?Hypotrichosis 13, 615896                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| KRT74 | 100%  | 100%  | 100%  | 100%  | 99.8% | Woolly hair, autosomal dominant, 194300;?Hypotrichosis 3, 613981;?Ectodermal dysplasia 7, hair/nail type, 614929                                                                                                                                                                                                                                                                                                                                                       |
| KRT75 | 100%  | 100%  | 100%  | 100%  | 99.6% | {Pseudofolliculitis barbae, susceptibility to}, 612318                                                                                                                                                                                                                                                                                                                                                                                                                 |
| KRT81 | 100%  | 100%  | 100%  | 100%  | 99.6% | Monilethrix 2, 621169                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| KRT82 | 100%  | 100%  | 100%  | 100%  | 99.5% |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|         |       |       |      |       |       |                                                                                                                                                                                      |
|---------|-------|-------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KRT83   | 100%  | 100%  | 100% | 100%  | 99.7% | Monilethrix 3, 621170;Erythrokeratodermia variabilis et progressiva 5, 617756                                                                                                        |
| KRT85   | 100%  | 100%  | 100% | 100%  | 99.6% | Ectodermal dysplasia 4, hair/nail type, 602032                                                                                                                                       |
| KRT86   | 100%  | 100%  | 100% | 100%  | 99.8% | Monilethrix 1, 158000                                                                                                                                                                |
| KRT9    | 100%  | 100%  | 100% | 99.9% | 99.1% | Palmoplantar keratoderma, epidermolytic, 1, 144200                                                                                                                                   |
| LAMA3   | 100%  | 100%  | 100% | 100%  | 99.7% | Epidermolysis bullosa, junctional 2A, intermediate, 619783;Epidermolysis bullosa, junctional 2C, laryngoonychocutaneous, 245660;Epidermolysis bullosa, junctional 2B, severe, 619784 |
| LAMB3   | 100%  | 100%  | 100% | 100%  | 99.5% | Epidermolysis bullosa, junctional 1B, severe, 226700;Epidermolysis bullosa, junctional 1A, intermediate, 226650;Amelogenesis imperfecta, type 1A, 104530                             |
| LAMC2   | 100%  | 100%  | 100% | 100%  | 99.6% | Epidermolysis bullosa, junctional 3B, severe, 619786;Epidermolysis bullosa, junctional 3A, intermediate, 619785                                                                      |
| LAMTOR2 | 98.4% | 87.2% | 100% | 100%  | 99.9% | Immunodeficiency due to defect in MAPBP-interacting protein, 610798                                                                                                                  |
| LDHA    | 100%  | 100%  | 100% | 100%  | 99.9% | Glycogen storage disease XI, 612933                                                                                                                                                  |
| LDLRAP1 | 95%   | 90.9% | 100% | 100%  | 99.4% | Hypercholesterolemia, familial, 4, 603813                                                                                                                                            |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LEMD3  | 100%  | 100%  | 100% | 100%  | 99.4% | Buschke-Ollendorff syndrome, 166700;Osteopoikilosis with or without melorheostosis, 166700                                                                                                                                                                                                                                                                                                                                                                                          |
| LIPH   | 100%  | 100%  | 100% | 100%  | 99.8% | Hypotrichosis 7, 604379;Woolly hair, autosomal recessive 2 with or without hypotrichosis, 604379                                                                                                                                                                                                                                                                                                                                                                                    |
| LIPN   | 100%  | 100%  | 100% | 100%  | 99.8% | Ichthyosis, congenital, autosomal recessive 8, 613943                                                                                                                                                                                                                                                                                                                                                                                                                               |
| LMBRD1 | 86.4% | 86.4% | 100% | 100%  | 99.9% | Methylmalonic aciduria and homocystinuria, cblF type, 277380                                                                                                                                                                                                                                                                                                                                                                                                                        |
| LMNA   | 100%  | 100%  | 100% | 100%  | 99.5% | Mandibuloacral dysplasia, 248370;Heart-hand syndrome, Slovenian type, 610140;Cardiomyopathy, dilated, 1A, 115200;Emery-Dreifuss muscular dystrophy 3, autosomal recessive, 616516;Restrictive dermopathy 2, 619793;Charcot-Marie-Tooth disease, type 2B1, 605588;Emery-Dreifuss muscular dystrophy 2, autosomal dominant, 181350;Hutchinson-Gilford progeria, 176670;Lipodystrophy, familial partial, type 2, 151660;Muscular dystrophy, congenital, 613205;Malouf syndrome, 212112 |
| LMX1B  | 100%  | 100%  | 100% | 99.9% | 98.5% | Focal segmental glomerulosclerosis 10, 256020;Nail-patella syndrome, 161200                                                                                                                                                                                                                                                                                                                                                                                                         |
| LONP1  | 99.7% | 97.7% | 100% | 100%  | 99.4% | CODAS syndrome, 600373                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|          |       |       |       |       |       |                                                                                                                                                              |
|----------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LORICRIN | 100%  | 100%  | 100%  | 100%  | 98.7% | Vohwinkel syndrome with ichthyosis, 604117                                                                                                                   |
| LPAR6    | 100%  | 100%  | 100%  | 100%  | 99.8% | Hypotrichosis 8, 278150;Woolly hair, autosomal recessive 1, with or without hypotrichosis, 278150                                                            |
| LPIN2    | 99.6% | 99.2% | 100%  | 100%  | 99.6% | Majeed syndrome, 609628                                                                                                                                      |
| LRMDA    | 97.8% | 97.8% | 100%  | 100%  | 99%   | Albinism, oculocutaneous, type VII, 615179                                                                                                                   |
| LSS      | 100%  | 100%  | 100%  | 100%  | 99.8% | Hypotrichosis 14, 618275;Cataract 44, 616509;Alopecia-intellectual disability syndrome 4, 618840                                                             |
| LTBP3    | 100%  | 100%  | 100%  | 99.9% | 98.8% | Dental anomalies and short stature, 601216;Geleophysic dysplasia 3, 617809                                                                                   |
| LTBP4    | 100%  | 100%  | 100%  | 100%  | 99.1% | Cutis laxa, autosomal recessive, type IC, 613177                                                                                                             |
| LTV1     | 100%  | 100%  | 100%  | 100%  | 99.8% | Inflammatory poikiloderma with hair abnormalities and acral keratoses, 620199                                                                                |
| LYST     | 99.5% | 99.5% | 100%  | 100%  | 99.8% | Chediak-Higashi syndrome, 214500                                                                                                                             |
| LYZ      | 100%  | 100%  | 100%  | 100%  | 99.1% | Amyloidosis, hereditary systemic 5, 620658                                                                                                                   |
| MAGT1    | 93.8% | 93.8% | 98.7% | 90.3% | 69.9% | Immunodeficiency, X-linked, with magnesium defect, Epstein-Barr virus infection and neoplasia, 300853;Congenital disorder of glycosylation, type Icc, 301031 |

|        |       |       |       |       |       |                                                                                                                                                                                                       |
|--------|-------|-------|-------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MAP2K1 | 95.8% | 95.8% | 100%  | 100%  | 99.7% | Cardiofaciocutaneous syndrome 3, 615279;Melorheostosis , isolated, somatic mosaic, 155950                                                                                                             |
| MAP2K2 | 92.4% | 92.4% | 100%  | 100%  | 99.1% | Cardiofaciocutaneous syndrome 4, 615280                                                                                                                                                               |
| MARS1  | 90.4% | 88.8% | 100%  | 100%  | 99.6% | Spastic paraplegia 70, autosomal recessive, 620323;Interstitial lung and liver disease, 615486;?Trichothiodystrophy 9, nonphotosensitive, 619692;Charcot-Marie-Tooth disease, axonal, type 2U, 616280 |
| MBTPS2 | 94.6% | 94.6% | 99%   | 90.9% | 71.9% | Keratosis follicularis spinulosa decalvans, X-linked, 308800;Osteogenesis imperfecta, type XIX, 301014;IFAP syndrome with or without BRESHECK syndrome, 308205;?Olmsted syndrome, X-linked, 300918    |
| MDFIC  | 100%  | 100%  | 100%  | 100%  | 99.9% | Lymphatic malformation 12, 620014                                                                                                                                                                     |
| MED12  | 100%  | 100%  | 98.3% | 86.8% | 66.7% | Lujan-Fryns syndrome, 309520;Ohdo syndrome, X-linked, 300895;Hardikar syndrome, 301068;Opitz-Kaveggia syndrome, 305450                                                                                |
| MEFV   | 96.1% | 96.1% | 100%  | 100%  | 99.5% | Neutrophilic dermatosis, acute febrile, 608068;Familial Mediterranean fever, AR, 249100;Familial Mediterranean fever, AD, 134610                                                                      |
| MGP    | 100%  | 100%  | 100%  | 100%  | 99.2% | Keutel syndrome, 245150                                                                                                                                                                               |

|        |       |       |      |       |       |                                                                                                                                                                      |
|--------|-------|-------|------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MITF   | 94.7% | 94.7% | 100% | 100%  | 99.7% | Waardenburg syndrome, type 2A, 193510;{Melanoma, cutaneous malignant, susceptibility to, 8}, 614456;Tietz albinism-deafness syndrome, 103500;COMMAD syndrome, 617306 |
| MLH1   | 100%  | 100%  | 100% | 100%  | 99.6% | Lynch syndrome 2, 609310;Muir-Torre syndrome, 158320;Mismatch repair cancer syndrome 1, 276300                                                                       |
| MLPH   | 95.4% | 95.4% | 100% | 99.9% | 99.4% | Griscelli syndrome, type 3, 609227                                                                                                                                   |
| MMACHC | 100%  | 100%  | 100% | 99.9% | 99.3% | Methylmalonic aciduria and homocystinuria, cblC type, 277400                                                                                                         |
| MMP1   | 100%  | 100%  | 100% | 100%  | 99.7% |                                                                                                                                                                      |
| MMP14  | 94.9% | 94.9% | 100% | 100%  | 99.5% | Winchester syndrome, 277950                                                                                                                                          |
| MMP2   | 100%  | 100%  | 100% | 100%  | 99.5% | Multicentric osteolysis, nodulosis, and arthropathy, 259600                                                                                                          |
| MMP20  | 100%  | 100%  | 100% | 100%  | 99.5% | Amelogenesis imperfecta, type IIA2, 612529                                                                                                                           |
| MPDU1  | 100%  | 100%  | 100% | 100%  | 99.5% | Congenital disorder of glycosylation, type If, 609180                                                                                                                |
| MPLKIP | 100%  | 100%  | 100% | 100%  | 99.6% | Trichothiodystrophy 4, nonphotosensitive, 234050                                                                                                                     |
| MRE11  | 97.4% | 97.4% | 100% | 100%  | 99.8% | Ataxia-telangiectasia-like disorder 1, 604391                                                                                                                        |
| MSH2   | 90.6% | 90.6% | 100% | 100%  | 99.7% | Lynch syndrome 1, 120435;Muir-Torre syndrome, 158320;Mismatch repair cancer syndrome 2, 619096                                                                       |

|       |       |       |      |       |       |                                                                                                                                             |
|-------|-------|-------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------|
| MSX1  | 100%  | 100%  | 100% | 100%  | 99.2% | Tooth agenesis, selective, 1, with or without orofacial cleft, 106600;Ectodermal dysplasia 3, Witkop type, 189500;Orofacial cleft 5, 608874 |
| MTOR  | 100%  | 100%  | 100% | 100%  | 99.6% | Focal cortical dysplasia, type II, somatic, 607341;Smith-Kingsmore syndrome, 616638                                                         |
| MUTYH | 100%  | 100%  | 100% | 100%  | 99.5% | Adenomas, multiple colorectal, 608456;Gastric cancer, somatic, 613659                                                                       |
| MVD   | 91.2% | 91.2% | 100% | 100%  | 99.4% | Porokeratosis 7, multiple types, 614714                                                                                                     |
| MVK   | 100%  | 100%  | 100% | 100%  | 99.5% | Hyper-IgD syndrome, 260920;Porokeratosis 3, multiple types, 175900;Mevalonic aciduria, 610377                                               |
| MYH8  | 100%  | 100%  | 100% | 100%  | 99.8% | Carney complex variant, 608837;Trismus-pseudocamptodactyly syndrome, 158300                                                                 |
| MYO5A | 99.1% | 99%   | 100% | 100%  | 99.7% | Griscelli syndrome, type 1, 214450                                                                                                          |
| NAA10 | 100%  | 100%  | 98%  | 85.5% | 68.1% | Microphthalmia, syndromic 1, 309800;Ogden syndrome, 300855                                                                                  |
| NAGA  | 91.4% | 88.1% | 100% | 100%  | 99.3% | Schindler disease, type I, 609241;Kanzaki disease, 609242;Schindler disease, type III, 609241                                               |
| NBAS  | 100%  | 100%  | 100% | 100%  | 99.8% | Short stature, optic nerve atrophy, and Pelger-Huet anomaly, 614800;Infantile liver failure syndrome 2, 616483                              |

|         |       |       |       |       |       |                                                                                                                                                                                          |
|---------|-------|-------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NCF1    | 99.9% | 96.8% | 100%  | 99.9% | 98.2% | Chronic granulomatous disease 1, autosomal recessive, 233700                                                                                                                             |
| NCSTN   | 100%  | 100%  | 100%  | 100%  | 99.4% | Acne inversa, familial, 1, 142690                                                                                                                                                        |
| NDUFB11 | 99.8% | 98.8% | 91.2% | 75.8% | 59%   | Linear skin defects with multiple congenital anomalies 3, 300952;?Mitochondrial complex I deficiency, nuclear type 30, 301021                                                            |
| NECTIN1 | 93.4% | 93.4% | 100%  | 100%  | 99.3% | Cleft lip/palate-ectodermal dysplasia syndrome, 225060;Orofacial cleft 7, 225060                                                                                                         |
| NECTIN4 | 100%  | 100%  | 100%  | 100%  | 99%   | Ectodermal dysplasia-syndactyly syndrome 1, 613573                                                                                                                                       |
| NEK11   | 87.7% | 87.7% | 100%  | 100%  | 99.8% |                                                                                                                                                                                          |
| NEK9    | 100%  | 100%  | 100%  | 100%  | 99.5% | ?Arthrogyrosis, Perthes disease, and upward gaze palsy, 614262;Nevus comedonicus, somatic, 617025;Lethal congenital contracture syndrome 10, 617022                                      |
| NF1     | 99.4% | 99.4% | 100%  | 100%  | 99.8% | Watson syndrome, 193520;Leukemia, juvenile myelomonocytic, 607785;Neurofibromatosis, familial spinal, 162210;Neurofibromatosis, type 1, 162200;Neurofibromatosis-Noonan syndrome, 601321 |
| NFKBIA  | 100%  | 100%  | 100%  | 100%  | 99.7% | Ectodermal dysplasia and immunodeficiency 2, 612132                                                                                                                                      |
| NHP2    | 100%  | 100%  | 100%  | 100%  | 99.9% | Dyskeratosis congenita, autosomal recessive 2, 613987                                                                                                                                    |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                               |
|--------|-------|-------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NIPAL4 | 100%  | 100%  | 100% | 99.9% | 98.7% | Ichthyosis, congenital, autosomal recessive 6, 612281                                                                                                                                                                                                         |
| NIPBL  | 100%  | 100%  | 100% | 99.9% | 99.6% | Cornelia de Lange syndrome 1, 122470                                                                                                                                                                                                                          |
| NKPD1  | 100%  | 100%  | 100% | 99.9% | 98.3% |                                                                                                                                                                                                                                                               |
| NLRP1  | 98.1% | 98.1% | 100% | 100%  | 99.6% | {Vitiligo-associated multiple autoimmune disease susceptibility 1}, 606579;?Respiratory papillomatosis, juvenile recurrent, congenital, 618803;Autoinflammation with arthritis and dyskeratosis, 617388;Palmoplantar carcinoma, multiple self-healing, 615225 |
| NLRP12 | 100%  | 100%  | 100% | 100%  | 99.4% | Familial cold autoinflammatory syndrome 2, 611762                                                                                                                                                                                                             |
| NLRP3  | 100%  | 100%  | 100% | 100%  | 99.4% | CINCA syndrome, 607115;Familial cold inflammatory syndrome 1, 120100;Keratoendothelitis fugax hereditaria, 148200;Deafness, autosomal dominant 34, with or without inflammation, 617772;Muckle-Wells syndrome, 191900                                         |
| NME1   | 100%  | 100%  | 100% | 100%  | 99.5% |                                                                                                                                                                                                                                                               |
| NOD2   | 100%  | 100%  | 100% | 100%  | 99.4% | Blau syndrome, 186580;{Yao syndrome}, 617321;{Inflammatory bowel disease 1, Crohn disease}, 266600                                                                                                                                                            |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------|-------|-------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOP10  | 92.5% | 92.5% | 100% | 100%  | 99.8% | ?Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 9, 620400;?Cataracts, hearing impairment, nephrotic syndrome, and enterocolitis 2, 620425;?Dyskeratosis congenita, autosomal recessive 1, 224230                                                                                                                                                                       |
| NOTCH1 | 99.1% | 99%   | 100% | 100%  | 99.2% | Adams-Oliver syndrome 5, 616028;Aortic valve disease 1, 109730                                                                                                                                                                                                                                                                                                                                    |
| NRAS   | 89.6% | 89.4% | 100% | 100%  | 99.2% | Noonan syndrome 6, 613224;?RAS-associated autoimmune lymphoproliferative syndrome type IV, somatic, 614470;Melanocytic nevus syndrome, congenital, somatic, 137550;Epidermal nevus, somatic, 162900;Schimmelpenninng-Feuerstein-Mims syndrome, somatic mosaic, 163200;Thyroid carcinoma, follicular, somatic, 188470;Neurocutaneous melanosis, somatic, 249400;Colorectal cancer, somatic, 114500 |
| NSD1   | 100%  | 100%  | 100% | 100%  | 99.5% | Sotos syndrome, 117550                                                                                                                                                                                                                                                                                                                                                                            |
| NSDHL  | 96%   | 95.9% | 99%  | 89.2% | 69.5% | CK syndrome, 300831;CHILD syndrome, 308050                                                                                                                                                                                                                                                                                                                                                        |

|       |       |       |       |       |       |                                                                                                                                                                                                     |
|-------|-------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCA2  | 93.4% | 93.4% | 100%  | 100%  | 99.7% | [Skin/hair/eye pigmentation 1, blue/nonblue eyes], 227220;[Skin/hair/eye pigmentation 1, blond/brown hair], 227220;Albinism, brown oculocutaneous, 203200;Albinism, oculocutaneous, type II, 203200 |
| ODAM  | 100%  | 100%  | 100%  | 100%  | 99.6% |                                                                                                                                                                                                     |
| ODAPH | 100%  | 100%  | 100%  | 100%  | 99.7% | Amelogenesis imperfecta, type IIA4, 614832                                                                                                                                                          |
| OFD1  | 100%  | 100%  | 99.2% | 90.8% | 71.1% | Simpson-Golabi-Behmel syndrome, type 2, 300209;?Retinitis pigmentosa 23, 300424;Orofaciodigital syndrome I, 311200;Joubert syndrome 10, 300804                                                      |
| OSMR  | 100%  | 100%  | 100%  | 100%  | 99.7% | Amyloidosis, primary localized cutaneous, 1, 105250                                                                                                                                                 |
| PADI3 | 100%  | 100%  | 100%  | 100%  | 99.7% | Uncombable hair syndrome, 191480                                                                                                                                                                    |
| PAH   | 96.7% | 94.1% | 100%  | 100%  | 99.8% | [Hyperphenylalaninemia, non-PKU mild], 261600;Phenylketonuria, 261600                                                                                                                               |
| PALB2 | 100%  | 100%  | 100%  | 100%  | 99.7% | {Breast-ovarian cancer, familial, susceptibility to, 5}, 620442;{Pancreatic cancer, susceptibility to, 3}, 613348;Fanconi anemia, complementation group N, 610832                                   |

|        |       |       |      |       |       |                                                                                                                                                                                                                                           |
|--------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PAX3   | 100%  | 100%  | 100% | 100%  | 99.5% | Craniofacial-deafness-h and syndrome, 122880;Waardenburg syndrome, type 3, 148820;Waardenburg syndrome, type 1, 193500;Rhabdomyosar coma 2, alveolar, 268220                                                                              |
| PAX9   | 100%  | 100%  | 100% | 99.8% | 98.4% | Tooth agenesis, selective, 3, 604625                                                                                                                                                                                                      |
| PCNA   | 100%  | 100%  | 100% | 100%  | 99.8% | ?Ataxia-telangiectasia-li ke disorder 2, 615919                                                                                                                                                                                           |
| PDGFB  | 99.7% | 96.9% | 100% | 100%  | 99.4% | Meningioma, SIS-related, 607174;Basal ganglia calcification, idiopathic, 5, 615483                                                                                                                                                        |
| PDGFRB | 99.8% | 98.1% | 100% | 100%  | 99.3% | Premature aging syndrome, Penttinen type, 601812;?Ocular pterygium-digital keloid dysplasia syndrome, 621091;Kosaki overgrowth syndrome, 616592;Myofibromatosi s, infantile, 1, 228550;Basal ganglia calcification, idiopathic, 4, 615007 |
| PEPD   | 94%   | 94%   | 100% | 100%  | 99.6% | Prolidase deficiency, 170100                                                                                                                                                                                                              |
| PER3   | 100%  | 100%  | 100% | 100%  | 99.3% | ?Advanced sleep phase syndrome, familial, 3, 616882                                                                                                                                                                                       |
| PERP   | 100%  | 100%  | 100% | 100%  | 99.4% | Erythrokeratoderma variabilis et progressiva 7, 619209;Olmsted syndrome 2, 619208                                                                                                                                                         |
| PEX7   | 97.9% | 97.9% | 100% | 100%  | 99.7% | Rhizomelic chondrodysplasia punctata, type 1, 215100;Peroxisome biogenesis disorder 9B, 614879                                                                                                                                            |

|        |      |      |       |       |       |                                                                                                                                                                                                |
|--------|------|------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PHEX   | 100% | 100% | 99%   | 90.7% | 70.7% | Hypophosphatemic rickets, X-linked dominant, 307800                                                                                                                                            |
| PHGDH  | 100% | 100% | 100%  | 99.9% | 99.3% | Neu-Laxova syndrome 1, 256520;Phosphoglycerate dehydrogenase deficiency, 601815                                                                                                                |
| PHYH   | 100% | 100% | 100%  | 99.9% | 99.4% | Refsum disease, 266500                                                                                                                                                                         |
| PIEZO1 | 100% | 100% | 100%  | 99.9% | 99.1% | [ER blood group system], 620207;Lymphatic malformation 6, 616843;Dehydrated hereditary stomatocytosis with or without pseudohyperkalemia and/or perinatal edema, 194380                        |
| PIGA   | 100% | 100% | 99.5% | 90.7% | 71.6% | Paroxysmal nocturnal hemoglobinuria, somatic, 300818;Multiple congenital anomalies-hypotonia-seizures syndrome 2, 300868;Neurodevelopmental disorder with epilepsy and hemochromatosis, 301072 |
| PIGL   | 100% | 100% | 100%  | 100%  | 99.8% | CHIME syndrome, 280000                                                                                                                                                                         |
| PIGN   | 97%  | 95%  | 100%  | 100%  | 99.9% | Multiple congenital anomalies-hypotonia-seizures syndrome 1, 614080                                                                                                                            |
| PIGV   | 100% | 100% | 100%  | 100%  | 99.6% | Hyperphosphatasia with impaired intellectual development syndrome 1, 239300                                                                                                                    |

|        |      |      |      |       |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------|------|------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PIK3CA | 100% | 100% | 100% | 100%  | 99.6% | Hemifacial myohyperplasia, somatic, 606773;CLOVE syndrome, somatic, 612918;Hepatocellular carcinoma, somatic, 114550;Breast cancer, somatic, 114480;Cerebral cavernous malformations 4, somatic, 619538;Ovarian cancer, somatic, 167000;Colorectal cancer, somatic, 114500;Macroductyly, somatic, 155500;CLAPO syndrome, somatic, 613089;Keratosis, seborrheic, somatic, 182000;Gastric cancer, somatic, 613659;Nonsmall cell lung cancer, somatic, 211980;Nevus, epidermal, somatic mosaic, 162900;Megalencephaly-capillary malformation-polymicrogyria syndrome, somatic, 602501;Cowden syndrome 5, 615108 |
| PIK3R1 | 100% | 100% | 100% | 100%  | 99.8% | Immunodeficiency 36, 616005;SHORT syndrome, 269880;Agammaglobulinemia 7, autosomal recessive, 615214                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| PIK3R2 | 100% | 100% | 100% | 99.9% | 99.1% | Megalencephaly-polymicrogyria-polydactyly-hydrocephalus syndrome 1, 603387                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|       |       |       |      |       |       |                                                                                                                                                                                                                                                                                                                                               |
|-------|-------|-------|------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PITX2 | 100%  | 100%  | 100% | 100%  | 99%   | Ring dermoid of cornea, 180550;Axenfeld-Rieger syndrome, type 1, 180500;Anterior segment dysgenesis 4, 137600                                                                                                                                                                                                                                 |
| PKP1  | 100%  | 100%  | 100% | 100%  | 99.4% | Ectodermal dysplasia/skin fragility syndrome, 604536                                                                                                                                                                                                                                                                                          |
| PLCD1 | 100%  | 100%  | 100% | 100%  | 99.8% | Nail disorder, nonsyndromic congenital, 3, (leukonychia), 151600                                                                                                                                                                                                                                                                              |
| PLCG2 | 96.3% | 96.3% | 100% | 99.9% | 99.5% | Autoinflammation, antibody deficiency, and immune dysregulation syndrome, 614878;Familial cold autoinflammatory syndrome 3, 614468                                                                                                                                                                                                            |
| PLEC  | 100%  | 100%  | 100% | 99.9% | 99%   | ?Epidermolysis bullosa simplex 5D, generalized intermediate, autosomal recessive, 616487;Epidermolysis bullosa simplex 5B, with muscular dystrophy, 226670;Epidermolysis bullosa simplex 5C, with pyloric atresia, 612138;Epidermolysis bullosa simplex 5A, Ogna type, 131950;Muscular dystrophy, limb-girdle, autosomal recessive 17, 613723 |
| PLG   | 89.3% | 89.3% | 100% | 100%  | 99.6% | Dysplasminogenemia, 217090;Angioedema, hereditary, 4, 619360;Plasminogen deficiency, type I, 217090                                                                                                                                                                                                                                           |
| PLIN1 | 100%  | 100%  | 100% | 99.9% | 98.9% | Lipodystrophy, familial partial, type 4, 613877                                                                                                                                                                                                                                                                                               |

|         |       |       |       |       |       |                                                                                                                                                                                    |
|---------|-------|-------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PLOD1   | 96.5% | 96.5% | 100%  | 100%  | 99.4% | Ehlers-Danlos syndrome, kyphoscoliotic type, 1, 225400                                                                                                                             |
| PLOD3   | 99.3% | 97.1% | 100%  | 99.9% | 98.6% | BCARD syndrome (lysyl hydroxylase 3 deficiency), 612394                                                                                                                            |
| PMS2    | 94.9% | 93.4% | 99.9% | 99.8% | 99.3% | Lynch syndrome 4, 614337;Mismatch repair cancer syndrome 4, 619101                                                                                                                 |
| PMVK    | 71.2% | 71.2% | 100%  | 100%  | 99.6% | Porokeratosis 1, multiple types, 175800                                                                                                                                            |
| PNPLA1  | 100%  | 100%  | 100%  | 100%  | 99.2% | Ichthyosis, congenital, autosomal recessive 10, 615024                                                                                                                             |
| PNPLA2  | 80.4% | 80.4% | 100%  | 99.9% | 99.6% | Neutral lipid storage disease with myopathy, 610717                                                                                                                                |
| PNPT1   | 100%  | 100%  | 100%  | 100%  | 99.8% | Spinocerebellar ataxia 25, 608703;Deafness, autosomal recessive 70, with or without adult-onset neurodegeneration, 614934;Combined oxidative phosphorylation deficiency 13, 614932 |
| POC1A   | 100%  | 100%  | 100%  | 100%  | 99.4% | Short stature, onychodysplasia, facial dysmorphism, and hypotrichosis, 614813                                                                                                      |
| POFUT1  | 100%  | 100%  | 100%  | 100%  | 99.5% | Dowling-Degos disease 2, 615327                                                                                                                                                    |
| POGLUT1 | 100%  | 99.5% | 100%  | 99.9% | 99.7% | Dowling-Degos disease 4, 615696;Muscular dystrophy, limb-girdle, autosomal recessive 21, 617232                                                                                    |

|        |       |       |      |       |       |                                                                                                                                                                          |
|--------|-------|-------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POLD1  | 100%  | 100%  | 100% | 100%  | 99.1% | Mandibular hypoplasia, deafness, progeroid features, and lipodystrophy syndrome, 615381;Immunodeficiency 120, 620836;{Colorectal cancer, susceptibility to, 10}, 612591  |
| POLH   | 100%  | 100%  | 100% | 100%  | 99.7% | Xeroderma pigmentosum, variant type, 278750                                                                                                                              |
| POLR1C | 84.4% | 83.5% | 100% | 99.9% | 99%   | Leukodystrophy, hypomyelinating, 11, 616494;Treacher Collins syndrome 3, 248390                                                                                          |
| POLR1D | 100%  | 100%  | 100% | 100%  | 99.8% | Treacher Collins syndrome 2, 613717                                                                                                                                      |
| POLR3A | 100%  | 100%  | 100% | 100%  | 99.4% | Wiedemann-Rautenstrauch syndrome, 264090;Leukodystrophy, hypomyelinating, 7, with or without oligodontia and/or hypogonadotropic hypogonadism, 607694                    |
| POLR3B | 95.4% | 95.4% | 100% | 100%  | 99.7% | Leukodystrophy, hypomyelinating, 8, with or without oligodontia and/or hypogonadotropic hypogonadism, 614381;Charcot-Marie-Tooth disease, demyelinating, type 1I, 619742 |
| POMC   | 100%  | 100%  | 100% | 100%  | 98.7% | {Obesity, early-onset, susceptibility to}, 601665;Obesity, adrenal insufficiency, and red hair due to POMC deficiency, 609734                                            |

|         |       |       |       |       |       |                                                                                                                                                                                                                                                   |
|---------|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POMP    | 83.2% | 83.2% | 100%  | 100%  | 99.8% | Proteasome-associated<br>autoinflammatory<br>syndrome 2,<br>618048;Keratosis<br>linearis with ichthyosis<br>congenita and<br>sclerosing<br>keratoderma, 601952                                                                                    |
| PORCN   | 100%  | 100%  | 98.5% | 86.2% | 67.6% | Focal dermal<br>hypoplasia, 305600                                                                                                                                                                                                                |
| POT1    | 100%  | 100%  | 100%  | 100%  | 100%  | Tumor predisposition<br>syndrome 3,<br>615848;?Cerebroretinal<br>microangiopathy with<br>calcifications and cysts<br>3, 620368;?Pulmonary<br>fibrosis and/or bone<br>marrow failure<br>syndrome,<br>telomere-related, 8,<br>620367                |
| PPOX    | 100%  | 99.9% | 100%  | 100%  | 98.8% | Variegate porphyria,<br>childhood-onset,<br>620483;Variegate<br>porphyria, 176200                                                                                                                                                                 |
| PQBP1   | 100%  | 100%  | 98.5% | 86.1% | 66.5% | Renpenning syndrome,<br>309500                                                                                                                                                                                                                    |
| PRDM10  | 100%  | 100%  | 100%  | 100%  | 99.3% | ?Birt-Hogg-Dube<br>syndrome 2, 620459                                                                                                                                                                                                             |
| PRDM12  | 97.3% | 92.5% | 100%  | 99.9% | 99.2% | Neuropathy, hereditary<br>sensory and<br>autonomic, type VIII,<br>616488                                                                                                                                                                          |
| PRKAR1A | 100%  | 100%  | 100%  | 100%  | 99.6% | Pigmented nodular<br>adrenocortical disease,<br>primary, 1,<br>610489;Acrodysostosis<br>1, with or without<br>hormone resistance,<br>101800;Adrenocortical<br>tumor, somatic;Carney<br>complex, type 1,<br>160980;Myxoma,<br>intracardiac, 255960 |

|         |      |       |      |       |       |                                                                                                                                                                                                      |
|---------|------|-------|------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PSAT1   | 100% | 100%  | 100% | 100%  | 99.7% | Neu-Laxova syndrome 2, 616038;Phosphoserine aminotransferase deficiency, 610992                                                                                                                      |
| PSEN1   | 100% | 99.8% | 100% | 100%  | 99.7% | Pick disease, 172700;Dementia, frontotemporal, 600274;?Acne inversa, familial, 3, 613737;?Cardiomyopathy, dilated, 1U, 613694;Alzheimer disease, type 3, with or without spastic paraparesis, 607822 |
| PSENEN  | 100% | 100%  | 100% | 99.8% | 99.1% | Acne inversa, familial, 2, with or without Dowling-Degos disease, 613736                                                                                                                             |
| PSMB8   | 100% | 100%  | 100% | 99.9% | 98.7% | Proteasome-associated autoinflammatory syndrome 1 and digenic forms, 256040                                                                                                                          |
| PSPH    | 100% | 100%  | 100% | 100%  | 99.6% | Phosphoserine phosphatase deficiency, 614023                                                                                                                                                         |
| PSTPIP1 | 100% | 100%  | 100% | 100%  | 99.3% | Autoinflammatory syndrome with cytopenia, hyperzincemia, and hypercalprotectionemia, 601979;Pyogenic sterile arthritis, pyoderma gangrenosum, and acne, 604416                                       |
| PTCH1   | 100% | 100%  | 100% | 100%  | 99.1% | Basal cell nevus syndrome 1, 109400;Basal cell carcinoma, somatic, 605462;Holoprosencephaly 7, 610828                                                                                                |
| PTCH2   | 100% | 100%  | 100% | 100%  | 99.4% | Medulloblastoma, somatic, 155255;Basal cell carcinoma, somatic, 605462                                                                                                                               |

|        |       |       |      |       |       |                                                                                                                                                                                         |
|--------|-------|-------|------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PTDSS1 | 93%   | 93%   | 100% | 100%  | 99.8% | Lenz-Majewski hyperostotic dwarfism, 151050                                                                                                                                             |
| PTEN   | 89.6% | 89.6% | 100% | 100%  | 99.2% | {Glioma susceptibility 2}, 613028;{Meningioma}, 607174;Cowden syndrome 1, 158350;Lhermitte-Duclos disease, 158350;Prostate cancer, somatic, 176807;Macrocephaly/autism syndrome, 605309 |
| PTHLH  | 100%  | 100%  | 100% | 100%  | 99.5% | Brachydactyly, type E2, 613382                                                                                                                                                          |
| PTPN11 | 90.5% | 89.2% | 100% | 100%  | 99.6% | Noonan syndrome 1, 163950;LEOPARD syndrome 1, 151100;Metachondromatosis, 156250;Leukemia, juvenile myelomonocytic, somatic, 607785                                                      |
| PTPN14 | 100%  | 100%  | 100% | 100%  | 99.7% | Choanal atresia and lymphedema, 613611                                                                                                                                                  |
| PTPRF  | 100%  | 100%  | 100% | 100%  | 99.5% | ?Breasts and/or nipples, aplasia or hypoplasia of, 2, 616001                                                                                                                            |
| PYCR1  | 100%  | 100%  | 100% | 100%  | 99.1% | Cutis laxa, autosomal recessive, type IIIB, 614438;Cutis laxa, autosomal recessive, type IIB, 612940                                                                                    |
| RAB23  | 100%  | 100%  | 100% | 100%  | 99.8% | Carpenter syndrome, 201000                                                                                                                                                              |
| RAB27A | 100%  | 100%  | 100% | 99.9% | 99.3% | Griscelli syndrome, type 2, 607624                                                                                                                                                      |
| RAD21  | 100%  | 100%  | 100% | 100%  | 99.7% | Cornelia de Lange syndrome 4, 614701;?Mungan syndrome, 611376                                                                                                                           |

|       |       |       |      |       |       |                                                                                                                                                                                                                                                                                   |
|-------|-------|-------|------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RAD50 | 100%  | 100%  | 100% | 100%  | 99.8% | Nijmegen breakage syndrome-like disorder, 613078                                                                                                                                                                                                                                  |
| RAF1  | 98.5% | 95.2% | 100% | 100%  | 99.8% | Cardiomyopathy, dilated, 1NN, 615916;Noonan syndrome 5, 611553;LEOPARD syndrome 2, 611554                                                                                                                                                                                         |
| RAG1  | 100%  | 100%  | 100% | 100%  | 99.6% | Omenn syndrome, 603554;Severe combined immunodeficiency, B cell-negative, 601457;Combined cellular and humoral immune defects with granulomas, 233650;Alpha/beta T-cell lymphopenia with gamma/delta T-cell expansion, severe cytomegalovirus infection, and autoimmunity, 609889 |
| RAG2  | 100%  | 100%  | 100% | 99.9% | 99.7% | Severe combined immunodeficiency, B cell-negative, 601457;Combined cellular and humoral immune defects with granulomas, 233650;Omenn syndrome, 603554                                                                                                                             |
| RAI1  | 100%  | 100%  | 100% | 100%  | 99.2% | Smith-Magenis syndrome, 182290                                                                                                                                                                                                                                                    |
| RASA1 | 100%  | 100%  | 100% | 100%  | 99.8% | Capillary malformation-arteriovenous malformation 1, 608354;Basal cell carcinoma, somatic, 605462                                                                                                                                                                                 |
| RBBP8 | 100%  | 100%  | 100% | 100%  | 99.9% | Seckel syndrome 2, 606744;Jawad syndrome, 251255;Pancreatic carcinoma, somatic                                                                                                                                                                                                    |

|        |       |       |      |       |       |                                                                                                                     |
|--------|-------|-------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------|
| RBM28  | 100%  | 100%  | 100% | 100%  | 99.6% | ?Alopecia, neurologic defects, and endocrinopathy syndrome, 612079                                                  |
| RBP4   | 100%  | 100%  | 100% | 100%  | 99%   | Microphthalmia/coloboma 10, 616428;Retinal dystrophy, iris coloboma, and comedogenic acne syndrome, 615147          |
| RBPJ   | 100%  | 100%  | 100% | 100%  | 99.9% | Adams-Oliver syndrome 3, 614814                                                                                     |
| RECQL4 | 100%  | 100%  | 100% | 100%  | 99.1% | Baller-Gerold syndrome, 218600;Rothmund-Thomson syndrome, type 2, 268400;RAPADILINO syndrome, 266280                |
| RHBDF2 | 100%  | 100%  | 100% | 99.8% | 98.8% | Tylosis with esophageal cancer, 148500                                                                              |
| RHOA   | 81.7% | 81.7% | 100% | 100%  | 99.5% | Ectodermal dysplasia with facial dysmorphism and acral, ocular, and brain anomalies, somatic mosaic, 618727         |
| RIN2   | 98.3% | 98.3% | 100% | 100%  | 99.6% | Macrocephaly, alopecia, cutis laxa, and scoliosis, 613075                                                           |
| RIPK4  | 100%  | 100%  | 100% | 100%  | 99.4% | CHAND syndrome, 214350;Popliteal pterygium syndrome, Bartsocas-Papas type 1, 263650                                 |
| RIT1   | 100%  | 100%  | 100% | 100%  | 99.9% | Noonan syndrome 8, 615355                                                                                           |
| RMRP   |       |       |      |       |       | Anauxetic dysplasia 1, 607095;Metaphyseal dysplasia without hypotrichosis, 250460;Cartilage-hair hypoplasia, 250250 |

|          |       |       |       |       |       |                                                                                                                                                                                                |
|----------|-------|-------|-------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RNASEH2A | 100%  | 100%  | 100%  | 100%  | 99.4% | Aicardi-Goutieres syndrome 4, 610333                                                                                                                                                           |
| RNASEH2B | 91.5% | 91.5% | 100%  | 100%  | 99.6% | Aicardi-Goutieres syndrome 2, 610181                                                                                                                                                           |
| RNASEH2C | 100%  | 100%  | 100%  | 100%  | 99.4% | Aicardi-Goutieres syndrome 3, 610329                                                                                                                                                           |
| RNF113A  | 100%  | 100%  | 97.6% | 86.6% | 67.6% | Trichothiodystrophy 5, nonphotosensitive, 300953                                                                                                                                               |
| RNU4ATAC |       |       |       |       |       | Roifman syndrome, 616651;Lowry-Wood syndrome, 226960;Microcephalic osteodysplastic primordial dwarfism, type I, 210710                                                                         |
| ROGDI    | 100%  | 100%  | 100%  | 100%  | 99.3% | Kohlschutter-Tonz syndrome, 226750                                                                                                                                                             |
| RPL10A   | 100%  | 100%  | 100%  | 100%  | 99.6% |                                                                                                                                                                                                |
| RPL21    | 100%  | 100%  | 100%  | 100%  | 99.8% | Hypotrichosis 12, 615885                                                                                                                                                                       |
| RSPO1    | 100%  | 100%  | 100%  | 100%  | 99.5% | Palmoplantar hyperkeratosis and true hermaphroditism, 610644;Palmoplantar hyperkeratosis with squamous cell carcinoma of skin and sex reversal, 610644                                         |
| RSPO4    | 100%  | 100%  | 100%  | 99.9% | 98.5% | Anonychia congenita, 206800                                                                                                                                                                    |
| RTEL1    | 100%  | 100%  | 100%  | 100%  | 99.5% | Dyskeratosis congenita, autosomal dominant 4, 615190;Dyskeratosis congenita, autosomal recessive 5, 615190;Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 3, 616373 |

|        |       |       |       |       |       |                                                                                                                                                                                                                                                              |
|--------|-------|-------|-------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RUNX2  | 100%  | 100%  | 100%  | 100%  | 99.1% | Metaphyseal dysplasia with maxillary hypoplasia with or without brachydactyly, 156510;Cleidocranial dysplasia, forme fruste, with brachydactyly, 119600;Cleidocranial dysplasia, forme fruste, dental anomalies only, 119600;Cleidocranial dysplasia, 119600 |
| S100A3 | 100%  | 100%  | 100%  | 100%  | 99.7% |                                                                                                                                                                                                                                                              |
| SAMD9  | 100%  | 100%  | 100%  | 100%  | 99.9% | Tumoral calcinosis, familial, normophosphatemic, 610455;Monosomy 7 myelodysplasia and leukemia syndrome 2, 619041;MIRAGE syndrome, 617053                                                                                                                    |
| SAMHD1 | 94.1% | 91.3% | 100%  | 100%  | 99.7% | ?Chilblain lupus 2, 614415;Aicardi-Gouttier es syndrome 5, 612952                                                                                                                                                                                            |
| SART3  | 100%  | 99.9% | 100%  | 100%  | 99.6% |                                                                                                                                                                                                                                                              |
| SASH1  | 98.7% | 97.4% | 100%  | 100%  | 99.7% | Dyschromatosis universalis hereditaria 1, 127500;?Cancer, alopecia, pigment dyscrasia, onychodystrophy, and keratoderma, 618373                                                                                                                              |
| SAT1   | 100%  | 100%  | 99.2% | 90.9% | 75.9% |                                                                                                                                                                                                                                                              |
| SATB2  | 100%  | 100%  | 100%  | 100%  | 99.7% | Glass syndrome, 612313                                                                                                                                                                                                                                       |
| SCN10A | 100%  | 100%  | 100%  | 100%  | 99.5% | Episodic pain syndrome, familial, 2, 615551                                                                                                                                                                                                                  |
| SCN11A | 100%  | 100%  | 100%  | 99.8% | 99.3% | Episodic pain syndrome, familial, 3, 615552;Neuropathy, hereditary sensory and autonomic, type VII, 615548                                                                                                                                                   |

|           |       |       |      |       |       |                                                                                                                                                                                                               |
|-----------|-------|-------|------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SCN9A     | 100%  | 100%  | 100% | 99.9% | 99.4% | Erythralgia, primary, 133020;Insensitivity to pain, congenital, 243000;Small fiber neuropathy, 133020;Paroxysmal extreme pain disorder, 167400;Neuropathy, hereditary sensory and autonomic, type IID, 243000 |
| SDR9C7    | 100%  | 100%  | 100% | 100%  | 99.5% | Ichthyosis, congenital, autosomal recessive 13, 617574                                                                                                                                                        |
| SEC23B    | 100%  | 100%  | 100% | 100%  | 99.7% | ?Cowden syndrome 7, 616858;Dyserythropoietic anemia, congenital, type II, 224100                                                                                                                              |
| SERPINA12 | 100%  | 100%  | 100% | 100%  | 99.8% |                                                                                                                                                                                                               |
| SERPINA3  | 100%  | 100%  | 100% | 100%  | 99.6% | Alpha-1-antichymotrypsin deficiency;Cerebrovascular disease, occlusive                                                                                                                                        |
| SERPINB7  | 100%  | 100%  | 100% | 100%  | 100%  | Palmoplantar keratoderma, Nagashima type, 615598                                                                                                                                                              |
| SERPINB8  | 100%  | 100%  | 100% | 100%  | 99.6% | Peeling skin syndrome 5, 617115                                                                                                                                                                               |
| SERPING1  | 100%  | 100%  | 100% | 99.9% | 99.2% | Angioedema, hereditary, 1 and 2, 106100;Complement component 4, partial deficiency of, 120790                                                                                                                 |
| SERPINH1  | 100%  | 100%  | 100% | 100%  | 99.4% | {Preterm premature rupture of the membranes, susceptibility to}, 610504;Osteogenesis imperfecta, type X, 613848                                                                                               |
| SGPL1     | 95.5% | 95.5% | 100% | 100%  | 99.7% | RENI syndrome, 617575                                                                                                                                                                                         |

|         |       |       |      |       |       |                                                                                                                                                                                                                                  |
|---------|-------|-------|------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SHOC2   | 100%  | 100%  | 100% | 100%  | 99.3% | Noonan syndrome-like with loose anagen hair 1, 607721                                                                                                                                                                            |
| SKI     | 100%  | 100%  | 100% | 99.9% | 98.9% | Shprintzen-Goldberg syndrome, 182212                                                                                                                                                                                             |
| SKIC2   | 99.9% | 99%   | 100% | 99.9% | 99.2% | Trichohepatoenteric syndrome 2, 614602                                                                                                                                                                                           |
| SKIC3   | 98.9% | 98.9% | 100% | 100%  | 99.7% | Trichohepatoenteric syndrome 1, 222470                                                                                                                                                                                           |
| SLC17A9 | 99.9% | 98.9% | 100% | 100%  | 99.3% | Porokeratosis 8, disseminated superficial actinic type, 616063                                                                                                                                                                   |
| SLC24A4 | 100%  | 100%  | 100% | 100%  | 99.3% | [Skin/hair/eye pigmentation 6, blond/brown hair], 210750;Amelogenesis imperfecta, type IIA5, 615887;[Skin/hair/eye pigmentation 6, blue/green eyes], 210750                                                                      |
| SLC24A5 | 100%  | 100%  | 100% | 100%  | 100%  | [Skin/hair/eye pigmentation 4, fair/dark skin], 113750;Albinism, oculocutaneous, type VI, 113750                                                                                                                                 |
| SLC26A2 | 100%  | 100%  | 100% | 100%  | 99.8% | Epiphyseal dysplasia, multiple, 4, 226900;De la Chapelle dysplasia, 256050;Diastrophic dysplasia, 222600;Diastrophic dysplasia, broad bone-platyspondylic variant, 222600;Achondrogenesis Ib, 600972;Atelosteogenesis II, 256050 |
| SLC27A4 | 100%  | 100%  | 100% | 100%  | 98.7% | Ichthyosis prematurity syndrome, 608649                                                                                                                                                                                          |
| SLC29A3 | 100%  | 100%  | 100% | 99.9% | 99.6% | Histiocytosis-lymphadenopathy plus syndrome, 602782                                                                                                                                                                              |

|          |       |       |      |       |       |                                                                                                                                                                                                                      |
|----------|-------|-------|------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SLC2A10  | 94.7% | 94.7% | 100% | 100%  | 99.6% | Arterial tortuosity syndrome, 208050                                                                                                                                                                                 |
| SLC39A13 | 100%  | 99%   | 100% | 100%  | 98.9% | Ehlers-Danlos syndrome, spondylodysplastic type, 3, 612350                                                                                                                                                           |
| SLC39A4  | 100%  | 100%  | 100% | 100%  | 99.4% | Acrodermatitis enteropathica, 201100                                                                                                                                                                                 |
| SLC45A2  | 100%  | 100%  | 100% | 100%  | 99.9% | [Skin/hair/eye pigmentation 5, dark/light eyes], 227240;[Skin/hair/eye pigmentation 5, black/nonblack hair], 227240;Albinism, oculocutaneous, type IV, 606574;[Skin/hair/eye pigmentation 5, dark/fair skin], 227240 |
| SLC4A4   | 95%   | 95%   | 100% | 100%  | 99.7% | Proximal renal tubular acidosis-ocular anomaly syndrome, 604278                                                                                                                                                      |
| SLC6A19  | 100%  | 100%  | 100% | 99.9% | 99%   | Hartnup disorder, 234500                                                                                                                                                                                             |
| SLC7A7   | 100%  | 100%  | 100% | 99.8% | 98.3% | Lysinuric protein intolerance, 222700                                                                                                                                                                                |
| SLCO2A1  | 100%  | 100%  | 100% | 99.9% | 99.5% | Hypertrophic osteoarthropathy, primary, autosomal dominant, 167100;PHOAR2-enteropathy syndrome, 614441                                                                                                               |
| SLURP1   | 100%  | 100%  | 100% | 100%  | 99.8% | Meleda disease, 248300                                                                                                                                                                                               |
| SLX4     | 100%  | 100%  | 100% | 100%  | 99.6% | Fanconi anemia, complementation group P, 613951                                                                                                                                                                      |
| SMAD3    | 100%  | 100%  | 100% | 99.9% | 99.4% | Loeys-Dietz syndrome 3, 613795                                                                                                                                                                                       |

|          |       |       |      |       |       |                                                                                                                                                                    |
|----------|-------|-------|------|-------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SMARCA2  | 98%   | 97.8% | 100% | 100%  | 99.7% | Nicolaides-Baraitser syndrome, 601358;Blepharophimosis-impaired intellectual development syndrome, 619293                                                          |
| SMARCA4  | 100%  | 100%  | 100% | 100%  | 99.1% | Coffin-Siris syndrome 4, 614609;{Rhabdoid tumor predisposition syndrome 2}, 613325;?Otosclerosis 12, 620792                                                        |
| SMARCAD1 | 100%  | 100%  | 100% | 100%  | 99.9% | Basan syndrome, 129200;Huriez syndrome, 181600;Adermatoglyphia, 136000                                                                                             |
| SMARCAL1 | 95.6% | 95.6% | 100% | 100%  | 99.6% | Schimke immunosseous dysplasia, 242900                                                                                                                             |
| SMARCB1  | 95.2% | 95.2% | 100% | 99.9% | 99.3% | Rhabdoid tumors, somatic, 609322;{Schwannomatosis-1, susceptibility to}, 162091;Coffin-Siris syndrome 3, 614608;{Rhabdoid tumor predisposition syndrome 1}, 609322 |
| SMO      | 100%  | 100%  | 100% | 100%  | 99.3% | Pallister-Hall-like syndrome, 241800;Basal cell carcinoma, somatic, 605462;Curry-Jones syndrome, somatic mosaic, 601707                                            |
| SMOC2    | 100%  | 100%  | 100% | 100%  | 99.5% | Dentin dysplasia, type I, with microdontia and misshapen teeth, 125400                                                                                             |
| SNAI2    | 100%  | 100%  | 100% | 100%  | 100%  |                                                                                                                                                                    |
| SNAP29   | 100%  | 100%  | 100% | 100%  | 99.8% | Cerebral dysgenesis, neuropathy, ichthyosis, and palmoplantar keratoderma syndrome, 609528                                                                         |

|        |       |       |      |       |       |                                                                                                                                           |
|--------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------|
| SNRPE  | 100%  | 100%  | 100% | 100%  | 100%  | Hypotrichosis 11, 615059                                                                                                                  |
| SNX10  | 89.3% | 89.3% | 100% | 100%  | 99.7% | Osteopetrosis, autosomal recessive 8, 615085                                                                                              |
| SOS1   | 98.8% | 98.8% | 100% | 100%  | 99.8% | Noonan syndrome 4, 610733;Fibromatosis, gingival, 1, 135300                                                                               |
| SOX10  | 97.8% | 97.8% | 100% | 99.8% | 99%   | Waardenburg syndrome, type 4C, 613266;PCWH syndrome, 609136;Waardenburg syndrome, type 2E, with or without neurologic involvement, 611584 |
| SOX18  | 100%  | 99.7% | 100% | 99.9% | 97.7% | Hypotrichosis-lymphedema-telangiectasia syndrome, 607823;Hypotrichosis-lymphedema-telangiectasia-renal defect syndrome, 137940            |
| SOX2   | 100%  | 100%  | 100% | 99.8% | 97.6% | Optic nerve hypoplasia and abnormalities of the central nervous system, 206900;Microphthalmia , syndromic 3, 206900                       |
| SP7    | 100%  | 100%  | 100% | 100%  | 99%   | Osteogenesis imperfecta, type XII, 613849                                                                                                 |
| SPINK5 | 100%  | 100%  | 100% | 100%  | 99.8% | Netherton syndrome, 256500                                                                                                                |
| SPINT2 | 100%  | 100%  | 100% | 99.9% | 99.3% | Diarrhea 3, secretory sodium, congenital, syndromic, 270420                                                                               |
| SPRED1 | 97.6% | 97.6% | 100% | 100%  | 99.9% | Legius syndrome, 611431                                                                                                                   |
| SPRY4  | 100%  | 100%  | 100% | 100%  | 99.7% | Hypogonadotropic hypogonadism 17 with or without anosmia, 615266                                                                          |

|         |       |       |       |       |       |                                                                                                                                                                             |
|---------|-------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SRD5A3  | 100%  | 100%  | 100%  | 100%  | 99.8% | Kahrizi syndrome, 612713; Congenital disorder of glycosylation, type Iq, 612379                                                                                             |
| SREBF1  | 100%  | 100%  | 99.9% | 99.6% | 98.2% | Ichthyosis, follicular, with atrichia and photophobia syndrome 2, 619016; Mucoepithelial dysplasia, hereditary, 158310                                                      |
| ST14    | 100%  | 100%  | 100%  | 100%  | 99.5% | Ichthyosis, congenital, autosomal recessive 11, 602400                                                                                                                      |
| ST3GAL5 | 98.4% | 98.4% | 100%  | 100%  | 99.4% | Salt and pepper developmental regression syndrome, 609056                                                                                                                   |
| STAMBP  | 96.3% | 96.3% | 100%  | 100%  | 99.8% | Microcephaly-capillary malformation syndrome, 614261                                                                                                                        |
| STAT3   | 100%  | 100%  | 100%  | 100%  | 99.8% | Hyper-IgE syndrome 1, autosomal dominant, with recurrent infections, 147060; Autoimmune disease, multisystem, infantile-onset, 1, 615952                                    |
| STAT5B  | 100%  | 100%  | 100%  | 100%  | 99.6% | Growth hormone insensitivity with immune dysregulation 1, autosomal recessive, 245590; Growth hormone insensitivity with immune dysregulation 2, autosomal dominant, 618985 |
| STIM1   | 100%  | 100%  | 100%  | 100%  | 99.7% | Myopathy, tubular aggregate, 1, 160565; Stormorken syndrome, 185070; Immunodeficiency 10, 612783                                                                            |

|         |       |       |       |       |       |                                                                                                                                             |
|---------|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------------|
| STING1  | 100%  | 100%  | 100%  | 100%  | 99.4% | STING-associated vasculopathy, infantile-onset, 615934                                                                                      |
| STK11   | 100%  | 98.9% | 100%  | 100%  | 99.2% | Melanoma, malignant, 155600;Pancreatic cancer, somatic, 260350;Peutz-Jeghers syndrome, 175200;Testicular tumor, somatic, 273300             |
| STK4    | 100%  | 100%  | 100%  | 100%  | 99.9% | T-cell immunodeficiency, recurrent infections, autoimmunity, and cardiac malformations, 614868                                              |
| STS     | 97.1% | 97.1% | 98.8% | 89.3% | 71.5% | Ichthyosis, X-linked, 308100                                                                                                                |
| SUFU    | 100%  | 100%  | 100%  | 100%  | 99.3% | {Meningioma, familial, susceptibility to}, 607174;Joubert syndrome 32, 617757;Basal cell nevus syndrome 2, 620343;{Medulloblastoma}, 155255 |
| SULT2B1 | 100%  | 100%  | 100%  | 99.9% | 99%   | Ichthyosis, congenital, autosomal recessive 14, 617571                                                                                      |
| SUMF1   | 100%  | 100%  | 100%  | 100%  | 99.4% | Multiple sulfatase deficiency, 272200                                                                                                       |
| TALDO1  | 89.2% | 89.1% | 100%  | 99.9% | 98.8% | Transaldolase deficiency, 606003                                                                                                            |
| TAP1    | 99.9% | 98.6% | 100%  | 100%  | 99.5% | MHC class I deficiency 1, 604571                                                                                                            |
| TAP2    | 98%   | 97.9% | 100%  | 99.9% | 99.1% | MHC class I deficiency 2, 620813                                                                                                            |
| TAPBP   | 88.8% | 88.8% | 100%  | 99.9% | 98.6% | ?MHC class I deficiency 3, 620814                                                                                                           |
| TARS1   | 100%  | 100%  | 100%  | 100%  | 99.7% | Trichothiodystrophy 7, nonphotosensitive, 618546                                                                                            |

|         |      |      |      |       |       |                                                                                                                                                                                                                                                                                                       |
|---------|------|------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TAT     | 100% | 100% | 100% | 100%  | 99.9% | Tyrosinemia, type II, 276600                                                                                                                                                                                                                                                                          |
| TBC1D24 | 100% | 100% | 100% | 100%  | 99.6% | Deafness, autosomal recessive 86, 614617;Epilepsy, rolandic, with paroxysmal exercise-induce dystonia and writer's cramp, 608105;Myoclonic epilepsy, infantile, familial, 605021;Deafness, autosomal dominant 65, 616044;Developmental and epileptic encephalopathy 16, 615338;DOORS syndrome, 220500 |
| TBX3    | 100% | 100% | 100% | 99.8% | 97.8% | Ulnar-mammary syndrome, 181450                                                                                                                                                                                                                                                                        |
| TCHH    | 100% | 100% | 100% | 99.5% | 96.7% | ?Uncombable hair syndrome 3, 617252                                                                                                                                                                                                                                                                   |
| TCIRG1  | 100% | 100% | 100% | 100%  | 99.6% | Osteopetrosis, autosomal recessive 1, 259700                                                                                                                                                                                                                                                          |
| TEK     | 100% | 100% | 100% | 100%  | 99.7% | Venous malformations, multiple cutaneous and mucosal, 600195;Glaucoma 3, primary congenital, E, 617272                                                                                                                                                                                                |
| TERC    |      |      |      |       |       | Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 2, 614743;Dyskeratosis congenita, autosomal dominant 1, 127550                                                                                                                                                              |
| TERF2IP | 97%  | 96%  | 100% | 100%  | 99.7% |                                                                                                                                                                                                                                                                                                       |

|        |       |       |      |      |       |                                                                                                                                                                                                                                                                             |
|--------|-------|-------|------|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TERT   | 99.6% | 97.9% | 100% | 100% | 99.4% | Dyskeratosis congenita, autosomal dominant 2, 613989;Dyskeratosis congenita, autosomal recessive 4, 613989;Pulmonary fibrosis and/or bone marrow failure syndrome, telomere-related, 1, 614742;{Melanoma, cutaneous malignant, 9}, 615134;{Leukemia, acute myeloid}, 601626 |
| TFAP2A | 100%  | 100%  | 100% | 100% | 98.8% | Branchiooculofacial syndrome, 113620                                                                                                                                                                                                                                        |
| TGFB2  | 100%  | 100%  | 100% | 100% | 99.8% | Loeys-Dietz syndrome 4, 614816;Camurati-Engelmann disease 2, 606631                                                                                                                                                                                                         |
| TGFBR1 | 100%  | 100%  | 100% | 100% | 99.6% | {Multiple self-healing squamous epithelioma, susceptibility to}, 132800;Loeys-Dietz syndrome 1, 609192                                                                                                                                                                      |
| TGFBR2 | 100%  | 100%  | 100% | 100% | 99.5% | Loeys-Dietz syndrome 2, 610168;Colorectal cancer, hereditary nonpolyposis, type 6, 614331;Esophageal cancer, somatic, 133239                                                                                                                                                |
| TGM1   | 100%  | 100%  | 100% | 100% | 99.6% | Ichthyosis, congenital, autosomal recessive 1, 242300                                                                                                                                                                                                                       |
| TGM3   | 100%  | 100%  | 100% | 100% | 99.7% | ?Uncombable hair syndrome 2, 617251                                                                                                                                                                                                                                         |
| TGM5   | 100%  | 100%  | 100% | 100% | 99.4% | Peeling skin syndrome 2, 609796                                                                                                                                                                                                                                             |
| TINF2  | 100%  | 100%  | 100% | 100% | 99.6% | Dyskeratosis congenita, autosomal dominant 3, 613990;Revesz syndrome, 268130                                                                                                                                                                                                |

|           |       |       |      |       |       |                                                                                                                                    |
|-----------|-------|-------|------|-------|-------|------------------------------------------------------------------------------------------------------------------------------------|
| TMC6      | 95%   | 94.4% | 100% | 100%  | 99.5% | {Epidermodysplasia verruciformis, susceptibility to, 1}, 226400                                                                    |
| TMC8      | 100%  | 100%  | 100% | 100%  | 99.6% | {Epidermodysplasia verruciformis, susceptibility to, 2}, 618231                                                                    |
| TMEM165   | 88.9% | 88.9% | 100% | 100%  | 99.7% | Congenital disorder of glycosylation, type IIk, 614727                                                                             |
| TNFRSF11A | 100%  | 100%  | 100% | 100%  | 99.4% | Osteopetrosis, autosomal recessive 7, 612301;{Paget disease of bone 2, early-onset}, 602080;Osteolysis, familial expansile, 174810 |
| TNFRSF11B | 89.8% | 89.8% | 100% | 100%  | 99.4% | Paget disease of bone 5, juvenile-onset, 239000                                                                                    |
| TNFRSF1A  | 100%  | 100%  | 100% | 99.9% | 99.3% | {Multiple sclerosis, susceptibility to, 5}, 614810;Periodic fever, familial, 142680                                                |
| TNFSF11   | 100%  | 100%  | 100% | 100%  | 99.7% | Osteopetrosis, autosomal recessive 2, 259710                                                                                       |
| TNXB      | 100%  | 100%  | 100% | 99.9% | 99%   | Ehlers-Danlos syndrome, classic-like, 1, 606408;Vesicoureteral reflux 8, 615963                                                    |

|        |       |       |      |       |       |                                                                                                                                                                                                                                                                                                 |
|--------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TP63   | 100%  | 100%  | 100% | 100%  | 99.7% | Premature ovarian failure 21, 620311;Ectrodactyly, ectodermal dysplasia, and cleft lip/palate syndrome 3, 604292;Hay-Wells syndrome, 106260;Split-hand/foot malformation 4, 605289;Orofacial cleft 8, 618149;Rapp-Hodgkin syndrome, 129400;ADULT syndrome, 103285;Limb-mammary syndrome, 603543 |
| TPCN2  | 100%  | 100%  | 100% | 100%  | 99.4% | [Skin/hair/eye pigmentation 10, blond/brown hair], 612267                                                                                                                                                                                                                                       |
| TREX1  | 100%  | 100%  | 100% | 99.9% | 99.5% | Vasculopathy, retinal, with cerebral leukoencephalopathy and systemic manifestations, 192315;Aicardi-Goutieres syndrome 1, dominant and recessive, 225750;{Systemic lupus erythematosus, susceptibility to}, 152700;Chilblain lupus, 610448                                                     |
| TRIM32 | 100%  | 100%  | 100% | 100%  | 99.2% | ?Bardet-Biedl syndrome 11, 615988;Muscular dystrophy, limb-girdle, autosomal recessive 8, 254110                                                                                                                                                                                                |
| TRIM37 | 98.4% | 98.2% | 100% | 100%  | 99.7% | Mulibrey nanism, 253250                                                                                                                                                                                                                                                                         |
| TRPM4  | 100%  | 100%  | 100% | 100%  | 99.5% | Progressive familial heart block, type IB, 604559;Erythrokeratoderma variabilis et progressiva 6, 618531                                                                                                                                                                                        |

|        |       |       |      |       |       |                                                                                                                                                    |
|--------|-------|-------|------|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| TRPS1  | 100%  | 100%  | 100% | 100%  | 99.8% | Trichorhinophalangeal syndrome, type III, 190351;Trichorhinophalangeal syndrome, type I, 190350                                                    |
| TRPV3  | 96.6% | 96.6% | 100% | 100%  | 99.3% | ?Palmoplantar keratoderma, nonepidermolytic, focal 2, 616400;Olmsted syndrome 1, 614594                                                            |
| TSC1   | 100%  | 100%  | 100% | 100%  | 99.7% | Focal cortical dysplasia, type II, somatic, 607341;Tuberous sclerosis-1, 191100;Lymphangioleiomyomatosis, 606690                                   |
| TSC2   | 100%  | 100%  | 100% | 100%  | 99.4% | Lymphangioleiomyomatosis, somatic, 606690;?Focal cortical dysplasia, type II, somatic, 607341;Tuberous sclerosis-2, 613254                         |
| TSPEAR | 93.9% | 93.9% | 100% | 99.9% | 98.7% | Tooth agenesis, selective, 10, 620173;?Deafness, autosomal recessive 98, 614861;Ectodermal dysplasia 14, hypohidrotic/hair/tooth/nail type, 618180 |
| TTI2   | 100%  | 100%  | 100% | 100%  | 99.7% | Intellectual developmental disorder, autosomal recessive 39, 615541                                                                                |
| TUFT1  | 100%  | 100%  | 100% | 100%  | 99.5% | Woolly hair-skin fragility syndrome, 620415                                                                                                        |
| TWIST2 | 100%  | 100%  | 100% | 99.6% | 95.4% | Ablepharon-macrostomia syndrome, 200110;Barber-Say syndrome, 209885;Focal facial dermal dysplasia 3, Setleis type, 227260                          |

|        |       |       |       |       |       |                                                                                                                                                                                                                                                                             |
|--------|-------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TYR    | 100%  | 100%  | 100%  | 99.9% | 99.4% | [Skin/hair/eye pigmentation 3, light/dark/freckling skin], 601800;[Skin/hair/eye pigmentation 3, blue/green eyes], 601800;[Melanoma, cutaneous malignant, susceptibility to, 8}, 601800;Albinism, oculocutaneous, type IB, 606952;Albinism, oculocutaneous, type IA, 203100 |
| TYRP1  | 100%  | 100%  | 100%  | 100%  | 99.8% | [Skin/hair/eye pigmentation, variation in, 11 (Melanesian blond hair)], 612271;Albinism, oculocutaneous, type III, 203290                                                                                                                                                   |
| UBA2   | 100%  | 100%  | 100%  | 100%  | 99.8% | ACCES syndrome, 619959                                                                                                                                                                                                                                                      |
| UBE2A  | 95.9% | 92.5% | 98.8% | 89.6% | 70.2% | Intellectual developmental disorder, X-linked syndromic, Nascimento type, 300860                                                                                                                                                                                            |
| UBR1   | 98%   | 98%   | 100%  | 100%  | 99.7% | Johanson-Blizzard syndrome, 243800                                                                                                                                                                                                                                          |
| UGCG   | 100%  | 100%  | 100%  | 100%  | 99.7% |                                                                                                                                                                                                                                                                             |
| UROD   | 100%  | 100%  | 100%  | 100%  | 99.6% | Porphyria, hepatoerythropoietic, 176100;Porphyria cutanea tarda, 176100                                                                                                                                                                                                     |
| UROS   | 95.3% | 95.3% | 100%  | 100%  | 99.8% | Porphyria, congenital erythropoietic, 263700                                                                                                                                                                                                                                |
| USB1   | 95.1% | 93.3% | 100%  | 100%  | 99.1% | Poikiloderma with neutropenia, 604173                                                                                                                                                                                                                                       |
| UVSSA  | 100%  | 100%  | 100%  | 99.9% | 99.1% | UV-sensitive syndrome 3, 614640                                                                                                                                                                                                                                             |
| VANGL2 | 100%  | 100%  | 100%  | 100%  | 99%   | Neural tube defects, 182940                                                                                                                                                                                                                                                 |

|         |       |       |       |       |       |                                                                                                                                                                                               |
|---------|-------|-------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| VDR     | 100%  | 100%  | 100%  | 100%  | 99.5% | Rickets, vitamin D-resistant, type IIA, 277440                                                                                                                                                |
| VEGFC   | 100%  | 100%  | 100%  | 100%  | 99.7% | Lymphatic malformation 4, 615907                                                                                                                                                              |
| VHL     | 87.7% | 87.7% | 100%  | 100%  | 99.4% | Hemangioblastoma, cerebellar, somatic;Erythrocytosis, familial, 2, 263400;von Hippel-Lindau syndrome, 193300;Renal cell carcinoma, somatic, 144700;Pheochromocytoma, 171300                   |
| VIPAS39 | 100%  | 98.9% | 100%  | 100%  | 99.7% | Arthrogryposis, renal dysfunction, and cholestasis 2, 613404                                                                                                                                  |
| VPS13B  | 100%  | 100%  | 100%  | 100%  | 99.7% | Cohen syndrome, 216550                                                                                                                                                                        |
| VPS33B  | 100%  | 100%  | 100%  | 99.9% | 99.5% | Keratoderma-ichthyosis-deafness syndrome, autosomal recessive, 620009;Cholestasis, progressive familial intrahepatic, 12, 620010;Arthrogryposis, renal dysfunction, and cholestasis 1, 208085 |
| WAS     | 99.6% | 96.4% | 97.2% | 84.8% | 65.5% | Wiskott-Aldrich syndrome, 301000;Neutropenia, severe congenital, X-linked, 300299;Thrombocytopenia, X-linked, intermittent, 313900;Thrombocytopenia, X-linked, 313900                         |

|        |       |       |      |       |       |                                                                                                                                                                                                       |
|--------|-------|-------|------|-------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WDR19  | 100%  | 100%  | 100% | 100%  | 99.8% | Nephronophthisis 13, 614377;Cranioectodermal dysplasia 4, 614378;Senior-Loken syndrome 8, 616307;Short-rib thoracic dysplasia 5 with or without polydactyly, 614376;?Spermatogenic failure 72, 619867 |
| WDR35  | 100%  | 100%  | 100% | 100%  | 99.6% | Short-rib thoracic dysplasia 7 with or without polydactyly, 614091;Cranioectodermal dysplasia 2, 613610                                                                                               |
| WDR72  | 100%  | 100%  | 100% | 100%  | 99.6% | Amelogenesis imperfecta, type IIA3, 613211                                                                                                                                                            |
| WIPF1  | 100%  | 100%  | 100% | 99.9% | 99.4% | Wiskott-Aldrich syndrome 2, 614493                                                                                                                                                                    |
| WNT10A | 79.3% | 79.3% | 100% | 100%  | 99.7% | Schopf-Schulz-Passarge syndrome, 224750;Tooth agenesis, selective, 4, 150400;Ectodermal dysplasia 16 (odontoonychodermal dysplasia), 257980                                                           |
| WNT10B | 100%  | 100%  | 100% | 100%  | 99.4% | Tooth agenesis, selective, 8, 617073;Split-hand/foot malformation 6, 225300                                                                                                                           |
| WNT5A  | 100%  | 100%  | 100% | 99.9% | 99%   | Robinow syndrome, autosomal dominant 1, 180700                                                                                                                                                        |
| WNT7A  | 100%  | 100%  | 100% | 100%  | 99.6% | Fuhrmann syndrome, 228930;Ulna and fibula, absence of, with severe limb deficiency, 276820;?Santos syndrome, 613005                                                                                   |
| WRAP53 | 100%  | 100%  | 100% | 100%  | 99%   | Dyskeratosis congenita, autosomal recessive 3, 613988                                                                                                                                                 |

|          |      |       |      |       |       |                                                                                             |
|----------|------|-------|------|-------|-------|---------------------------------------------------------------------------------------------|
| WRN      | 100% | 100%  | 100% | 100%  | 99.8% | Werner syndrome, 277700                                                                     |
| XPA      | 100% | 100%  | 100% | 100%  | 99.8% | Xeroderma pigmentosum, group A, 278700                                                      |
| XPC      | 100% | 100%  | 100% | 100%  | 99.6% | Xeroderma pigmentosum, group C, 278720                                                      |
| XYLT1    | 100% | 100%  | 100% | 99.9% | 99.1% | Desbuquois dysplasia 2, 615777;{Pseudoxanthoma elasticum, modifier of severity of}, 264800  |
| XYLT2    | 100% | 99.5% | 100% | 100%  | 99.3% | {Pseudoxanthoma elasticum, modifier of severity of}, 264800;Spondyloocular syndrome, 605822 |
| YWHAZ    | 100% | 100%  | 100% | 100%  | 99.7% |                                                                                             |
| ZBTB20   | 100% | 100%  | 100% | 99.9% | 98.9% | Primrose syndrome, 259050                                                                   |
| ZMPSTE24 | 100% | 100%  | 100% | 100%  | 99.8% | Mandibuloacral dysplasia with type B lipodystrophy, 608612;Restrictive dermopathy 1, 275210 |
| ZNF469   | 100% | 100%  | 100% | 100%  | 99.2% | Brittle cornea syndrome 1, 229200                                                           |
| ZNF592   | 100% | 100%  | 100% | 99.9% | 99.5% |                                                                                             |
| ZNF750   | 100% | 100%  | 100% | 100%  | 99.4% | ?Seborrhea-like dermatitis with psoriasiform elements, 610227                               |

Gene symbols used follow HGCN guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

*TWIST X2 covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.*

*TWIST X2 covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.*

*srWGS covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.*

*srWGS covered 15x describes the percentage of a gene's coding sequence that is covered at least 15x when analyzed by WGS mapped against GRCh38.*

*srWGS covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.*

*non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.*

*OMIM release used for OMIM disease identifiers and descriptions : November 25th, 2024.*

*This list is accurate for panel version DG 5.0.0*

*Ad 1. Blank field signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors*