

SHORT STATURE/SKELETAL DYSPLASIA PANEL WITH GENOME WIDE CNV ANALYSIS DG-5.1.0 (647 GENES)

Gene	Twist X2 covered 10x	Twist X2 covered 20x	srWGS covered 10x	srWGS covered 15x	srWGS covered 20x	Associated Phenotype description and OMIM disease ID
ABCC9	96%	96%	100%	100%	99.8%	Cardiomyopathy, dilated, 10, 608569;Hypertrichotic osteochondrodysplasia (Cantu syndrome), 239850;?Atrial fibrillation, familial, 12, 614050;Intellectual disability and myopathy syndrome, 619719
ACAN	99.1%	98.9%	98.5%	97.5%	96.1%	?Spondyloepiphyseal dysplasia, Kimberley type, 608361;Short stature and advanced bone age, with or without early-onset osteoarthritis and/or osteochondritis dissecans, 165800;Spondyloepime taphyseal dysplasia, aggrecan type, 612813
ACP5	100%	100%	100%	100%	99.6%	Spondyloenchondrodys plasia with immune dysregulation, 607944

ACTB	100%	100%	100%	99.9%	99.4%	Baraitser-Winter syndrome 1, 243310;Becker nevus, syndromic or isolated, somatic mosaic, 604919;Thrombocytopenia 8, with dysmorphic features and developmental delay, 620475;Dystonia-deafness syndrome 1, 607371;Congenital smooth muscle hamartoma with or without hemihypertrophy, somatic mosaic, 620470
ACTG1	100%	100%	100%	99.9%	98.9%	Deafness, autosomal dominant 20/26, 604717;Baraitser-Winter syndrome 2, 614583
ACVR1	100%	100%	100%	100%	99.7%	Fibrodysplasia ossificans progressiva, 135100
ADAMTS10	100%	100%	100%	100%	99.6%	Weill-Marchesani syndrome 1, recessive, 277600
ADAMTS15	100%	100%	100%	99.9%	99%	Arthrogryposis, distal, type 12, 620545
ADAMTS17	100%	100%	100%	100%	99.3%	Weill-Marchesani 4 syndrome, recessive, 613195
ADAMTSL2	100%	100%	100%	99.9%	99.4%	Geleophysic dysplasia 1, 231050
AFF3	100%	100%	100%	100%	99.4%	KINSSHIP syndrome, 619297
AGA	91.6%	91.6%	100%	100%	99.5%	Aspartylglucosaminuria , 208400
AGPS	97.3%	97.3%	100%	100%	99.8%	Rhizomelic chondrodysplasia punctata, type 3, 600121

AIFM1	100%	100%	99.3%	90.3%	72.6%	Combined oxidative phosphorylation deficiency 6, 300816;Cowchock syndrome, 310490;Spondyloepime taphyseal dysplasia, X-linked, with hypomyelinating leukodystrophy, 300232;Deafness, X-linked 5, 300614
ALG12	100%	100%	100%	100%	99.6%	Congenital disorder of glycosylation, type Ig, 607143
ALG3	100%	100%	100%	100%	99.4%	Congenital disorder of glycosylation, type Id, 601110
ALG9	100%	100%	100%	99.9%	99.5%	Gillessen-Kaesbach-Ni shimura syndrome, 263210;Congenital disorder of glycosylation, type II, 608776
ALMS1	100%	100%	100%	100%	99.8%	Alstrom syndrome, 203800
ALPL	100%	100%	100%	100%	99.3%	Odontohypophosphata sia, 146300;Hypophosphat asia, infantile, 241500;Hypophosphat asia, childhood, 241510;Hypophosphat asia, adult, 146300
ALX1	100%	100%	100%	100%	99.7%	Frontonasal dysplasia 3, 613456
ALX3	100%	100%	100%	99.5%	98.7%	Frontonasal dysplasia 1, 136760
ALX4	100%	100%	100%	100%	99.4%	Parietal foramina 2, 609597;{Craniosynosto sis 5, susceptibility to}, 615529;Frontonasal dysplasia 2, 613451
AMER1	100%	100%	98.9%	90.5%	71.9%	Osteopathia striata with cranial sclerosis, 300373

AMMECR1	99.9%	97.7%	99.1%	88.8%	71.2%	Midface hypoplasia, hearing impairment, elliptocytosis, and nephrocalcinosis, 300990
ANAPC1	100%	100%	100%	99.9%	99.5%	Rothmund-Thomson syndrome, type 1, 618625
ANKH	100%	100%	100%	100%	99.4%	Chondrocalcinosis 2, 118600;Craniometaphyseal dysplasia, 123000
ANKRD11	100%	100%	100%	100%	99.2%	KBG syndrome, 148050
ANO5	100%	100%	100%	100%	99.8%	Muscular dystrophy, limb-girdle, autosomal recessive 12, 611307;Miyoshi muscular dystrophy 3, 613319;Gnathodiaphyseal dysplasia, 166260
ANTXR2	94.3%	94.3%	100%	100%	99.8%	Hyaline fibromatosis syndrome, 228600
APC2	100%	100%	100%	100%	99%	Cortical dysplasia, complex, with other brain malformations 10, 618677;Intellectual developmental disorder, autosomal recessive 74, 617169
ARCN1	96.3%	96.1%	100%	100%	99.7%	Short stature-micrognathia syndrome, 617164
ARHGAP31	100%	100%	100%	100%	99.6%	Adams-Oliver syndrome 1, 100300
ARID1A	100%	100%	100%	99.9%	98.9%	Coffin-Siris syndrome 2, 614607
ARID1B	98.7%	98.4%	100%	99.5%	96.7%	Coffin-Siris syndrome 1, 135900
ARSB	100%	100%	100%	100%	99.3%	Mucopolysaccharidosis type VI (Maroteaux-Lamy), 253200

ARSK	100%	100%	100%	100%	99.8%	Mucopolysaccharidosis , type X, 619698
ARSL	100%	100%	98.7%	90.2%	71.8%	Chondrodysplasia punctata, X-linked recessive, 302950
ASXL1	100%	100%	100%	100%	99.8%	Myelodysplastic syndrome, somatic, 614286;Bohring-Opitz syndrome, 605039
ATP6V0A2	100%	100%	100%	100%	99.6%	Wrinkly skin syndrome, 278250;Cutis laxa, autosomal recessive, type IIA, 219200
ATP7A	95%	94.8%	99.4%	92.2%	74.7%	Occipital horn syndrome, 304150;Neuronopathy, distal hereditary motor, X-linked, 300489;Menkes disease, 309400
ATR	100%	100%	99.9%	99.7%	99.2%	Seckel syndrome 1, 210600;?Cutaneous telangiectasia and cancer syndrome, familial, 614564
AXIN1	100%	100%	100%	100%	99.5%	Hepatocellular carcinoma, somatic, 114550;Craniometadia physeal osteosclerosis with hip dysplasia, 620558;?Caudal duplication anomaly, 607864
B3GALT6	100%	98.6%	100%	99.9%	98.6%	Ehlers-Danlos syndrome, spondylodysplastic type, 2, 615349;Spondyloepime taphyseal dysplasia with joint laxity, type 1, with or without fractures, 271640;Al-Gazali syndrome, 609465

B3GAT3	94.7%	93.8%	100%	100%	99.8%	Multiple joint dislocations, short stature, craniofacial dysmorphism, with or without congenital heart defects, 245600
B3GLCT	100%	100%	100%	100%	99.9%	Peters-plus syndrome, 261540
B4GALT7	86.8%	86.8%	100%	100%	99.9%	Ehlers-Danlos syndrome, spondylodysplastic type, 1, 130070
BANF1	100%	100%	100%	99.8%	98.5%	Nestor-Guillermo progeria syndrome, 614008
BGN	99.9%	98.4%	97.8%	87.7%	69.5%	Meester-Loeys syndrome, 300989;Spondyloepime taphyseal dysplasia, X-linked, 300106
BHLHA9	100%	100%	100%	100%	99.4%	?Camptosynpolydactyly , complex, 607539;Syndactyly, mesoaxial synostotic, with phalangeal reduction, 609432
BLM	94.7%	94.6%	100%	100%	99.9%	Bloom syndrome, 210900
BMP1	100%	100%	100%	100%	99.3%	Osteogenesis imperfecta, type XIII, 614856
BMP2	100%	100%	100%	99.8%	97.7%	Short stature, facial dysmorphism, and skeletal anomalies with or without cardiac anomalies 1, 617877;Brachydactyly, type A2, 112600;{HFE hemochromatosis, modifier of}, 235200
BMP5	100%	100%	100%	100%	99.5%	
BMPER	100%	100%	100%	100%	99.6%	Diaphanospondylodyso stosis, 608022

BMPR1B	95.6%	94.1%	100%	100%	99.7%	Acromesomelic dysplasia 3, 609441;Brachydactyly, type A2, 112600;Brachydactyly, type A1, D, 616849
BPNT2	94.9%	94.9%	100%	100%	99.5%	Chondrodysplasia with joint dislocations, GPAPP type, 614078
BRAF	100%	100%	100%	99.8%	98.2%	Melanoma, malignant, somatic, 155600;LEOPARD syndrome 3, 613707;Cardiofaciocutaneous syndrome, 115150;Adenocarcinoma of lung, somatic, 211980;Noonan syndrome 7, 613706;Colorectal cancer, somatic, 114500;Non-small cell lung cancer, somatic, 211980
BRF1	100%	100%	100%	100%	99.5%	Cerebellofaciodental syndrome, 616202
BTK	100%	99.4%	98.9%	90.7%	72.8%	Agammaglobulinemia, X-linked 1, 300755;Isolated growth hormone deficiency, type III, with agammaglobulinemia, 307200
BTRC	95.7%	92.5%	100%	100%	99.5%	
BUB1B	96.3%	96.3%	100%	100%	99.8%	Colorectal cancer, somatic, 114500;[Premature chromatid separation trait], 176430;Mosaic variegated aneuploidy syndrome 1, 257300
CA2	100%	100%	100%	100%	99.8%	Osteopetrosis, autosomal recessive 3, with renal tubular acidosis, 259730

CANT1	100%	100%	100%	100%	99.7%	Desbuquois dysplasia 1, 251450;Epiphyseal dysplasia, multiple, 7, 617719
CASR	100%	100%	100%	100%	99.5%	Hypocalcemia, autosomal dominant, with Bartter syndrome, 601198;Hyperparathyroidism, neonatal, 239200;Hypocalcemia, autosomal dominant, 601198;Hypocalciuric hypercalcemia, type I, 145980;{?Epilepsy idiopathic generalized, susceptibility to, 8}, 612899
CBFB	100%	100%	100%	100%	98.8%	Cleidocranial dysplasia 2, 620099
CBL	100%	100%	100%	100%	99.7%	Noonan syndrome-like disorder with or without juvenile myelomonocytic leukemia, 613563;?Juvenile myelomonocytic leukemia, 607785
CC2D2A	98.2%	98.2%	100%	100%	99.8%	COACH syndrome 2, 619111;Retinitis pigmentosa 93, 619845;Meckel syndrome 6, 612284;Joubert syndrome 9, 612285
CCDC134	100%	100%	100%	100%	99.7%	Osteogenesis imperfecta, type XXII, 619795
CCDC8	99.8%	97.4%	100%	100%	99.5%	3-M syndrome 3, 614205
CCN2	100%	100%	100%	100%	99.7%	?Spondyloepimetaphyseal dysplasia, Li-Shao-Li type, 621099;Kyphomelic dysplasia, 211350
CCN6	100%	100%	100%	100%	99.7%	Progressive pseudorheumatoid dysplasia, 208230

CCNQ	96.7%	96.7%	99.5%	90.1%	70.1%	STAR syndrome, 300707
CDC42	100%	100%	100%	100%	99.6%	Takenouchi-Kosaki syndrome, 616737
CDC45	100%	100%	100%	100%	99.5%	Meier-Gorlin syndrome 7, 617063
CDC6	100%	100%	100%	100%	99.4%	Meier-Gorlin syndrome 5, 613805
CDC73	100%	100%	100%	99.9%	99.4%	Hyperparathyroidism, familial primary, 145000;Parathyroid adenoma with cystic changes, 145001;Parathyroid carcinoma, 608266;Hyperparathyroidism-jaw tumor syndrome, 145001
CDH3	100%	100%	100%	100%	99.6%	Hypotrichosis, congenital, with juvenile macular dystrophy, 601553;Ectodermal dysplasia, ectrodactyly, and macular dystrophy, 225280
CDK10	100%	100%	100%	100%	99.6%	Al Kaissi syndrome, 617694
CDKN1C	100%	100%	100%	100%	99%	IMAGE syndrome, 614732;Beckwith-Wiedemann syndrome, 130650
CDT1	100%	100%	100%	100%	99.5%	Meier-Gorlin syndrome 4, 613804
CENPE	100%	100%	100%	99.9%	99.5%	?Microcephaly 13, primary, autosomal recessive, 616051
CEP120	100%	100%	100%	100%	99.6%	Short-rib thoracic dysplasia 13 with or without polydactyly, 616300;Joubert syndrome 31, 617761

CEP152	100%	100%	100%	100%	99.9%	Microcephaly 9, primary, autosomal recessive, 614852;Seckel syndrome 5, 613823
CEP290	100%	100%	100%	100%	99.8%	Leber congenital amaurosis 10, 611755;Joubert syndrome 5, 610188;Senior-Loken syndrome 6, 610189;?Bardet-Biedl syndrome 14, 615991;Meckel syndrome 4, 611134
CEP57	100%	100%	100%	100%	99.7%	Mosaic variegated aneuploidy syndrome 2, 614114
CEP63	92.8%	92.8%	100%	100%	99.7%	?Seckel syndrome 6, 614728
CFAP410	100%	100%	100%	100%	99.3%	Retinal dystrophy with macular staphyloma, 617547;Spondylometaphyseal dysplasia, axial, 602271
CHST11	100%	100%	100%	100%	99.7%	?Osteochondrodysplasia, brachydactyly, and overlapping malformed digits, 618167
CHST14	100%	100%	100%	99.9%	98.4%	Ehlers-Danlos syndrome, musculocontractural type 1, 601776
CHST3	100%	100%	100%	100%	98.9%	Spondyloepiphyseal dysplasia with congenital joint dislocations, 143095
CHSY1	100%	99.9%	100%	99.8%	99.1%	Temtamy preaxial brachydactyly syndrome, 605282

CILK1	100%	100%	100%	100%	99.8%	Cranioectodermal dysplasia 6, 621337;{Epilepsy, juvenile myoclonic, susceptibility to, 10}, 617924;Endocrine-cere broosteodysplasia, 612651
CKAP2L	100%	100%	100%	100%	99.7%	Filippi syndrome, 272440
CLCN5	100%	100%	99.4%	92.1%	73.4%	Proteinuria, low molecular weight, with hypercalciuric nephrocalcinosis, 308990;Hypophosphatemic rickets, 300554;Dent disease 1, 300009;Nephrolithiasis, type I, 310468
CLCN7	97.5%	97.5%	100%	100%	99.7%	Hypopigmentation, organomegaly, and delayed myelination and development, 618541;Osteopetrosis, autosomal recessive 4, 611490;Osteopetrosis, autosomal dominant 2, 166600
COG1	100%	100%	100%	100%	99.4%	Congenital disorder of glycosylation, type IIg, 611209
COG4	97%	97%	100%	100%	99.3%	Congenital disorder of glycosylation, type IIj, 613489;Saul-Wilson syndrome, 618150
COL10A1	100%	100%	100%	100%	99.4%	Metaphyseal chondrodysplasia, Schmid type, 156500

COL11A1	100%	100%	100%	100%	99.8%	Fibrochondrogenesis 1, 228520;Stickler syndrome, type II, 604841;Marshall syndrome, 154780;Deafness, autosomal dominant 37, 618533;{Lumbar disc herniation, susceptibility to}, 603932
COL11A2	100%	100%	100%	100%	99.1%	Deafness, autosomal dominant 13, 601868;Otospondylom egaepiphyseal dysplasia, autosomal recessive, 215150;Fibrochondrogenesis 2, 614524;Deafness, autosomal recessive 53, 609706;Otospondylom egaepiphyseal dysplasia, autosomal dominant, 184840
COL1A1	100%	100%	100%	100%	99.5%	Osteogenesis imperfecta, type II, 166210;Caffey disease, 114000;Ehlers-Danlos syndrome, arthrochalasia type, 1, 130060;Osteogenesis imperfecta, type I, 166200;{Bone mineral density variation QTL, osteoporosis}, 166710;Combined osteogenesis imperfecta and Ehlers-Danlos syndrome 1, 619115;Osteogenesis imperfecta, type IV, 166220;Osteogenesis imperfecta, type III, 259420

COL1A2	100%	100%	100%	100%	99.8%	Osteogenesis imperfecta, type III, 259420;{Osteoporosis, postmenopausal}, 166710;Ehlers-Danlos syndrome, arthrochalasia type, 2, 617821;Combined osteogenesis imperfecta and Ehlers-Danlos syndrome 2, 619120;Ehlers-Danlos syndrome, cardiac valvular type, 225320;Osteogenesis imperfecta, type IV, 166220;Osteogenesis imperfecta, type II, 166210
COL27A1	100%	100%	100%	100%	99.4%	Steel syndrome, 615155

COL2A1	100%	100%	100%	100%	99.5%	?Vitreoretinopathy with phalangeal epiphyseal dysplasia, 619248;Czech dysplasia, 609162;Achondrogenesis, type II or hypochondrogenesis, 200610;Spondyloperipheral dysplasia, 271700;SMED Strudwick type, 184250;?Epiphyseal dysplasia, multiple, with myopia and deafness, 132450;Spondylometaphyseal dysplasia, Algerian type, 184253;SED congenita, 183900;Kniest dysplasia, 156550;Stickler syndrome, type I, nonsyndromic ocular, 609508;Osteoarthritis with mild chondrodysplasia, 604864;Stickler syndrome, type I, 108300;Platyspondylic skeletal dysplasia, Torrance type, 151210;Spondyloepiphyseal dysplasia, Stanescu type, 616583;Avascular necrosis of the femoral head, 608805;Legg-Calve-Perthes disease, 150600
COL9A1	100%	100%	100%	100%	99.7%	Stickler syndrome, type IV, 614134;?Epiphyseal dysplasia, multiple, 6, 614135
COL9A2	100%	100%	100%	100%	99.3%	Epiphyseal dysplasia, multiple, 2, 600204;?Stickler syndrome, type V, 614284

COL9A3	100%	100%	100%	100%	99.4%	{Intervertebral disc disease, susceptibility to}, 603932;Epiphyseal dysplasia, multiple, 3, with or without myopathy, 600969;Stickler syndrome, type VI, 620022
COLEC10	95%	86.3%	100%	100%	99.8%	3MC syndrome 3, 248340
COLEC11	100%	100%	100%	100%	99.6%	3MC syndrome 2, 265050
COMP	96.8%	96.3%	100%	99.9%	99.3%	Pseudoachondroplasia, 177170;Carpal tunnel syndrome 2, 619161;Epiphyseal dysplasia, multiple, 1, 132400
CPAP	100%	100%	100%	100%	99.7%	Microcephaly 6, primary, autosomal recessive, 608393;Seckel syndrome 4, 613676
CPLANE1	100%	100%	100%	100%	99.8%	Orofaciodigital syndrome VI, 277170;Joubert syndrome 17, 614615
CREB3L1	100%	100%	100%	100%	99.2%	Osteogenesis imperfecta, type XVI, 616229
CREBBP	100%	100%	100%	99.9%	99.5%	Menke-Hennekam syndrome 1, 618332;Rubinstein-Tay bi syndrome 1, 180849
CRIPT	100%	100%	100%	100%	99.9%	Rothmund-Thomson syndrome, type 3, 615789
CRTAP	100%	100%	100%	100%	99.2%	Osteogenesis imperfecta, type VII, 610682

CSF1R	97.3%	97.3%	100%	100%	99.6%	Brain abnormalities, neurodegeneration, and dysosteosclerosis, 618476;Leukoencephalopathy, diffuse hereditary, with spheroids 1, 221820
CSGALNACT1	100%	100%	100%	100%	99.9%	Skeletal dysplasia, mild, with joint laxity and advanced bone age, 618870
CSPP1	96.9%	96.9%	100%	100%	99.6%	Joubert syndrome 21, 615636
CTSA	100%	100%	100%	100%	99.5%	Galactosialidosis, 256540;Brain small vessel disease 6 with leukoencephalopathy, 621394
CTSK	100%	99.8%	100%	100%	99.7%	Pycnodysostosis, 265800
CUL7	100%	100%	100%	100%	99.4%	3-M syndrome 1, 273750
CYP26B1	100%	100%	100%	100%	99.3%	Craniosynostosis with radiohumeral fusions and other skeletal and craniofacial anomalies, 614416
CYP27B1	100%	100%	100%	100%	99.6%	Vitamin D-dependent rickets, type I, 264700
CYP2R1	100%	100%	100%	100%	99.5%	Rickets due to defect in vitamin D 25-hydroxylation deficiency, 600081
DDR1	100%	100%	100%	99.9%	99.5%	
DDR2	100%	100%	100%	100%	99.8%	Warburg-Cinotti syndrome, 618175;Spondylometaphyseal dysplasia, short limb-hand type, 271665
DDRGK1	100%	100%	100%	100%	99.6%	Spondyloepimetaphyseal dysplasia, Shohat type, 602557

DHCR24	97.8%	97.8%	100%	99.7%	98.6%	Desmosterolosis, 602398
DHODH	89%	86.1%	100%	100%	99.5%	Miller syndrome, 263750
DLL3	100%	100%	100%	100%	98.8%	Spondylocostal dysostosis 1, autosomal recessive, 277300
DLL4	100%	100%	100%	100%	99.2%	Adams-Oliver syndrome 6, 616589
DLX3	100%	100%	100%	99.9%	99.4%	Trichodontoosseous syndrome, 190320;Amelogenesis imperfecta, type IV, 104510
DLX5	100%	100%	100%	100%	99.2%	Split-hand/foot malformation 1, 183600;?Split-hand/foot malformation 1 with sensorineural hearing loss, 220600
DLX6	100%	100%	100%	99.2%	95.5%	
DMP1	100%	100%	100%	100%	99.1%	Hypophosphatemic rickets, AR, 241520
DNA2	97.1%	97.1%	100%	100%	99.8%	Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 6, 615156;Rothmund-Thomson syndrome, type 4, 620819;Seckel syndrome 8, 615807
DNAJC21	94.7%	94.7%	100%	100%	99.3%	Bone marrow failure syndrome 3, 617052
DNMT3A	100%	100%	100%	100%	99.5%	Tatton-Brown-Rahman syndrome, 615879;Acute myeloid leukemia, somatic, 601626;Heyn-Sproul-Jackson syndrome, 618724
DOCK6	100%	100%	100%	99.9%	99.3%	Adams-Oliver syndrome 2, 614219

DONSON	100%	99.7%	100%	100%	99.7%	Microcephaly, short stature, and limb abnormalities, 617604;Microcephaly-micromelia syndrome, 251230;Meier-Gorlin syndrome 10, 621528
DPCD	93%	93%	100%	100%	99.3%	
DPF2	95.7%	95.7%	100%	99.8%	99.1%	Coffin-Siris syndrome 7, 618027
DPM1	99.6%	96.9%	99.6%	98.4%	96.6%	Congenital disorder of glycosylation, type 1e, 608799
DSE	100%	100%	100%	100%	99.7%	Ehlers-Danlos syndrome, musculocontractural type 2, 615539
DVL1	100%	100%	100%	99.9%	99.3%	Robinow syndrome, autosomal dominant 2, 616331
DVL3	100%	100%	100%	99.9%	99.1%	Robinow syndrome, autosomal dominant 3, 616894
DYM	100%	100%	100%	100%	99.9%	Smith-McCort dysplasia, 607326;Dyggve-Melchior-Clausen disease, 223800
DYNC2H1	100%	100%	100%	100%	99.8%	Short-rib thoracic dysplasia 3 with or without polydactyly, 613091
DYNC2I1	95.7%	95.7%	100%	100%	99.5%	Short-rib thoracic dysplasia 8 with or without polydactyly, 615503
DYNC2I2	100%	100%	100%	100%	99.4%	Short-rib thoracic dysplasia 11 with or without polydactyly, 615633
DYNC2LI1	81.5%	81.4%	100%	100%	99.8%	Short-rib thoracic dysplasia 15 with polydactyly, 617088

DYNLT2B	58.6%	58.6%	100%	100%	99.3%	Short-rib thoracic dysplasia 17 with or without polydactyly, 617405
EBP	100%	100%	98.8%	88.4%	69.5%	MEND syndrome, 300960;Chondrodysplasia punctata, X-linked dominant, 302960
ECEL1	100%	100%	100%	100%	99.3%	Arthrogryposis, distal, type 5D, 615065
EDN1	100%	100%	100%	100%	99.8%	Question mark ears, isolated, 612798;Auriculocondylar syndrome 3, 615706
EDNRA	100%	100%	100%	100%	99.8%	{Migraine, resistance to}, 157300;Mandibulofacial dysostosis with alopecia, 616367
EFL1	96.3%	96.3%	100%	100%	99.9%	Shwachman-Diamond syndrome 2, 617941
EFNB1	100%	100%	98.8%	87.7%	69.3%	Craniofrontonasal dysplasia, 304110
EFTUD2	100%	100%	100%	100%	99.7%	Mandibulofacial dysostosis, Guion-Almeida type, 610536
EIF2AK3	100%	100%	100%	100%	99.7%	Wolcott-Rallison syndrome, 226980
EIF4A3	100%	100%	100%	100%	99.4%	Robin sequence with cleft mandible and limb anomalies, 268305
ELMO2	97.9%	97.9%	100%	100%	99.6%	Vascular malformation, primary intraosseous, 606893
EN1	100%	100%	99.8%	99.3%	97.2%	?ENDOVE syndrome, limb-brain type, 619218

ENPP1	100%	100%	100%	100%	99.8%	{Obesity, susceptibility to}, 601665;Hypophosphatemic rickets, autosomal recessive, 2, 613312;{Diabetes mellitus, non-insulin-dependent, susceptibility to}, 125853;Arterial calcification, generalized, of infancy, 1, 208000;Cole disease, 615522
EOGT	95.8%	92.4%	100%	100%	99.6%	Adams-Oliver syndrome 4, 615297
EP300	100%	100%	100%	100%	99.5%	Menke-Hennekam syndrome 2, 618333;Colorectal cancer, somatic, 114500;Rubinstein-Taybi syndrome 2, 613684
ERCC4	100%	100%	100%	100%	99.6%	Xeroderma pigmentosum, type F/Cockayne syndrome, 278760;XFE progeroid syndrome, 610965;Xeroderma pigmentosum, group F, 278760;Fanconi anemia, complementation group Q, 615272
ERF	100%	100%	100%	100%	97.9%	Craniosynostosis 4, 600775;Chitayat syndrome, 617180
ERI1	100%	100%	100%	100%	99.6%	Hoxha-Aliu syndrome, 620662;Spondyloepime taphyseal dysplasia, Guo-Campeau type, 620663
ESCO2	100%	100%	100%	100%	99.8%	Juberg-Hayward syndrome, 216100;Roberts-SC phocomelia syndrome, 268300

EVC	100%	100%	100%	100%	99.5%	Ellis-van Creveld syndrome, 225500;?Weyers acrofacial dysostosis, 193530
EVC2	100%	100%	100%	100%	99.7%	Ellis-van Creveld syndrome, 225500;Weyers acrofacial dysostosis, 193530
EXOC6B	97.1%	97.1%	100%	100%	99.7%	Spondyloepimetaphyseal dysplasia with joint laxity, type 3, 618395
EXOSC5	100%	100%	100%	100%	98.6%	Cerebellar ataxia, brain abnormalities, and cardiac conduction defects, 619576
EXT1	100%	100%	100%	100%	99.5%	Exostoses, multiple, type 1, 133700;Chondrosarcoma, 215300
EXT2	100%	100%	100%	100%	99.6%	Seizures, scoliosis, and macrocephaly syndrome, 616682;Exostoses, multiple, type 2, 133701
EXTL3	100%	99.9%	100%	100%	99.7%	Immunoskeletal dysplasia with neurodevelopmental abnormalities, 617425
EZH2	100%	100%	100%	100%	99.7%	Weaver syndrome, 277590
FAM111A	100%	100%	100%	100%	99.9%	Kenny-Caffey syndrome, type 2, 127000;Gracile bone dysplasia, 602361
FAM20B	100%	100%	100%	100%	99.9%	
FAM20C	99.4%	97.2%	100%	100%	99.2%	Raine syndrome, 259775
FAM210A	100%	100%	100%	100%	99.6%	

FANCA	100%	100%	100%	100%	99.5%	Fanconi anemia, complementation group A, 227650
FANCB	96.2%	96.2%	99.4%	92.2%	74.7%	Fanconi anemia, complementation group B, 300514
FANCC	100%	100%	100%	100%	99.4%	Fanconi anemia, complementation group C, 227645
FANCD2	100%	100%	100%	100%	99.7%	Fanconi anemia, complementation group D2, 227646
FANCE	100%	100%	100%	100%	99.3%	Fanconi anemia, complementation group E, 600901
FANCF	100%	100%	100%	100%	99.2%	Fanconi anemia, complementation group F, 603467
FANCG	100%	99.5%	100%	100%	99.3%	Fanconi anemia, complementation group G, 614082
FANCI	100%	99.9%	100%	100%	99.6%	Fanconi anemia, complementation group I, 609053
FANCL	91.5%	89.3%	100%	100%	99.1%	Fanconi anemia, complementation group L, 614083
FAR1	91%	90.9%	100%	100%	99.9%	Peroxisomal fatty acyl-CoA reductase 1 disorder, 616154;Cataracts, spastic paraparesis, and speech delay, 619338
FBLN1	96.8%	94.6%	100%	99.9%	99.2%	

FBN1	100%	100%	100%	100%	99.8%	Geleophysic dysplasia 2, 614185;Weill-Marchesani syndrome 2, dominant, 608328;Ectopia lentis, familial, 129600;MASS syndrome, 604308;Marfan lipodystrophy syndrome, 616914;Acromicric dysplasia, 102370;Marfan syndrome, 154700;Stiff skin syndrome, 184900
FBN2	99.2%	99.2%	100%	100%	99.6%	Macular degeneration, early-onset, 616118;Contractural arachnodactyly, congenital, 121050
FBXW4	92.3%	92.3%	100%	100%	99.1%	
FERMT3	100%	100%	100%	100%	99.4%	Leukocyte adhesion deficiency, type III, 612840
FGD1	100%	100%	98.4%	88%	69.3%	Aarskog-Scott syndrome, 305400
FGF10	100%	100%	100%	100%	99.9%	LADD syndrome 3, 620193;Aplasia of lacrimal and salivary glands, 180920
FGF16	100%	100%	98.4%	87.9%	69%	Metacarpal 4-5 fusion, 309630
FGF23	100%	100%	100%	100%	99.2%	Tumoral calcinosis, hyperphosphatemic, familial, 2, 617993;Hypophosphatemic rickets, autosomal dominant, 193100
FGF8	100%	100%	100%	99.8%	98.3%	Hypogonadotropic hypogonadism 6 with or without anosmia, 612702
FGF9	100%	100%	100%	100%	99.8%	Multiple synostoses syndrome 3, 612961

FGFR1	100%	99.2%	100%	100%	99.4%	Pfeiffer syndrome, 101600;Hypogonadotropic hypogonadism 2 with or without anosmia, 147950;Jackson-Weiss syndrome, 123150;Hartsfield syndrome, 615465;Trigonocephaly 1, 190440;Osteoglophonic dysplasia, 166250;Encephalocraniocutaneous lipomatosis, somatic mosaic, 613001
FGFR2	100%	100%	100%	100%	99.7%	Bent bone dysplasia syndrome, 614592;LADD syndrome 1, 149730;Antley-Bixler syndrome without genital anomalies or disordered steroidogenesis, 207410;Scaphocephaly and Axenfeld-Rieger anomaly;Jackson-Weiss syndrome, 123150;Gastric cancer, somatic, 613659;Craniofacial-skeletal-dermatologic dysplasia, 101600;Apert syndrome, 101200;Pfeiffer syndrome, 101600;Craniosynostosis, nonspecific;?Scaphocephaly, maxillary retrusion, and impaired intellectual development, 609579;Beare-Stevenson cutis gyrata syndrome, 123790;Crouzon syndrome, 123500;Saethre-Chotzen syndrome, 101400

FGFR3	100%	100%	100%	99.9%	99.1%	Muenke syndrome, 602849;SADDAN, 616482;Hypochondroplasia, 146000;Thanatophoric dysplasia, type II, 187601;Nevus, epidermal, somatic, 162900;CATSHL syndrome, 610474;Thanatophoric dysplasia, type I, 187600;Spermatocytic seminoma, somatic, 273300;Bladder cancer, somatic, 109800;LADD syndrome 2, 620192;Achondroplasia, 100800;Cervical cancer, somatic, 603956;Colorectal cancer, somatic, 114500;Crouzon syndrome with acanthosis nigricans, 612247
FIG4	98.4%	98.4%	100%	100%	99.9%	Yunis-Varon syndrome, 216340;?Polymicrogyria, bilateral temporooccipital, 612691;Amyotrophic lateral sclerosis 11, 612577;Charcot-Marie-Tooth disease, type 4J, 611228
FKBP10	100%	100%	100%	100%	99.3%	Osteogenesis imperfecta, type XI, 610968;Bruck syndrome 1, 259450
FKBP14	100%	100%	100%	100%	99.9%	Ehlers-Danlos syndrome, kyphoscoliotic type, 2, 614557

FLNA	100%	100%	98.3%	87.4%	68.7%	Otopalatodigital syndrome, type II, 304120;Intestinal pseudoobstruction, neuronal, 300048;Cardiac valvular dysplasia, X-linked, 314400;?FG syndrome 2, 300321;Melnick-Needle s syndrome, 309350;Terminal osseous dysplasia, 300244;Congenital short bowel syndrome, 300048;Otopalatodigital syndrome, type I, 311300;Heterotopia, periventricular, 1, 300049;Frontometaphyseal dysplasia 1, 305620
FLNB	100%	100%	100%	100%	99.6%	Larsen syndrome, 150250;Atelosteogenesis, type I, 108720;Atelosteogenesis, type III, 108721;Spondylocarpotarsal synostosis syndrome, 272460;Boomerang dysplasia, 112310
FMN1	100%	100%	100%	100%	99.6%	
FN1	100%	100%	100%	100%	99.7%	Spondylometaphyseal dysplasia, corner fracture type, 184255;Glomerulopathy with fibronectin deposits 2, 601894
FUCA1	100%	100%	100%	100%	99.5%	Fucosidosis, 230000
FUZ	93.7%	93.7%	100%	100%	99.2%	{Neural tube defects, susceptibility to}, 182940
FZD2	100%	100%	100%	99.9%	98.6%	Omodysplasia 2, 164745
GALNS	100%	100%	100%	100%	99%	Mucopolysaccharidosis IVA, 253000

GALNT2	100%	100%	100%	100%	99.4%	Congenital disorder of glycosylation, type II, 618885
GALNT3	100%	100%	100%	100%	99.8%	Tumoral calcinosis, hyperphosphatemic, familial, 1, 211900
GBA1	100%	98.3%	100%	100%	99.5%	{Lewy body dementia, susceptibility to}, 127750;Gaucher disease, type II, 230900;Gaucher disease, type IIIC, 231005;Gaucher disease, type III, 231000;Gaucher disease, type I, 230800;Gaucher disease, perinatal lethal, 608013;{Parkinson disease, late-onset, susceptibility to}, 168600
GCM2	100%	100%	100%	100%	99.7%	Hypoparathyroidism, familial isolated 2, 618883;Hyperparathyroidism 4, 617343
GDF3	100%	100%	100%	100%	99.6%	Klippel-Feil syndrome 3, autosomal dominant, 613702;Microphthalmia , isolated, with coloboma 6, 613703;Microphthalmia , isolated 7, 613704

GDF5	100%	100%	100%	100%	99.2%	Acromesomelic dysplasia 2A, 200700;Acromesomelic dysplasia 2B, 228900;Multiple synostoses syndrome 2, 610017;Symphalangism, proximal, 1B, 615298;Brachydactyly, type A2, 112600;?Acromesomelic dysplasia 2C, Hunter-Thompson type, 201250;Brachydactyly, type C, 113100;{Osteoarthritis-5}, 612400;Brachydactyly, type A1, C, 615072
GDF6	100%	100%	100%	99.9%	98.2%	Microphthalmia with coloboma 6, digenic, 613703;Microphthalmia, isolated 4, 613094;Leber congenital amaurosis 17, 615360;Multiple synostoses syndrome 4, 617898;Klippel-Feil syndrome 1, autosomal dominant, 118100
GH1	100%	100%	100%	100%	99.5%	Kowarski syndrome, 262650;Growth hormone deficiency, isolated, type II, 173100;Growth hormone deficiency, isolated, type IB, 612781;Growth hormone deficiency, isolated, type IA, 262400
GHR	99.6%	99.6%	99.8%	99.8%	99.1%	Laron dwarfism, 262500;Increased responsiveness to growth hormone, 604271;Growth hormone insensitivity, partial, 604271;{Hypercholesterolemia, familial, modifier of}, 143890

GHRHR	100%	100%	100%	100%	99.4%	Growth hormone deficiency, isolated, type IV, 618157
GHSR	100%	100%	100%	99.9%	99.4%	Growth hormone deficiency, isolated partial, 615925
GINS2	100%	100%	100%	99.9%	99.5%	
GJA1	100%	100%	100%	100%	99.7%	Erythrokeratoderma variabilis et progressiva 3, 617525;Craniometaphyseal dysplasia, autosomal recessive, 218400;Oculodigital dysplasia, 164200;Palmoplantar keratoderma with congenital alopecia, 104100;Syndactyly, type III, 186100;Oculodigital dysplasia, autosomal recessive, 257850
GLB1	100%	100%	100%	100%	99.5%	GM1-gangliosidosis, type I, 230500;GM1-gangliosidosis, type III, 230650;Mucopolysaccharidosis type IVB (Morquio), 253010;GM1-gangliosidosis, type II, 230600
GLI1	100%	100%	100%	99.9%	99.1%	Polydactyly, preaxial I, 174400;Polydactyly, postaxial, type A8, 618123
GLI2	100%	100%	100%	99.9%	99.3%	Culler-Jones syndrome, 615849;Holoprosencephaly 9, 610829

GLI3	99.3%	99.3%	100%	99.9%	99.2%	Greig cephalopolysyndactyly syndrome, 175700; Polydactyly, postaxial, types A1 and B, 174200; Pallister-Hall syndrome, 146510; Polydactyly, preaxial, type IV, 174700
GMNN	91.4%	91.4%	100%	100%	99.8%	Meier-Gorlin syndrome 6, 616835
GNAI3	100%	100%	100%	100%	99.9%	Auriculocondylar syndrome 1, 602483
GNAS	100%	99.7%	100%	99.9%	98.5%	Pituitary adenoma 3, multiple types, somatic, 617686; Pseudohypoparathyroidism 1c, 612462; Pseudohypoparathyroidism 1a, 103580; Osseous heteroplasia, progressive, 166350; McCune-Albright syndrome, somatic mosaic, 174800; Pseudohypoparathyroidism 1b, 603233; Pseudopseudohypoparathyroidism, 612463; ACTH-independent macronodular adrenal hyperplasia 1, somatic, 219080
GNPAT	100%	100%	100%	100%	100%	Rhizomelic chondrodysplasia punctata, type 2, 222765
GNPNAT1	100%	100%	100%	99.9%	99.3%	?Rhizomelic dysplasia, Ain-Naz type, 619598
GNPTAB	100%	100%	100%	100%	99.8%	Mucopolipidosis III alpha/beta, 252600; Mucopolipidosis II alpha/beta, 252500
GNPTG	90.1%	90.1%	100%	99.8%	98.5%	Mucopolipidosis III gamma, 252605

GNS	94.3%	94.3%	100%	100%	99.6%	Mucopolysaccharidosis type IIID, 252940
GORAB	100%	100%	100%	100%	99.5%	Geroderma osteodysplasticum, 231070
GPC3	94%	94%	98.6%	88.7%	70.8%	Wilms tumor, somatic, 194070;Simpson-Golabi-Behmel syndrome, type 1, 312870
GPC4	100%	100%	99.4%	91.2%	70.7%	Keipert syndrome, 301026
GPC6	100%	100%	100%	100%	99.7%	Omodysplasia 1, 258315
GPR161	100%	100%	100%	100%	99.5%	{Medulloblastoma predisposition syndrome}, 155255
GPX4	100%	100%	100%	99.9%	98.7%	Spondylometaphyseal dysplasia, Sedaghatian type, 250220
GSC	100%	100%	100%	99.9%	98.6%	Short stature, auditory canal atresia, mandibular hypoplasia, skeletal abnormalities, 602471
GUSB	98.4%	98.4%	100%	100%	99.1%	Mucopolysaccharidosis VII, 253220
GZF1	99.3%	97.6%	100%	100%	99.7%	Joint laxity, short stature, and myopia, 617662
H19						
HAAO	100%	98.9%	100%	100%	99.5%	Vertebral, cardiac, renal, and limb defects syndrome 1, 617660
HAPLN1	100%	100%	100%	100%	99.9%	
HDAC4	100%	100%	100%	100%	99.3%	Neurodevelopmental disorder with central hypotonia and dysmorphic facies, 619797
HDAC8	94.6%	94.6%	99.2%	90.3%	71.3%	Cornelia de Lange syndrome 5, 300882

HES7	100%	100%	100%	99.8%	98.2%	Spondylocostal dysostosis 4, autosomal recessive, 613686
HESX1	100%	100%	100%	100%	99.7%	Pituitary hormone deficiency, combined, 5, 182230;Septooptic dysplasia, 182230;Growth hormone deficiency with pituitary anomalies, 182230
HGSNAT	83.5%	83.5%	100%	100%	99.8%	Mucopolysaccharidosis type IIIC (Sanfilippo C), 252930;Retinitis pigmentosa 73, 616544
HHAT	100%	100%	100%	100%	99.6%	Nivelon-Nivelon-Mabille syndrome, 600092
HMGA2	93.9%	85.5%	100%	100%	99.6%	Silver-Russell syndrome 5, 618908
HOXA11	100%	100%	100%	100%	99.1%	Radioulnar synostosis with amegakaryocytic thrombocytopenia 1, 605432
HOXA13	100%	99.8%	99.6%	96.3%	86%	Hand-foot-genital syndrome, 140000;?Guttmacher syndrome, 176305
HOXD13	100%	100%	100%	99.9%	98.8%	Syndactyly, type V, 186300;Synpolydactyly 1, 186000;Brachydactyly, type E, 113300;Brachydactyly, type D, 113200;?Brachydactyly-syndactyly syndrome, 610713
HPGD	100%	100%	100%	100%	99.9%	?Digital clubbing, isolated congenital, 119900;Hypertrophic osteoarthropathy, primary, autosomal recessive 1, 259100;Cranioosteoarthropathy, 259100

HRAS	100%	100%	100%	99.9%	99.5%	Bladder cancer, somatic, 109800;Thyroid carcinoma, follicular, somatic, 188470;Congenital myopathy with excess of muscle spindles, 218040;Nevus sebaceous or woolly hair nevus, somatic, 162900;Schimmelpennin g-Feuerstein-Mims syndrome, somatic mosaic, 163200;Spitz nevus or nevus spilus, somatic, 137550;Costello syndrome, 218040
HS2ST1	100%	100%	100%	100%	99.7%	Neurofacioskeletal syndrome with or without renal agenesis, 619194
HSPA9	100%	100%	100%	100%	99.6%	Even-plus syndrome, 616854;Anemia, sideroblastic, 4, 182170
HSPG2	100%	100%	100%	100%	99.4%	Dyssegmental dysplasia, Silverman-Handmaker type, 224410;Schwartz-Jamp el syndrome, type 1, 255800
HYLS1	100%	100%	100%	100%	99.8%	Hydrolethalus syndrome, 236680
IARS2	100%	99.7%	100%	99.9%	99.6%	Cataracts, growth hormone deficiency, sensory neuropathy, sensorineural hearing loss, and skeletal dysplasia, 616007
ID4	100%	100%	100%	99.9%	98.4%	
IDH1	100%	100%	100%	99.9%	99.6%	{Glioma, susceptibility to, somatic}, 137800
IDH2	89.7%	89.5%	100%	100%	99.4%	D-2-hydroxyglutaric aciduria 2, 613657

IDS	100%	100%	99.4%	91.4%	72.9%	Mucopolysaccharidosis II, 309900
IDUA	96%	96%	100%	99.8%	98.7%	Mucopolysaccharidosis Is, 607016;Mucopolysaccharidosis Ih/s, 607015;Mucopolysaccharidosis Ih, 607014
IFIH1	100%	100%	100%	100%	99.8%	Immunodeficiency 95, 619773;Aicardi-Goutieres syndrome 7, 615846;Singleton-Merten syndrome 1, 182250
IFITM5	100%	100%	100%	100%	99.7%	Osteogenesis imperfecta, type V, 610967
IFT122	100%	100%	100%	100%	99.6%	Cranioectodermal dysplasia 1, 218330
IFT140	100%	100%	100%	100%	99.6%	{Polycystic kidney disease 9, susceptibility to}, 621164;Short-rib thoracic dysplasia 9 with or without polydactyly, 266920;Retinitis pigmentosa 80, 617781;Cranioectodermal dysplasia 5, 621180
IFT172	100%	100%	100%	100%	99.7%	Retinitis pigmentosa 71, 616394;Bardet-Biedl syndrome 20, 619471;Short-rib thoracic dysplasia 10 with or without polydactyly, 615630
IFT43	93.5%	93.5%	100%	100%	99.7%	?Cranioectodermal dysplasia 3, 614099;?Retinitis pigmentosa 81, 617871;Short-rib thoracic dysplasia 18 with polydactyly, 617866

IFT52	92.9%	92.9%	100%	100%	99.8%	Short-rib thoracic dysplasia 16 with or without polydactyly, 617102
IFT80	100%	100%	100%	100%	99.6%	Short-rib thoracic dysplasia 2 with or without polydactyly, 611263
IFT81	92.5%	92.5%	100%	100%	99.7%	Short-rib thoracic dysplasia 19 with or without polydactyly, 617895
IGF1	100%	100%	100%	99.9%	99.1%	Insulin-like growth factor I deficiency, 608747
IGF1R	100%	100%	100%	100%	99.7%	Insulin-like growth factor I, resistance to, 270450
IGF2	100%	100%	100%	100%	99.7%	Silver-Russell syndrome 3, 616489
IGFALS	95.7%	95.7%	100%	100%	99.2%	Acid-labile subunit, deficiency of, 615961
IGSF1	100%	100%	99.3%	91.1%	73.4%	Hypothyroidism, central, and testicular enlargement, 300888
IHH	100%	100%	100%	99.8%	99%	Acrocapitofemoral dysplasia, 607778;Brachydactyly, type A1, 112500
IKBKB	100%	100%	100%	100%	99.4%	Immunodeficiency 15B, 615592;Immunodeficiency 15A, 618204
IKBKG	94.1%	93.5%	99%	90.5%	73.6%	Incontinentia pigmenti, 308300;Ectodermal dysplasia and immunodeficiency 1, 300291;Immunodeficiency 33, 300636;Autoinflammatory disease, systemic, X-linked, 301081

IL1RN	100%	100%	100%	100%	99.6%	Chronic recurrent multifocal osteomyelitis 2, with periostitis and pustulosis, 612852;{Gastric cancer risk after H. pylori infection}, 613659;{Microvascular complications of diabetes 4}, 612628;Interleukin 1 receptor antagonist deficiency, 612852
IL2RG	100%	100%	98.8%	90.9%	72.5%	Combined immunodeficiency, X-linked, moderate, 312863;Severe combined immunodeficiency, X-linked, 300400
IL6ST	96.7%	96.7%	100%	100%	99.6%	Hyper-IgE syndrome 4A, autosomal dominant, with recurrent infections, 619752;Stuve-Wiedemann syndrome 2, 619751;Hyper-IgE syndrome 4B, autosomal recessive, with recurrent infections, 618523;?Immunodeficiency 94 with autoinflammation and dysmorphic facies, 619750
INPPL1	100%	100%	100%	99.9%	99.4%	Opsismodysplasia, 258480
INTU	100%	100%	100%	100%	99.7%	?Orofaciodigital syndrome XVII, 617926;?Short-rib thoracic dysplasia 20 with polydactyly, 617925

JAG1	100%	100%	100%	100%	99.6%	?Deafness, congenital heart defects, and posterior embryotoxon, 617992;Charcot-Marie-Tooth disease, axonal, type 2HH, 619574;Alagille syndrome 1, 118450;Tetralogy of Fallot, 187500
KAT6B	100%	100%	100%	100%	99.5%	SBBYSS syndrome, 603736;Genitopatellar syndrome, 606170
KCNJ2	100%	100%	100%	100%	99.8%	Atrial fibrillation, familial, 9, 613980;Andersen syndrome, 170390;Short QT syndrome 3, 609622
KDELR2	86.8%	86.8%	100%	100%	99.7%	Osteogenesis imperfecta, type XXI, 619131
KIAA0586	95.6%	95.6%	100%	100%	99.7%	Short-rib thoracic dysplasia 14 with polydactyly, 616546;Joubert syndrome 23, 616490
KIAA0753	100%	100%	100%	100%	99.8%	?Orofaciodigital syndrome XV, 617127;?Joubert syndrome 38, 619476;Short-rib thoracic dysplasia 21 without polydactyly, 619479
KIAA0825	100%	100%	100%	99.9%	99.6%	Polydactyly, postaxial, type A10, 618498
KIF22	99.6%	97.8%	100%	100%	99.7%	Spondyloepimetaphyseal dysplasia with joint laxity, type 2, 603546
KIF24	100%	100%	100%	100%	99.6%	
KIF5B	98.8%	96.7%	100%	100%	99.6%	

KIF7	100%	100%	100%	100%	99.2%	Joubert syndrome 12, 200990;Acrocallosal syndrome, 200990;?Hydrolethalus syndrome 2, 614120;?Al-Gazali-Bak alinova syndrome, 607131
KL	100%	99.8%	99.8%	99.3%	98.4%	?Tumoral calcinosis, hyperphosphatemic, familial, 3, 617994
KMT2A	99.2%	99.2%	100%	100%	99.5%	Wiedemann-Steiner syndrome, 605130
KRAS	100%	100%	100%	100%	100%	Gastric cancer, somatic, 613659;Oculoectodermal syndrome, somatic, 600268;Breast cancer, somatic, 114480;Noonan syndrome 3, 609942;RAS-associated autoimmune leukoproliferative disorder, 614470;Arteriovenous malformation of the brain, somatic, 108010;Lung cancer, somatic, 211980;Pancreatic carcinoma, somatic, 260350;Leukemia, acute myeloid, somatic, 601626;Schimmelpennin g-Feuerstein-Mims syndrome, somatic mosaic, 163200;Cardiofaciocutaneous syndrome 2, 615278;Bladder cancer, somatic, 109800
KYNU	87.7%	86.6%	100%	100%	99.9%	?Hydroxykynureninuria, 236800;Vertebral, cardiac, renal, and limb defects syndrome 2, 617661

LAMA5	100%	100%	100%	99.9%	99.2%	Nephrotic syndrome, type 26, 620049;?Bent bone dysplasia syndrome 2, 620076
LBR	100%	100%	100%	100%	99.7%	Pelger-Huet anomaly, 169400;?Reynolds syndrome, 613471;Rhizomelic skeletal dysplasia with or without Pelger-Huet anomaly, 618019;Greenberg skeletal dysplasia, 215140
LBX1	100%	100%	100%	100%	99.1%	?Central hypoventilation syndrome, congenital, 3, 619483
LEMD3	100%	100%	100%	99.9%	99%	Buschke-Ollendorff syndrome, 166700;Osteopoikilosis with or without melorheostosis, 166700
LFNG	99.9%	97.1%	100%	99.9%	98.8%	Spondylocostal dysostosis 3, autosomal recessive, 609813
LHX3	100%	100%	100%	99.6%	98.9%	Pituitary hormone deficiency, combined, 3, 221750
LHX4	100%	100%	100%	100%	99.2%	Pituitary hormone deficiency, combined, 4, 262700
LIFR	100%	100%	100%	100%	99.7%	Stuve-Wiedemann syndrome/Schwartz-Jampel type 2 syndrome, 601559
LMBR1	96.1%	95.5%	100%	100%	99.7%	Syndactyly, type IV, 186200;Laurin-Sandrow syndrome, 135750;Acheiropody, 200500;Triphalangeal thumb-polysyndactyly syndrome, 190605

LMNA	100%	100%	100%	99.9%	99.3%	Mandibuloacral dysplasia, 248370;Heart-hand syndrome, Slovenian type, 610140;Cardiomyopathy, dilated, 1A, 115200;Emery-Dreifuss muscular dystrophy 3, autosomal recessive, 616516;Restrictive dermopathy 2, 619793;Charcot-Marie-Tooth disease, type 2B1, 605588;Emery-Dreifuss muscular dystrophy 2, autosomal dominant, 181350;Hutchinson-Gilford progeria, 176670;Lipodystrophy, familial partial, type 2, 151660;Muscular dystrophy, congenital, 613205;Malouf syndrome, 212112
LMX1B	100%	100%	100%	100%	99%	Focal segmental glomerulosclerosis 10, 256020;Nail-patella syndrome, 161200
LONP1	99.3%	97%	100%	100%	99.5%	CODAS syndrome, 600373
LPIN2	99.3%	99.2%	100%	99.9%	99.4%	Majeed syndrome, 609628
LRP4	100%	100%	100%	99.9%	99.4%	?Myasthenic syndrome, congenital, 17, 616304;Sclerosteosis 2, 614305;Cenani-Lenz syndactyly syndrome, 212780

LRP5	100%	100%	100%	100%	99%	Osteopetrosis, autosomal dominant 1, 607634;Polycystic liver disease 4 with or without kidney cysts, 617875;Endosteal hyperostosis, 144750;Osteoporosis-pseudoglioma syndrome, 259770;[Bone mineral density variability 1, high bone mass], 601884;Exudative vitreoretinopathy 4, 601813
LRRK1	100%	100%	100%	100%	99.5%	Osteosclerotic metaphyseal dysplasia, 615198
LTBP1	100%	100%	100%	100%	99.5%	Cutis laxa, autosomal recessive, type IIE, 619451
LTBP2	100%	100%	100%	100%	99.7%	Glaucoma 3, primary congenital, D, 613086;Microspherophakia and/or megalocornea, with ectopia lentis and with or without secondary glaucoma, 251750;?Weill-Marchesani syndrome 3, recessive, 614819
LTBP3	100%	100%	100%	99.9%	98.9%	Dental anomalies and short stature, 601216;Eleophysis dysplasia 3, 617809
LYSET	100%	100%	100%	100%	99.7%	Dysostosis multiplex, Ain-Naz type, 619345
LZTR1	100%	100%	100%	100%	99.6%	Noonan syndrome 2, 605275;Noonan syndrome 10, 616564;{Schwannomatosis-2, susceptibility to}, 615670

MAB21L2	100%	100%	100%	100%	99.2%	Microphthalmia/coloboma and skeletal dysplasia syndrome, 615877
MAD2L2	100%	100%	100%	99.9%	99.1%	?Fanconi anemia, complementation group V, 617243
MAFB	100%	100%	100%	99.9%	98.8%	Duane retraction syndrome 3, 617041;Multicentric carpotarsal osteolysis syndrome, 166300
MAN2B1	100%	100%	100%	100%	99.1%	Mannosidosis, alpha-, types I and II, 248500
MANBA	99.4%	97.5%	100%	100%	99.5%	Mannosidosis, beta, 248510
MAP2K1	95.8%	95.8%	100%	100%	99.5%	Cardiofaciocutaneous syndrome 3, 615279;Melorheostosis , isolated, somatic mosaic, 155950
MAP2K2	92.4%	92.3%	100%	100%	99.5%	Cardiofaciocutaneous syndrome 4, 615280
MAP3K20	100%	100%	100%	100%	99.9%	Centronuclear myopathy 6 with fiber-type disproportion, 617760;Split-foot malformation with mesoaxial polydactyly, 616890
MAP3K7	97.9%	97.9%	100%	100%	99.8%	Frontometaphyseal dysplasia 2, 617137;Cardiospondylo carpofacial syndrome, 157800
MAPK1	100%	100%	100%	99.9%	99.4%	Noonan syndrome 13, 619087
MAPKAPK5	100%	100%	100%	100%	99.4%	Neurocardiofaciodigital syndrome, 619869
MASP1	100%	100%	100%	100%	99.6%	3MC syndrome 1, 257920

MATN3	100%	100%	100%	100%	99.8%	{Osteoarthritis susceptibility 2}, 140600;Spondyloepime taphyseal dysplasia, Borochowitz-Cormier-D aire type, 608728;Epiphyseal dysplasia, multiple, 5, 607078
MBTPS1	100%	100%	100%	100%	99.4%	Spondyloepiphyseal dysplasia, Kondo-Fu type, 618392;CAOP syndrome, 621252
MBTPS2	94.6%	94.6%	99.3%	91.4%	73.6%	Keratosis follicularis spinulosa decalvans, X-linked, 308800;Osteogenesis imperfecta, type XIX, 301014;IFAP syndrome with or without BRESHECK syndrome, 308205;?Olmsted syndrome, X-linked, 300918
MCM5	96.9%	96.9%	100%	100%	99.6%	?Meier-Gorlin syndrome 8, 617564
MECOM	100%	100%	100%	100%	99.7%	Radioulnar synostosis with amegakaryocytic thrombocytopenia 2, 616738
MEGF8	100%	100%	100%	99.8%	98.9%	Carpenter syndrome 2, 614976
MEOX1	100%	100%	100%	100%	98.8%	Klippel-Feil syndrome 2, 214300
MESD	91.8%	91.8%	100%	99.9%	99.1%	Osteogenesis imperfecta, type XX, 618644
MESP2	100%	99.9%	100%	100%	99.8%	Spondylocostal dysostosis 2, autosomal recessive, 608681

MET	100%	100%	100%	100%	99.8%	Renal cell carcinoma, papillary, 1, familial and somatic, 605074;?Arthrogryposis, distal, type 11, 620019;Hepatocellular carcinoma, childhood type, somatic, 114550;{Osteofibrous dysplasia, susceptibility to}, 607278;?Deafness, autosomal recessive 97, 616705
MGP	100%	100%	100%	100%	99.7%	Keutel syndrome, 245150
MIR140						Spondyloepiphyseal dysplasia, Nishimura type, 618618
MIR17HG						
MKS1	99.1%	99%	100%	100%	99.7%	Bardet-Biedl syndrome 13, 615990;Meckel syndrome 1, 249000;Joubert syndrome 28, 617121
MMP13	92.2%	92.2%	100%	100%	99.4%	?Spondyloepimetaphyseal dysplasia, Missouri type, 602111;Metaphyseal anadysplasia 1, 602111;Metaphyseal dysplasia, Spahr type, 250400
MMP14	94.9%	94.9%	100%	100%	99.5%	Winchester syndrome, 277950
MMP2	100%	100%	100%	100%	99.5%	Multicentric osteolysis, nodulosis, and arthropathy, 259600
MMP9	100%	100%	100%	99.9%	98.8%	Metaphyseal anadysplasia 2, 613073
MNX1	98.3%	91.1%	99.8%	98.7%	94.1%	Currarino syndrome, 176450
MRAS	100%	100%	100%	100%	99.7%	Noonan syndrome 11, 618499

MSX2	100%	100%	100%	99.9%	99%	Parietal foramina with cleidocranial dysplasia, 168550;Craniosynostosis 2, 604757;Parietal foramina 1, 168500
MTAP	91.5%	91.5%	100%	100%	99.4%	Diaphyseal medullary stenosis with malignant fibrous histiocytoma, 112250
MTX2	87.1%	87.1%	100%	100%	99.2%	Mandibuloacral dysplasia progeroid syndrome, 619127
MYCN	100%	100%	100%	100%	98.9%	Feingold syndrome 1, 164280;Megalencephaly-polydactyly syndrome, 620748
MYH3	100%	100%	100%	100%	99.5%	Contractures, pterygia, and spondylocarpostarsal fusion syndrome 1A, 178110;Contractures, pterygia, and spondylocarpotarsal fusion syndrome 1B, 618469;Arthrogryposis, distal, type 2B3 (Sheldon-Hall), 618436;Arthrogryposis, distal, type 2A (Freeman-Sheldon), 193700
MYL11	100%	100%	100%	100%	99.1%	Arthrogryposis, distal, type 1C, 619110
MYO18B	100%	100%	100%	99.9%	99.4%	Klippel-Feil syndrome 4, autosomal recessive, with myopathy and facial dysmorphism, 616549
NADSYN1	93.5%	93.5%	100%	100%	99.5%	Vertebral, cardiac, renal, and limb defects syndrome 3, 618845
NAGLU	100%	100%	100%	100%	99.4%	?Charcot-Marie-Tooth disease, axonal, type 2V, 616491;Mucopolysaccharidosis type IIIB (Sanfilippo B), 252920

NANS	94.8%	94.3%	100%	99.9%	99.7%	Spondyloepimetaphyseal dysplasia, Genevieve type, 610442
NBAS	100%	100%	100%	100%	99.7%	Short stature, optic nerve atrophy, and Pelger-Huet anomaly, 614800;Infantile liver failure syndrome 2, 616483
NEK1	100%	100%	100%	100%	99.8%	Short-rib thoracic dysplasia 6 with or without polydactyly, 263520;?Orofaciodigital syndrome II, 252100;{Amyotrophic lateral sclerosis, susceptibility to, 24}, 617892
NEK9	100%	100%	100%	100%	99.7%	?Arthrogryposis, Perthes disease, and upward gaze palsy, 614262;Nevus comedonicus, somatic, 617025;Lethal congenital contracture syndrome 10, 617022
NEPRO	100%	100%	100%	100%	99.5%	
NEU1	100%	100%	100%	99.9%	99.5%	Sialidosis, type II, 256550;Sialidosis, type I, 256550
NF1	99.4%	99.4%	100%	100%	99.8%	Watson syndrome, 193520;Leukemia, juvenile myelomonocytic, 607785;Neurofibromatosis, familial spinal, 162210;Neurofibromatosis, type 1, 162200;Neurofibromatosis-Noonan syndrome, 601321
NFIX	100%	100%	100%	100%	98.8%	Marshall-Smith syndrome, 602535;Malan syndrome, 614753
NIN	100%	100%	100%	100%	99.7%	?Seckel syndrome 7, 614851

NIPBL	100%	100%	100%	100%	99.8%	Cornelia de Lange syndrome 1, 122470
NKX3-2	100%	100%	100%	100%	99%	Spondylo-megaepiphyseal dysplasia, 613330
NLRP3	100%	100%	100%	100%	99.6%	CINCA syndrome, 607115;Familial cold inflammatory syndrome 1, 120100;Keratoendothelitis fugax hereditaria, 148200;Deafness, autosomal dominant 34, with or without inflammation, 617772;Muckle-Wells syndrome, 191900
NMNAT1	100%	99.5%	100%	100%	99.4%	Spondyloepiphyseal dysplasia, sensorineural hearing loss, intellectual developmental disorder, and Leber congenital amaurosis, 619260;Leber congenital amaurosis 9, 608553
NOG	100%	100%	100%	99.7%	98.3%	Symphalangism, proximal, 1A, 185800;Brachydactyly, type B2, 611377;Stapes ankylosis with broad thumbs and toes, 184460;Tarsal-carpal coalition syndrome, 186570;Multiple synostoses syndrome 1, 186500
NOTCH1	99.1%	99%	100%	99.9%	99.4%	Adams-Oliver syndrome 5, 616028;Aortic valve disease 1, 109730
NOTCH2	100%	100%	100%	100%	99.8%	Alagille syndrome 2, 610205;Hajdu-Cheney syndrome, 102500
NPPC	100%	100%	100%	100%	99.8%	

NPR2	100%	100%	100%	100%	99.5%	Epiphyseal chondrodysplasia, Miura type, 615923;Short stature with nonspecific skeletal abnormalities, 616255;Acromesomelic dysplasia 1, Maroteaux type, 602875
NPR3	100%	100%	100%	100%	99.1%	Boudin-Mortier syndrome, 619543
NRAS	89.4%	89.4%	100%	100%	99.9%	Noonan syndrome 6, 613224;?RAS-associated autoimmune lymphoproliferative syndrome type IV, somatic, 614470;Melanocytic nevus syndrome, congenital, somatic, 137550;Epidermal nevus, somatic, 162900;Schimmelpennin g-Feuerstein-Mims syndrome, somatic mosaic, 163200;Thyroid carcinoma, follicular, somatic, 188470;Neurocutaneous melanosis, somatic, 249400;Colorectal cancer, somatic, 114500
NSD1	100%	100%	100%	100%	99.5%	Sotos syndrome, 117550
NSD2	99.5%	99.5%	100%	100%	99.6%	Rauch-Steindl syndrome, 619695
NSDHL	95.9%	95.9%	99.3%	93.1%	75.4%	CK syndrome, 300831;CHILD syndrome, 308050
NSMCE2	92.1%	92.1%	100%	100%	99.9%	Seckel syndrome 10, 617253
NXN	100%	100%	100%	99.9%	99%	Robinow syndrome, autosomal recessive 2, 618529

OBSL1	100%	100%	100%	99.8%	99.2%	3-M syndrome 2, 612921
OFD1	100%	100%	99.1%	91%	73.2%	Simpson-Golabi-Behmel syndrome, type 2, 300209;?Retinitis pigmentosa 23, 300424;Orofaciodigital syndrome I, 311200;Joubert syndrome 10, 300804
ORC1	100%	100%	100%	100%	99.8%	Meier-Gorlin syndrome 1, 224690
ORC4	90.8%	90.8%	100%	100%	99.7%	Meier-Gorlin syndrome 2, 613800
ORC6	100%	100%	100%	100%	99.7%	Meier-Gorlin syndrome 3, 613803
OSTM1	100%	99.7%	100%	100%	99.5%	Osteopetrosis, autosomal recessive 5, 259720
OTX2	100%	100%	100%	100%	99.9%	Retinal dystrophy, early-onset, with or without pituitary dysfunction, 610125;Pituitary hormone deficiency, combined, 6, 613986;Microphthalmia , syndromic 5, 610125
P3H1	95.3%	93.2%	100%	99.9%	99.1%	Osteogenesis imperfecta, type VIII, 610915
P4HB	90.9%	89.4%	100%	99.9%	99%	Cole-Carpenter syndrome 1, 112240
PAM16	85.8%	85.5%	100%	100%	99.3%	Spondylometaphyseal dysplasia, Megarbane-Dagher-Me like type, 613320
PAPPA2	100%	100%	100%	100%	99.7%	Short stature, Dauber-Argente type, 619489
PAPSS2	100%	100%	100%	100%	99.6%	Brachyolmia 4 with mild epiphyseal and metaphyseal changes, 612847

PAX3	100%	100%	100%	100%	99.6%	Craniofacial-deafness-h and syndrome, 122880;Waardenburg syndrome, type 3, 148820;Waardenburg syndrome, type 1, 193500;Rhabdomyosar coma 2, alveolar, 268220
PCNT	100%	100%	100%	100%	99.6%	Microcephalic osteodysplastic primordial dwarfism, type II, 210720
PCYT1A	100%	100%	100%	100%	99.7%	Spondylometaphyseal dysplasia with cone-rod dystrophy, 608940;Lipodystrophy, congenital generalized, type 5, 620680
PDE3A	100%	100%	100%	100%	99.5%	Hypertension and brachydactyly syndrome, 112410
PDE4D	100%	100%	100%	100%	99.2%	Acrodysostosis 2, with or without hormone resistance, 614613
PDGFRB	99.3%	97.4%	100%	100%	99.2%	Premature aging syndrome, Penttinen type, 601812;?Ocular pterygium-digital keloid dysplasia syndrome, 621091;Kosaki overgrowth syndrome, 616592;Myofibromatosis, infantile, 1, 228550;Basal ganglia calcification, idiopathic, 4, 615007
PEX5	100%	100%	100%	99.8%	99%	Peroxisome biogenesis disorder 2B, 202370;Peroxisome biogenesis disorder 2A (Zellweger), 214110;Rhizomelic chondrodysplasia punctata, type 5, 616716

PEX6	100%	100%	100%	100%	99.1%	Peroxisome biogenesis disorder 4B, 614863;Peroxisome biogenesis disorder 4A (Zellweger), 614862;Heimler syndrome 2, 616617
PEX7	97.9%	97.9%	100%	100%	99.6%	Rhizomelic chondrodysplasia punctata, type 1, 215100;Peroxisome biogenesis disorder 9B, 614879
PHEX	100%	100%	99%	92.2%	75%	Hypophosphatemic rickets, X-linked dominant, 307800
PHGDH	100%	100%	100%	100%	99.6%	Neu-Laxova syndrome 1, 256520;Phosphoglycerate dehydrogenase deficiency, 601815
PIGV	100%	100%	100%	100%	99.7%	Hyperphosphatasia with impaired intellectual development syndrome 1, 239300
PIK3R1	100%	100%	100%	100%	99.7%	Immunodeficiency 36, 616005;SHORT syndrome, 269880;Agammaglobulinemia 7, autosomal recessive, 615214
PISD	100%	100%	100%	99.9%	99.5%	Liberfarb syndrome, 618889
PITX1	100%	100%	100%	100%	98.8%	Clubfoot, congenital, with or without deficiency of long bones and/or mirror-image polydactyly, 119800
PITX2	100%	100%	100%	100%	99.1%	Ring dermoid of cornea, 180550;Axenfeld-Rieger syndrome, type 1, 180500;Anterior segment dysgenesis 4, 137600

PKDCC	100%	100%	100%	99.9%	98.2%	Rhizomelic limb shortening with dysmorphic features, 618821
PLAG1	100%	100%	100%	100%	99.8%	Adenomas, salivary gland pleomorphic, somatic, 181030;Silver-Russell syndrome 4, 618907
PLCB3	100%	100%	100%	100%	99.6%	Spondylometaphyseal dysplasia with corneal dystrophy, 618961
PLCB4	99%	99%	100%	100%	99.8%	Auriculocondylar syndrome 2B, 620458;Auriculocondylar syndrome 2A, 614669
PLEKHM1	100%	100%	100%	99.8%	98.8%	?Osteopetrosis, autosomal recessive 6, 611497;Osteopetrosis, autosomal dominant 3, 618107
PLK4	100%	100%	100%	100%	99.9%	Microcephaly and chorioretinopathy, autosomal recessive, 2, 616171
PLOD1	96.5%	96.5%	100%	100%	99.2%	Ehlers-Danlos syndrome, kyphoscoliotic type, 1, 225400
PLOD2	100%	100%	100%	99.9%	99.4%	Bruck syndrome 2, 609220
PLOD3	98.5%	96.8%	100%	99.8%	98.9%	BCARD syndrome (lysyl hydroxylase 3 deficiency), 612394
PLS3	94.2%	94.2%	99.4%	91.1%	72.5%	Bone mineral density QTL18, osteoporosis, 300910;Diaphragmatic hernia 5, X-linked, 306950

PNPLA6	100%	100%	100%	100%	99.3%	Spastic paraplegia 39, autosomal recessive, 612020; Oliver-McFarlane syndrome, 275400; ?Laurence-Moon syndrome, 245800; Boucher-Neuhäuser syndrome, 215470
POC1A	100%	100%	100%	99.8%	99.1%	Short stature, onychodysplasia, facial dysmorphism, and hypotrichosis, 614813
POLE	100%	100%	100%	100%	99.3%	{Colorectal cancer, susceptibility to, 12}, 615083; FLS syndrome, 615139; IMAGE-I syndrome, 618336
POLL	99%	96.3%	100%	99.9%	99.4%	
POLR1A	100%	100%	100%	100%	99.7%	Leukodystrophy, hypomyelinating, 27, 620675; Acrofacial dysostosis, Cincinnati type, 616462
POLR1B	100%	100%	100%	100%	99.7%	Treacher-Collins syndrome 4, 618939
POLR1C	83.6%	83.5%	100%	100%	99.2%	Leukodystrophy, hypomyelinating, 11, 616494; Treacher Collins syndrome 3, 248390
POLR1D	100%	100%	100%	100%	99.8%	Treacher Collins syndrome 2, 613717
POLR3A	100%	100%	100%	100%	99.6%	Wiedemann-Rautenstrauch syndrome, 264090; Leukodystrophy, hypomyelinating, 7, with or without oligodontia and/or hypogonadotropic hypogonadism, 607694

POLR3B	95.4%	95.4%	100%	100%	99.7%	Leukodystrophy, hypomyelinating, 8, with or without oligodontia and/or hypogonadotropic hypogonadism, 614381;Charcot-Marie-Tooth disease, demyelinating, type 1I, 619742
POLR3GL	100%	100%	100%	100%	99.5%	Short stature, oligodontia, dysmorphic facies, and motor delay, 619234
POP1	100%	100%	100%	100%	99.6%	Anauxetic dysplasia 2, 617396
POR	98%	94.9%	100%	100%	99.6%	Antley-Bixler syndrome with genital anomalies and disordered steroidogenesis, 201750;Disordered steroidogenesis due to cytochrome P450 oxidoreductase, 613571
PORCN	100%	100%	98.5%	89.4%	70.4%	Focal dermal hypoplasia, 305600
POU1F1	100%	100%	100%	100%	99.7%	Pituitary hormone deficiency, combined or isolated, 1, 613038
PPIB	100%	100%	100%	100%	99.6%	Osteogenesis imperfecta, type IX, 259440
PPM1D	100%	100%	100%	100%	99.9%	Breast cancer, somatic, 114480;Jansen-de Vries syndrome, 617450
PPP1CB	87.8%	87.6%	100%	100%	99.7%	Noonan syndrome-like disorder with loose anagen hair 2, 617506
PPP1R21	100%	100%	100%	100%	99.8%	Neurodevelopmental disorder with hypotonia, facial dysmorphism, and brain abnormalities, 619383

PRG4	100%	100%	100%	99.8%	98.4%	Camptodactyly-arthropathy-coxa vara-pericarditis syndrome, 208250
PRKACA	100%	100%	100%	100%	99.4%	Cushing syndrome, ACTH-independent adrenal, somatic, 615830;Cardioacrofacial dysplasia 1, 619142
PRKACB	94.2%	94.2%	100%	99.9%	99.6%	Cardioacrofacial dysplasia 2, 619143
PRKAR1A	100%	100%	100%	100%	99.6%	Pigmented nodular adrenocortical disease, primary, 1, 610489;Acrodysostosis 1, with or without hormone resistance, 101800;Adrenocortical tumor, somatic;Carney complex, type 1, 160980;Myxoma, intracardiac, 255960
PRKG2	87.9%	87.9%	100%	100%	99.8%	Acromesomelic dysplasia 4, 619636;?Spondylometaphyseal dysplasia, Pagnamenta type, 619638
PRMT7	100%	100%	100%	100%	99.6%	Short stature, brachydactyly, intellectual developmental disability, and seizures, 617157
PROKR2	100%	100%	100%	100%	99.3%	Hypogonadotropic hypogonadism 3 with or without anosmia, 244200
PROP1	100%	100%	100%	99.9%	99.1%	Pituitary hormone deficiency, combined, 2, 262600
PSAT1	100%	100%	100%	100%	99.9%	Neu-Laxova syndrome 2, 616038;Phosphoserine aminotransferase deficiency, 610992

PSMB1	90.4%	90.4%	100%	100%	99.8%	?Neurodevelopmental disorder with microcephaly, hypotonia, and absent language, 620038
PTBP1	100%	99.3%	100%	100%	99.4%	STAD syndrome, 621495
PTDSS1	93%	93%	100%	100%	100%	Lenz-Majewski hyperostotic dwarfism, 151050
PTH1R	100%	100%	100%	100%	99%	Metaphyseal chondrodysplasia, Murk Jansen type, 156400;Eiken syndrome, 600002;Failure of tooth eruption, primary, 125350;Chondrodysplasia, Blomstrand type, 215045
PTHLH	100%	100%	100%	100%	99.8%	Brachydactyly, type E2, 613382
PTPN11	89.2%	89.2%	100%	100%	99.8%	Noonan syndrome 1, 163950;LEOPARD syndrome 1, 151100;Metachondromatosis, 156250;Leukemia, juvenile myelomonocytic, somatic, 607785
PUF60	100%	100%	100%	100%	99.2%	Verheij syndrome, 615583
PYCR1	100%	100%	100%	100%	99.8%	Cutis laxa, autosomal recessive, type IIIB, 614438;Cutis laxa, autosomal recessive, type IIB, 612940
RAB23	100%	100%	100%	100%	99.4%	Carpenter syndrome 1, 201000
RAB33B	100%	100%	100%	100%	99.4%	Smith-McCort dysplasia 2, 615222

RAC3	98.6%	91.2%	100%	100%	99.2%	Neurodevelopmental disorder with structural brain anomalies and dysmorphic facies, 618577
RAD21	100%	100%	100%	99.9%	99.6%	Cornelia de Lange syndrome 4, 614701;?Mungan syndrome, 611376
RAD51	89.4%	89.4%	100%	100%	99.5%	Mirror movements 2, 614508;{Breast cancer, susceptibility to}, 114480;Fanconi anemia, complementation group R, 617244
RAF1	96.1%	93.8%	100%	100%	99.7%	Cardiomyopathy, dilated, 1NN, 615916;Noonan syndrome 5, 611553;LEOPARD syndrome 2, 611554
RALA	100%	100%	100%	99.9%	99.8%	Hiatt-Neu-Cooper neurodevelopmental syndrome, 619311
RASGRP2	98.6%	98%	100%	100%	99.4%	Bleeding disorder, platelet-type, 18, 615888
RBBP8	100%	100%	100%	100%	99.8%	Seckel syndrome 2, 606744;Jawad syndrome, 251255;Pancreatic carcinoma, somatic
RBM8A	100%	100%	100%	99.7%	98.9%	Thrombocytopenia-absent radius syndrome, 274000
RBPJ	100%	100%	100%	100%	99.6%	Adams-Oliver syndrome 3, 614814
RECQL4	100%	100%	100%	100%	99.4%	Baller-Gerold syndrome, 218600;Rothmund-Thomson syndrome, type 2, 268400;RAPADILINO syndrome, 266280

RFWD3	100%	100%	100%	100%	99.8%	?Fanconi anemia, complementation group W, 617784
RIGI	98.6%	98.6%	100%	100%	99.9%	Singleton-Merten syndrome 2, 616298
RIPPLY2	100%	100%	100%	100%	99.9%	Spondylocostal dysostosis 6, 616566
RIT1	100%	100%	100%	100%	99.8%	Noonan syndrome 8, 615355
RMRP						Anauxetic dysplasia 1, 607095;Metaphyseal dysplasia without hypotrichosis, 250460;Cartilage-hair hypoplasia, 250250
RNPC3	100%	100%	100%	100%	99.8%	Pituitary hormone deficiency, combined or isolated, 7, 618160
RNU4ATAC						Roifman syndrome, 616651;Lowry-Wood syndrome, 226960;Microcephalic osteodysplastic primordial dwarfism, type I, 210710
ROR2	100%	100%	100%	100%	99.6%	Brachydactyly, type B1, 113000;Robinow syndrome, autosomal recessive 1, 268310
RPGRIP1L	100%	100%	100%	100%	99.7%	Joubert syndrome 7, 611560;Meckel syndrome 5, 611561;?COACH syndrome 3, 619113
RPL10	100%	100%	99.3%	91.1%	69.5%	{Autism, susceptibility to, X-linked 5}, 300847;Intellectual developmental disorder, X-linked syndromic 35, 300998
RPL13	100%	100%	100%	100%	98.9%	Spondyloepimetaphyseal dysplasia, Isidor-Toutain type, 618728

RRAS	93.2%	93.2%	100%	99.9%	98.4%	
RRAS2	95.5%	95.5%	100%	100%	99.5%	Ovarian carcinoma; Noonan syndrome 12, 618624
RREB1	100%	100%	100%	99.9%	98.9%	
RSPO2	100%	100%	100%	99.9%	99.5%	?Humero femoral hypoplasia with radiotibial ray deficiency, 618022; Tetraamelia syndrome 2, 618021
RSPRY1	95.5%	95.5%	100%	100%	99.4%	Spondyloepimetaphyseal dysplasia, Faden-Alkuraya type, 616723
RUNX2	100%	100%	100%	99.9%	98.8%	Metaphyseal dysplasia with maxillary hypoplasia with or without brachydactyly, 156510; Cleidocranial dysplasia, forme fruste, with brachydactyly, 119600; Cleidocranial dysplasia, forme fruste, dental anomalies only, 119600; Cleidocranial dysplasia, 119600
SALL1	100%	100%	100%	100%	99.2%	Townes-Brocks syndrome 1, 107480; Townes-Brocks branchiootorenal-like syndrome, 107480
SALL4	100%	100%	100%	100%	99.6%	?IVIC syndrome, 147750; Duane-radial ray syndrome, 607323
SATB2	100%	100%	100%	99.9%	99.5%	Glass syndrome, 612313
SBDS	100%	100%	100%	100%	99.9%	{Aplastic anemia, susceptibility to}, 609135; Shwachman-Diamond syndrome 1, 260400
SCARF2	100%	100%	100%	99.8%	97.6%	Van den Ende-Gupta syndrome, 600920

SCUBE3	97.5%	97.5%	100%	100%	99.8%	Short stature, facial dysmorphism, and skeletal anomalies with or without cardiac anomalies 2, 619184
SEC24D	100%	100%	100%	100%	99.6%	Cole-Carpenter syndrome 2, 616294
SEMA3A	100%	100%	100%	100%	99.8%	{Hypogonadotropic hypogonadism 16 with or without anosmia}, 614897
SERPINF1	100%	100%	100%	100%	99%	Osteogenesis imperfecta, type VI, 613982
SERPINH1	100%	100%	100%	100%	99.6%	{Preterm premature rupture of the membranes, susceptibility to}, 610504;Osteogenesis imperfecta, type X, 613848
SETD2	100%	100%	100%	100%	99.7%	Luscan-Lumish syndrome, 616831;Intellectual developmental disorder, autosomal dominant 70, 620157;Rabin-Pappas syndrome, 620155
SF3B4	100%	100%	100%	100%	99.1%	Acrofacial dysostosis 1, Nager type, 154400
SFRP4	100%	100%	100%	100%	99.8%	Pyle disease, 265900
SGMS2	100%	100%	100%	100%	99.4%	Calvarial doughnut lesions with bone fragility with or without spondylometaphyseal dysplasia, 126550
SGSH	100%	100%	100%	100%	99.5%	Mucopolysaccharidosis type IIIA (Sanfilippo A), 252900
SH3BP2	100%	99.7%	100%	100%	99.5%	Cherubism, 118400
SH3PXD2B	99.9%	98.6%	100%	100%	99.2%	Frank-ter Haar syndrome, 249420

SHH	100%	100%	100%	99.8%	98.4%	Single median maxillary central incisor, 147250;Holoprosencephaly 3, 142945;Microphthalmia/coloboma 5, 611638
SHOC2	100%	100%	100%	100%	99.9%	Noonan syndrome-like with loose anagen hair 1, 607721
SHOX	47.4%	47.4%	50%	49.9%	49.6%	Short stature, idiopathic familial, 300582;Leri-Weill dyschondrosteosis, 127300;Langer mesomelic dysplasia, 249700;Short stature, idiopathic familial, 300582;Langer mesomelic dysplasia, 249700;Leri-Weill dyschondrosteosis, 127300
SKI	100%	100%	100%	99.8%	98.8%	Shprintzen-Goldberg syndrome, 182212
SLC10A7	92.8%	92.8%	100%	100%	100%	Short stature, amelogenesis imperfecta, and skeletal dysplasia with scoliosis, 618363
SLC13A1	100%	100%	100%	100%	99.8%	
SLC17A5	92.7%	92.7%	100%	100%	99.8%	Salla disease, 604369;Sialic acid storage disorder, infantile, 269920
SLC25A24	99.4%	99.4%	99.7%	99.1%	97.9%	Fontaine progeroid syndrome, 612289

SLC26A2	100%	100%	100%	100%	99.8%	Epiphyseal dysplasia, multiple, 4, 226900;De la Chapelle dysplasia, 256050;Diastrophic dysplasia, 222600;Diastrophic dysplasia, broad bone-platyspondylic variant, 222600;Achondrogenesis IB, 600972;Atelosteogenesis, type II, 256050
SLC29A3	100%	100%	100%	100%	99.5%	Histiocytosis-lymphadenopathy plus syndrome, 602782
SLC34A3	100%	100%	100%	99.8%	98.6%	Hypophosphatemic rickets with hypercalciuria, 241530
SLC35C1	100%	100%	100%	100%	98.9%	Congenital disorder of glycosylation, type IIc, 266265
SLC35D1	100%	100%	100%	100%	99.8%	Schneckenbecken dysplasia, 269250
SLC39A13	99.8%	97.5%	100%	100%	99.5%	Ehlers-Danlos syndrome, spondylodysplastic type, 3, 612350
SLC39A14	94%	94%	100%	100%	99.5%	?Hyperostosis cranialis interna, 144755;Hypermanganesemia with dystonia 2, 617013
SLC4A2	100%	100%	100%	100%	99.4%	?Osteopetrosis, autosomal recessive 9, 620366
SLCO2A1	100%	100%	100%	100%	99.3%	Hypertrophic osteoarthropathy, primary, autosomal dominant, 167100;PHOAR2-enteropathy syndrome, 614441
SLCO5A1	100%	100%	100%	100%	99.9%	

SLX4	100%	100%	100%	100%	99.4%	Fanconi anemia, complementation group P, 613951
SMAD2	86.7%	86.7%	100%	100%	99.8%	Loeys-Dietz syndrome 6, 619656; Congenital heart defects, multiple types, 8, with or without heterotaxy, 619657
SMAD3	100%	100%	100%	100%	99.4%	Loeys-Dietz syndrome 3, 613795
SMAD4	95.4%	95.4%	100%	100%	99.8%	Pancreatic cancer, somatic, 260350; Myhre syndrome, 139210; Polyposis, juvenile intestinal, 174900; Juvenile polyposis/hereditary hemorrhagic telangiectasia syndrome, 175050
SMAD6	100%	100%	100%	99.8%	98.1%	Aortic valve disease 2, 614823; {Radioulnar synostosis, nonsyndromic}, 179300; {Craniosynostosis 7, susceptibility to}, 617439
SMARCA4	100%	100%	100%	99.9%	99.3%	Coffin-Siris syndrome 4, 614609; {Rhabdoid tumor predisposition syndrome 2}, 613325; ?Otosclerosis 12, 620792
SMARCA5	98.4%	98.4%	100%	100%	99.8%	
SMARCA1	95.6%	95.6%	100%	100%	99.7%	Schimke immunoosseous dysplasia, 242900
SMARCB1	95.2%	95.2%	100%	100%	99.7%	Rhabdoid tumors, somatic, 609322; {Schwannomatosis-1, susceptibility to}, 162091; Coffin-Siris syndrome 3, 614608; {Rhabdoid tumor predisposition syndrome 1}, 609322

SMARCE1	100%	100%	100%	100%	99.8%	{Meningioma, familial, susceptibility to}, 607174;Coffin-Siris syndrome 5, 616938
SMC1A	100%	100%	99.1%	88.6%	70.4%	Cornelia de Lange syndrome 2, 300590;Developmental and epileptic encephalopathy 85, with or without midline brain defects, 301044
SMC3	100%	100%	100%	100%	99.9%	Cornelia de Lange syndrome 3, 610759
SMO	100%	100%	100%	100%	99.7%	Pallister-Hall-like syndrome, 241800;Basal cell carcinoma, somatic, 605462;Curry-Jones syndrome, somatic mosaic, 601707
SMOC2	100%	100%	100%	100%	99.6%	Dentin dysplasia, type IA, 125400
SNRNPB	90.5%	82.4%	100%	100%	99.7%	Cerebrocostomandibular syndrome, 117650
SNX10	89.3%	89.3%	100%	100%	99.6%	Osteopetrosis, autosomal recessive 8, 615085
SOS1	98.8%	98.6%	100%	100%	99.6%	Noonan syndrome 4, 610733;Fibromatosis, gingival, 1, 135300
SOS2	95%	95%	100%	100%	99.5%	Noonan syndrome 9, 616559
SOST	100%	100%	100%	99.9%	98.7%	Sclerosteosis 1, 269500;Craniodiaphyseal dysplasia, autosomal dominant, 122860
SOX2	100%	100%	100%	99.9%	97.8%	Optic nerve hypoplasia and abnormalities of the central nervous system, 206900;Microphthalmia, syndromic 3, 206900

SOX3	100%	100%	96.1%	81.1%	61.5%	Intellectual developmental disorder, X-linked, with isolated growth hormone deficiency, 300123;Panhypopituitarism, X-linked, 312000
SOX9	100%	99.5%	100%	99.9%	97.9%	Campomelic dysplasia with autosomal sex reversal, 114290;46XY sex reversal 10, 616425;Acampomelic campomelic dysplasia, 114290;Campomelic dysplasia, 114290;46XX sex reversal 2, 278850
SP7	100%	100%	100%	100%	99.5%	Osteogenesis imperfecta, type XII, 613849
SPARC	100%	100%	100%	100%	99.4%	Osteogenesis imperfecta, type XVII, 616507
SPECC1L	94.6%	94.6%	100%	100%	99.7%	Teebi hypertelorism syndrome 1, 145420;?Facial clefting, oblique, 1, 600251
SPINK5	100%	100%	100%	100%	99.8%	Netherton syndrome, 256500
SPR	100%	100%	100%	100%	99.8%	Dystonia, dopa-responsive, due to sepiapterin reductase deficiency, 612716
SPRED1	97.6%	97.6%	100%	100%	100%	Legius syndrome, 611431
SPRED2	100%	100%	100%	100%	99.8%	Noonan syndrome 14, 619745
SRCAP	100%	100%	100%	100%	99.3%	Developmental delay, hypotonia, musculoskeletal defects, and behavioral abnormalities, 619595;Floating-Harbor syndrome, 136140

SRP54	96.3%	96.3%	100%	100%	99.9%	Neutropenia, severe congenital, 8, autosomal dominant, 618752
STAT3	100%	100%	100%	100%	99.6%	Hyper-IgE syndrome 1, autosomal dominant, with recurrent infections, 147060;Autoimmune disease, multisystem, infantile-onset, 1, 615952
STAT5B	100%	100%	100%	100%	99.5%	Growth hormone insensitivity with immune dysregulation 1, autosomal recessive, 245590;Growth hormone insensitivity with immune dysregulation 2, autosomal dominant, 618985
STIM1	100%	99.9%	100%	99.9%	99.7%	Myopathy, tubular aggregate, 1, 160565;Stormorken syndrome, 185070;Immunodeficiency 10, 612783
SULF1	100%	100%	100%	100%	99.7%	
SUMF1	100%	100%	100%	100%	99.9%	Multiple sulfatase deficiency, 272200
TAB2	100%	100%	100%	100%	98.7%	Congenital heart defects, nonsyndromic, 2, 614980
TAPT1	100%	100%	100%	100%	99.7%	Osteochondrodysplasia , complex lethal, Symoens-Barnes-Gistel inck type, 616897
TBCE	96.7%	96.6%	100%	100%	99.6%	Kenny-Caffey syndrome, type 1, 244460;Hypoparathyroidism-retardation-dysmorphism syndrome, 241410;Encephalopathy, progressive, with amyotrophy and optic atrophy, 617207

TBX15	100%	100%	100%	100%	99.8%	Cousin syndrome, 260660
TBX2	99.5%	97.7%	100%	100%	99.1%	Vertebral anomalies and variable endocrine and T-cell dysfunction, 618223
TBX3	100%	100%	100%	100%	99.2%	Ulnar-mammary syndrome, 181450
TBX4	100%	100%	100%	100%	99%	Ischiocoxopodopatellar syndrome with or without pulmonary arterial hypertension, 147891;Amelia, posterior, with pelvic and pulmonary hypoplasia syndrome, 601360
TBX5	100%	100%	100%	100%	99.4%	Holt-Oram syndrome, 142900
TBX6	100%	99.5%	100%	100%	99.3%	Spondylocostal dysostosis 5, 122600
TBXAS1	100%	100%	100%	100%	99.8%	Ghosal hematodiaphyseal syndrome, 231095
TCF12	96.1%	96.1%	100%	100%	99.7%	Craniosynostosis 3, 615314;Hypogonadotropic hypogonadism 26 with or without anosmia, 619718
TCIRG1	100%	100%	100%	100%	99.7%	Osteopetrosis, autosomal recessive 1, 259700
TCOF1	97.9%	97.9%	100%	100%	99.6%	Treacher Collins syndrome 1, 154500
TCTN2	98.5%	98.5%	100%	100%	99.5%	Joubert syndrome 24, 616654;?Meckel syndrome 8, 613885
TCTN3	100%	100%	100%	100%	99.5%	Joubert syndrome 18, 614815;Orofaciodigital syndrome IV, 258860
TENT5A	100%	100%	100%	100%	99.4%	Osteogenesis imperfecta, type XVIII, 617952

TGDS	100%	100%	100%	100%	99.9%	Catel-Manzke syndrome, 616145
TGFB1	100%	100%	100%	99.9%	98.5%	Inflammatory bowel disease, immunodeficiency, and encephalopathy, 618213;{Cystic fibrosis lung disease, modifier of}, 219700;Camurati-Engelmann disease 1, 131300
TGFB2	100%	100%	100%	99.8%	99.4%	Loeys-Dietz syndrome 4, 614816;Camurati-Engelmann disease 2, 606631
TGFB3	88.3%	88.3%	100%	100%	99.7%	Arrhythmogenic right ventricular dysplasia 1, 107970;Loeys-Dietz syndrome 5, 615582
TGFBR1	100%	100%	100%	100%	99.6%	{Multiple self-healing squamous epithelioma, susceptibility to}, 132800;Loeys-Dietz syndrome 1, 609192
TGFBR2	100%	100%	100%	100%	99.6%	Loeys-Dietz syndrome 2, 610168;Colorectal cancer, hereditary nonpolyposis, type 6, 614331;Esophageal cancer, somatic, 133239
THPO	100%	100%	100%	100%	99.3%	Thrombocythemia 1, 187950;Thrombocytopenia 9, 620478;Amegakaryocytic thrombocytopenia, congenital, 2, 620481
TMCO1	72.3%	72.3%	100%	100%	99.6%	Craniofacial dysmorphism, skeletal anomalies, and impaired intellectual development 1, 213980
TMEM165	88.9%	88.9%	100%	100%	99.7%	Congenital disorder of glycosylation, type IIk, 614727

TMEM216	100%	100%	100%	100%	99.8%	Joubert syndrome 2, 608091;Retinitis pigmentosa 98, 620996;Meckel syndrome 2, 603194
TMEM231	93.5%	93.5%	100%	100%	99.5%	Joubert syndrome 20, 614970;Meckel syndrome 11, 615397
TMEM38B	89.5%	89.5%	100%	100%	99.9%	Osteogenesis imperfecta, type XIV, 615066
TMEM53	100%	100%	100%	100%	99.3%	Craniotubular dysplasia, Ikegawa type, 619727
TMEM67	96.1%	96.1%	100%	100%	99.7%	Nephronophthisis 11, 613550;{Bardet-Biedl syndrome 14, modifier of}, 615991;Joubert syndrome 6, 610688;Meckel syndrome 3, 607361;?RHYNS syndrome, 602152;COACH syndrome 1, 216360
TNFRSF11A	100%	100%	100%	100%	99.5%	Osteopetrosis, autosomal recessive 7, 612301;{Paget disease of bone 2, early-onset}, 602080;Osteolysis, familial expansile, 174810
TNFRSF11B	89.8%	89.8%	100%	100%	99.9%	Paget disease of bone 5, juvenile-onset, 239000
TNFSF11	100%	100%	100%	100%	99.9%	Osteopetrosis, autosomal recessive 2, 259710
TONSL	96.1%	96.1%	100%	99.9%	99.3%	Spondyloepimetaphyseal dysplasia, sponastrime type, 271510

TP63	100%	100%	100%	100%	99.6%	Premature ovarian failure 21, 620311;Ectrodactyly, ectodermal dysplasia, and cleft lip/palate syndrome 3, 604292;Hay-Wells syndrome, 106260;Split-hand/foot malformation 4, 605289;Orofacial cleft 8, 618149;Rapp-Hodgkin syndrome, 129400;ADULT syndrome, 103285;Limb-mammary syndrome, 603543
TRAF3IP1	100%	100%	100%	100%	99.6%	
TRAF7	100%	100%	100%	99.9%	99.2%	Cardiac, facial, and digital anomalies with developmental delay, 618164
TRAIP	100%	100%	100%	100%	99.8%	Seckel syndrome 9, 616777
TRAPPC2	100%	100%	99.8%	94.1%	77.5%	Spondyloepiphyseal dysplasia tarda, 313400
TREM2	100%	100%	100%	100%	99.9%	{Alzheimer disease 17, susceptibility to}, 615080;Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy 2, 618193
TRIM37	98.3%	97.6%	100%	100%	99.7%	Mulibrey nanism, 253250
TRIP11	100%	100%	100%	100%	99.8%	Odontochondrodysplasia 1, 184260;Achondrogenesis, type IA, 200600
TRIP13	100%	100%	100%	100%	99.7%	Oocyte/zygote/embryo maturation arrest 9, 619011;Mosaic variegated aneuploidy syndrome 3, 617598

TRPS1	100%	100%	100%	100%	99.8%	Trichorhinophalangeal syndrome, type III, 190351;Trichorhinophalangeal syndrome, type I, 190350
TRPV4	100%	100%	100%	99.9%	99.1%	Neuronopathy, distal hereditary motor, autosomal dominant 8, 600175;Spondylometaphyseal dysplasia, Kozlowski type, 184252;Digital arthropathy-brachydactyly, familial, 606835;[Sodium serum level QTL 1], 613508;SED, Maroteaux type, 184095;Metatropic dysplasia, 156530;Scapuloperoneal spinal muscular atrophy, 181405;Hereditary motor and sensory neuropathy, type IIc, 606071;?Avascular necrosis of femoral head, primary, 2, 617383;Parastremmatic dwarfism, 168400;Brachyolmia type 3, 113500
TRPV6	100%	100%	100%	100%	99.2%	Hyperparathyroidism, transient neonatal, 618188
TTC21B	98.4%	98.1%	100%	100%	99.8%	Short-rib thoracic dysplasia 4 with or without polydactyly, 613819;Nephronophthisis 12, 613820
TTI2	100%	100%	100%	100%	99.7%	Intellectual developmental disorder, autosomal recessive 39, 615541

TWIST1	100%	100%	100%	100%	98.5%	Craniosynostosis 1, 123100;Robinow-Sorauf syndrome, 180750;Sweeney-Cox syndrome, 617746;Saethre-Chotzen syndrome with or without eyelid anomalies, 101400
TYROBP	91.4%	91.2%	100%	99.8%	99.2%	Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy 1, 221770
UBA2	100%	100%	100%	100%	99.6%	ACCES syndrome, 619959
UBE2T	92.6%	92.6%	100%	100%	99.7%	Fanconi anemia, complementation group T, 616435
UFSP2	100%	100%	100%	100%	99.8%	?Hip dysplasia, Beukes type, 142669;Spondyloepimetaphyseal dysplasia, Di Rocco type, 617974;Developmental and epileptic encephalopathy 106, 620028
VAC14	96.4%	96.4%	100%	100%	99.7%	Striatonigral degeneration, childhood-onset, 617054
VDR	100%	100%	100%	100%	99.1%	Rickets, vitamin D-resistant, type IIA, 277440
VPS33A	90.3%	90.2%	100%	100%	99.7%	Mucopolysaccharidosis -plus syndrome, 617303
VPS35L	93.6%	93%	100%	100%	99.4%	Ritscher-Schinzel syndrome 3, 619135

WDR19	100%	100%	100%	100%	99.8%	Nephronophthisis 13, 614377;Cranioectodermal dysplasia 4, 614378;Senior-Loken syndrome 8, 616307;Short-rib thoracic dysplasia 5 with or without polydactyly, 614376;?Spermatogenic failure 72, 619867
WDR35	100%	100%	100%	100%	99.7%	Short-rib thoracic dysplasia 7 with or without polydactyly, 614091;Cranioectodermal dysplasia 2, 613610
WNT1	100%	100%	100%	99.9%	99%	{Osteoporosis, early-onset, susceptibility to, autosomal dominant}, 615221;Osteogenesis imperfecta, type XV, 615220
WNT10B	100%	100%	100%	99.7%	98.8%	Tooth agenesis, selective, 8, 617073;Split-hand/foot malformation 6, 225300
WNT3	100%	100%	100%	99.8%	99.3%	?Tetra-amelia syndrome 1, 273395
WNT5A	100%	100%	100%	99.9%	98.6%	Robinow syndrome, autosomal dominant 1, 180700
WNT6	100%	100%	100%	99.6%	98.3%	
WNT7A	100%	100%	100%	100%	99.6%	Fuhrmann syndrome, 228930;Ulna and fibula, absence of, with severe limb deficiency, 276820;?Santos syndrome, 613005
XRCC4	100%	100%	100%	100%	99.9%	Short stature, microcephaly, and endocrine dysfunction, 616541

XYLT1	100%	100%	100%	99.9%	99.3%	Desbuquois dysplasia 2, 615777;{Pseudoxanthoma elasticum, modifier of severity of}, 264800
XYLT2	99.9%	98.8%	100%	99.9%	99.5%	{Pseudoxanthoma elasticum, modifier of severity of}, 264800;Spondyloocular syndrome, 605822
ZBTB16	87.8%	87.8%	100%	100%	99.3%	Leukemia, acute promyelocytic, PL2F/RARA type
ZC4H2	100%	100%	98.3%	88.3%	72.7%	Wieacker-Wolff syndrome, 314580;Wieacker-Wolff syndrome, female-restricted, 301041
ZMPSTE24	100%	100%	100%	100%	100%	Mandibuloacral dysplasia with type B lipodystrophy, 608612;Restrictive dermopathy 1, 275210
ZSWIM6	97.9%	96.3%	99.2%	98.1%	96.1%	Neurodevelopmental disorder with movement abnormalities, abnormal gait, and autistic features, 617865;Acromelic frontonasal dysostosis, 603671

Gene symbols used follow HGNC guidelines: Gray KA, Yates B, Seal RL, Wright MW, Bruford EA. Nucleic Acids Res. 2015 Jan 43(Database issue):D1079-85.

TWIST X2 covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

TWIST X2 covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WES using TWIST X2 chemistry mapped against GRCh38.

srWGS covered 10x describes the percentage of a gene's coding sequence that is covered at least 10x when analyzed by WGS mapped against GRCh38.

srWGS covered 15x describes the percentage of a gene's coding sequence that is covered at least 15x when analyzed by WGS mapped against GRCh38.

srWGS covered 20x describes the percentage of a gene's coding sequence that is covered at least 20x when analyzed by WGS mapped against GRCh38.

non-protein coding genes are covered, but as coverage statistics are based on protein coding regions, statistics could not be generated.

OMIM release used for OMIM disease identifiers and descriptions : November 25th, 2024.

This list is accurate for panel version DG 5.1.0

Ad 1. Blank field signifies a gene without a current OMIM association Ad 2. OMIM phenotype descriptions between {} signify risk factors